INFORMATION TO USERS

This manuscript has been reproduced from the microfilm master. UMI films the text directly from the original or copy submitted. Thus, some thesis and dissertation copies are in typewriter face, while others may be from any type of computer printer.

The quality of this reproduction is dependent upon the quality of the copy submitted. Broken or indistinct print, colored or poor quality illustrations and photographs, print bleedthrough, substandard margins, and improper alignment can adversely affect reproduction.

In the unlikely event that the author did not send UMI a complete manuscript and there are missing pages, these will be noted. Also, if unauthorized copyright material had to be removed, a note will indicate the deletion.

Oversize materials (e.g., maps, drawings, charts) are reproduced by sectioning the original, beginning at the upper left-hand corner and continuing from left to right in equal sections with small overlaps. Each original is also photographed in one exposure and is included in reduced form at the back of the book.

Photographs included in the original manuscript have been reproduced xerographically in this copy. Higher quality 6" x 9" black and white photographic prints are available for any photographs or illustrations appearing in this copy for an additional charge. Contact UMI directly to order.

UMI[®]

Bell & Howell Information and Learning
300 North Zeeb Road, Ann Arbor, MI 48106-1346 USA
800-521-0600

**EFFECTS OF SALINITY
ON THE PHYSICAL CHARACTERISTICS
OF ACTIVATED SLUDGE FLOCS**

by

Christopher P. Cousin

A thesis submitted in conformity with the requirements
for the degree of Master of Applied Science
Graduate Department of Civil Engineering
University of Toronto

© Copyright by Christopher P. Cousin 1998

National Library
of Canada

Acquisitions and
Bibliographic Services

395 Wellington Street
Ottawa ON K1A 0N4
Canada

Bibliothèque nationale
du Canada

Acquisitions et
services bibliographiques

395, rue Wellington
Ottawa ON K1A 0N4
Canada

Your file Votre référence

Our file Notre référence

The author has granted a non-exclusive licence allowing the National Library of Canada to reproduce, loan, distribute or sell copies of this thesis in microform, paper or electronic formats.

The author retains ownership of the copyright in this thesis. Neither the thesis nor substantial extracts from it may be printed or otherwise reproduced without the author's permission.

L'auteur a accordé une licence non exclusive permettant à la Bibliothèque nationale du Canada de reproduire, prêter, distribuer ou vendre des copies de cette thèse sous la forme de microfiche/film, de reproduction sur papier ou sur format électronique.

L'auteur conserve la propriété du droit d'auteur qui protège cette thèse. Ni la thèse ni des extraits substantiels de celle-ci ne doivent être imprimés ou autrement reproduits sans son autorisation.

0-612-40931-7

Canada

Abstract

Cousin, Christopher P., 1998. Effects of Salinity on the Physical Characteristics of Activated Sludge Flocs. Master of Applied Science. Graduate Department of Civil Engineering, University of Toronto.

The effect of increased wastewater salinity on the physical characteristics of activated sludge flocs was studied by exposing samples of activated sludge to increased NaCl concentrations (salinity test), and to varying $\text{Ca}^{2+}:\text{Na}^+$ ratios (calcium test). The time response of the flocs to the increased NaCl was also measured. Two salinity tests were run and, for both tests, it was determined that as the NaCl concentration was increased, the mean floc size increased, with the flocs also becoming more elongated with decreasing shape factor. The increase in floc size is considered to be due to a combination of electrostatic and hydrophobic interactions. Both the porosity and the boundary fractal dimension were found to provide different values in the two salinity tests. The flocs were found to exhibit two distinct Sierpinski fractal dimensions, thus indicating the presence of two pore size populations. Increased salinity had little effect on the smaller pore size population but a significant effect on the larger pore size population. The time response test indicated that the flocs achieved the new characteristics in about 15 minutes. The calcium test revealed that a minimum mean floc size was achieved at a $\text{Ca}^{2+}:\text{Na}^+$ ratio of 1.0 and the flocs' shape was not correlated with size. The porosity decreased with increasing ratios until an equilibrium value was achieved. The floc surface profile was found to become more rugged with an increased mean floc size and smoother with a decreased mean floc size. Finally, examination of all size distributions revealed that the data were best fitted by a log normal distribution.

Acknowledgments

First and foremost, I would like to thank my supervisor Dr. Jerzy J. Ganczarczyk for giving me the opportunity to pursue my Master's Degree at the University of Toronto. I am especially grateful for the knowledge, wisdom, guidance, and support he gave me throughout the course of my research. I would also like to express my gratitude to Professor J.G. Henry for his invaluable comments and critical review of the thesis.

I would like to thank Beata Gorczyca for her endless help and advice with my research, but most of all for her friendship and the smile she wore every day.

I would also like to thank Durga Prasad and Russel D'Souza for their guidance and advice concerning my experimental work, Battista Calvieri for his technical assistance with microtome sectioning, Fred Neub and Sal Boccia for the use of, and assistance with, the *Global Lab[®] Image* analysis system, Professor Michael V. Sefton and Michael May for the use of, and assistance with, the *Image-I[®]* analysis system, and John Thompson, Senior Shift Control Officer, Main Treatment Plant, for his assistance with sample collection and for supplying plant reports of operations.

Finally, I would like thank my family and my best friend, Ethel Salvador, who have supported me throughout the course of my studies, through the good and the bad, and who I know will be there for me in the future.

Table of Contents

Abstract	ii
Acknowledgments	iii
Table of Contents	iv
List of Tables	ix
List of Figures	x
 Chapter 1 Introduction	 1
1.1 The Activated Sludge Process and the Importance of the Activated Sludge Floc	1
1.2 Objective of the Investigation	3
 Chapter 2 Literature Review	 4
2.1 The Activated Sludge Process	4
2.1.1 Process Description	4
2.1.2 Aeration	6
2.1.3 Biomass Separation	6
2.1.4 Sludge Thickening and Dewatering	7
2.1.5 Importance of Floc Characteristics in Relation to Process Performance	8
2.2 The Activated Sludge Floc	8
2.2.1 Floc Composition	9
2.2.1.1 Microorganisms	9
2.2.1.2 Extracellular Polymers	12
2.2.1.3 Water	13
2.2.1.4 Other Components	13
2.2.2 Floc Structure	13
2.2.2.1 Morphology	14
2.2.2.2 Pore Spaces	14

2.2.3 Physical Characteristics.....	15
2.2.3.1 Measurement.....	15
2.2.3.2 Size Distribution.....	16
2.2.3.3 Fractal Properties.....	16
2.2.3.4 Porosity.....	18
2.2.3.5 Settling Velocity.....	18
2.2.4 Flocculation Mechanisms.....	20
2.2.4.1 Filamentous Organisms.....	20
2.2.4.2 Physicochemical Forces.....	20
2.2.4.3 Polymers and Extracellular Polymers.....	23
2.2.4.4 Mixing.....	24
2.3 Factors Affecting the Activated Sludge Process.....	24
2.3.1 Salinity.....	24
2.3.2 Other Factors.....	25
2.4 Factors Affecting the Activated Sludge Floc Characteristics.....	27
2.4.1 Salinity and Ionic Effects.....	27
2.4.2 Other Factors.....	29
Chapter 3 Methods and Materials.....	31
3.1 Scope of the Experiments.....	31
3.2 Sludge.....	31
3.3 Experimental Program.....	33
3.3.1 Part I : Salinity Test and Time Response Test.....	33
3.3.2 Part II : Calcium Test.....	34
3.3.3 Sample Preparation.....	34
3.3.3.1 Agar Embedding Procedure.....	35
3.3.3.2 Resin Embedding Procedure.....	35
3.4 Image Analysis System.....	37
3.4.1 Description of System Use.....	37
3.4.2 Measuring of Floc Characteristics.....	38

3.5 Floc Characteristics	39
3.5.1 Floc Area.....	40
3.5.2 Equivalent Diameter	40
3.5.3 Longest Dimension.....	41
3.5.4 Perimeter.....	41
3.5.5 Shape Factor	42
3.5.6 Geometric Porosity.....	42
3.5.7 Fractal Dimensions	43
3.5.7.1 Boundary Fractal Dimension.....	43
3.5.7.2 Sierpinski Fractal Dimension.....	44
Chapter 4 Data Analysis	46
4.1 Statistical Analysis.....	46
4.1.1 Distribution Curve Fitting.....	46
4.1.2 Data Statistics and Regression Analysis.....	46
4.1.3 Analysis of Variance Significance Testing	47
Chapter 5 Results	48
5.1 Floc Images.....	48
5.2 Part I : Salinity Tests	50
5.2.1 Size Distributions for Salinity Tests.....	51
5.2.2 Logarithmic Mean Values for Salinity Tests	57
5.2.3 Geometric Porosity for Salinity Tests.....	60
5.2.4 Fractal Dimensions for Salinity Tests	61
5.2.4.1 Boundary Fractal Dimension.....	61
5.2.4.2 Sierpinski Fractal Dimension.....	61
5.3 Part I : Time Response Test.....	63
5.3.1 Size Distributions for Time Response Test.....	63
5.3.2 Logarithmic Mean Values for Time Response Test	66
5.3.3 Geometric Porosity for Time Response Test	68

5.3.4 Fractal Dimensions for Time Response Test.....	69
5.3.4.1 Boundary Fractal Dimension.....	69
5.3.4.2 Sierpinski Fractal Dimension.....	70
5.4 Part II : Calcium Test	71
5.4.1 Size Distributions for Calcium Test.....	71
5.4.2 Logarithmic Mean Values for Calcium Test	74
5.4.3 Geometric Porosity for Calcium Test.....	77
5.4.4 Fractal Dimensions for Calcium Test.....	78
5.4.4.1 Boundary Fractal Dimension.....	78
5.4.4.2 Sierpinski Fractal Dimension.....	79
Chapter 6 Discussion.....	80
6.1 Part I : Salinity Tests	80
6.1.1 Size Distributions for Salinity Tests.....	80
6.1.2 Logarithmic Mean Values for Salinity Tests	81
6.1.3 Geometric Porosity for Salinity Tests.....	84
6.1.4 Fractal Dimensions For Salinity Tests	85
6.1.4.1 Boundary Fractal Dimension.....	86
6.1.4.2 Sierpinski Fractal Dimension.....	87
6.2 Part I : Time Response Test.....	89
6.2.1 Size Distributions for Time Response Test.....	89
6.2.2 Logarithmic Mean Values for Time Response Test	90
6.2.3 Geometric Porosity for Time Response Test	91
6.2.4 Fractal Dimensions for Time Response Test.....	91
6.2.4.1 Boundary Fractal Dimension.....	91
6.2.4.2 Sierpinski Fractal Dimension.....	92
6.3 Part II : Calcium Test	93
6.3.1 Size Distributions for Calcium Test.....	93
6.3.2 Logarithmic Mean Values for Calcium Test	94
6.3.3 Geometric Porosity for Calcium Test	97

6.3.4 Fractal Dimensions for Calcium Test.....	98
6.3.4.1 Boundary Fractal Dimension.....	98
6.3.4.2 Sierpinski Fractal Dimension.....	99
6.4 Experimental Limitations	99
Chapter 7 Conclusions	102
Chapter 8 Recommendations for Future Work	105
Chapter 9 References	107
Appendices	
Appendix A : Main Treatment Plant Data	115
Appendix B : Size Distribution Data and Statistics.....	120
Appendix C : Porosity Data and Floc Characteristics	173
Appendix D : Boundary Fractal and Sierpinski Fractal Dimension Calculations	197

List of Tables

Table 3.2.1	Characteristics of the waste activated sludge	32
Table 3.3.1	Final sodium and calcium concentrations for part II : calcium test.....	34
Table 3.5.1	Floc characteristic measurement information	40
Table 5.2.1	Linear regression analysis results for salinity tests	59

List of Figures

Figure 5.1.1	Image of floc from salinity test #1, 10 g/L NaCl	48
Figure 5.1.2	Image of floc from salinity test #2, 45 g/L NaCl	49
Figure 5.1.3	Image of floc from time response test, 30 minutes	49
Figure 5.1.4	Image of floc from calcium test, $\text{Ca}^{2+}:\text{Na}^{+} = 1.5$	50
Figure 5.2.1	Size distributions of floc area for salinity test #1	52
Figure 5.2.2	Size distributions of floc area for salinity test #2	52
Figure 5.2.3	Size distributions of equivalent diameter for salinity test #1	53
Figure 5.2.4	Size distributions of equivalent diameter for salinity test #2	53
Figure 5.2.5	Size distributions of longest dimension for salinity test #1	54
Figure 5.2.6	Size distributions of longest dimension for salinity test #2	54
Figure 5.2.7	Size distributions of perimeter for salinity test #1	55
Figure 5.2.8	Size distributions of perimeter for salinity test #2	55
Figure 5.2.9	Size distributions of shape factor for salinity test #1	56
Figure 5.2.10	Size distributions of shape factor for salinity test #2	56
Figure 5.2.11	Log mean floc area for salinity tests	58
Figure 5.2.12	Log mean equivalent diameter and longest dimension for salinity tests	58
Figure 5.2.13	Log mean perimeter for salinity tests	58
Figure 5.2.14	Log mean shape factor for salinity tests	59
Figure 5.2.15	Mean geometric porosity for salinity tests	60
Figure 5.2.16	Boundary fractal dimension for salinity tests	61
Figure 5.2.17	Sierpinski fractal dimensions 1 and 2 for salinity tests	62
Figure 5.3.1	Size distributions of floc area for time response test	64
Figure 5.3.2	Size distributions of equivalent diameter for time response test	64
Figure 5.3.3	Size distributions of longest dimension for time response test	65
Figure 5.3.4	Size distributions of perimeter for time response test	65
Figure 5.3.5	Size distributions of shape factor for time response test	66
Figure 5.3.6	Log mean floc area for time response test	67

Figure 5.3.7 Log mean equivalent diameter and longest dimension for time response test ...	67
Figure 5.3.8 Log mean perimeter for time response test	67
Figure 5.3.9 Log mean shape factor for time response test	68
Figure 5.3.10 Mean geometric porosity for time response test.....	69
Figure 5.3.11 Boundary fractal dimension for time response test.....	70
Figure 5.3.12 Sierpinski fractal dimensions 1 and 2 for time response test	71
Figure 5.4.1 Size distributions of floc area for calcium test.....	72
Figure 5.4.2 Size distributions of equivalent diameter for calcium test	72
Figure 5.4.3 Size distributions of longest dimension for calcium test	73
Figure 5.4.4 Size distributions of perimeter for calcium test	73
Figure 5.4.5 Size distributions of shape factor for calcium test	74
Figure 5.4.6 Log mean floc area for calcium test.....	75
Figure 5.4.7 Log mean equivalent diameter and longest dimension for calcium test	75
Figure 5.4.8 Log mean perimeter for calcium test	76
Figure 5.4.9 Log mean shape factor for calcium test	76
Figure 5.4.10 Mean geometric porosity for calcium test.....	77
Figure 5.4.11 Boundary fractal dimension for calcium test	78

Chapter 1 Introduction

1.1 The Activated Sludge Process and the Importance of the Activated Sludge Floc

The activated sludge process is a continuous or semi-continuous aerobic, suspended growth method for biological wastewater treatment. The process is based on the aeration of wastewater with flocculating biological growth, followed by clarification of the treated wastewater through sedimentation of the growth, or microbial aggregates. The process can be used for both small and large flows of wastewater, and for domestic sewage, industrial wastewater, or a combination of both (Ganczarczyk, 1983).

In the activated sludge process, the generation of proper microbial flocs is of prime importance. The efficient operation of the treatment method is dependent upon floc-forming bacteria to produce a floc capable of stabilizing organic waste and settling effectively in the secondary clarifier. The physical, chemical, and biological characteristics of the floc will affect its structure and stability, and hence the performance of the flocs as well. The performance can be formulated both in terms of substrate and oxygen transfer within the floc and in terms of the biomass behaviour in treatment stages such as settling, thickening, and dewatering. These operational parameters (settleability, dewaterability, etc.) are critical to the proper operation of the activated sludge system, therefore, the understanding of what factors affect the floc structure will lead to a better control of the activated sludge process.

The activated sludge floc is comprised of microorganisms, such as rod shaped and filamentous bacteria and protozoa, extracellular polymeric substances generated by the bacteria or arising from the wastewater, inorganic particles and organic fibres inherent in the waste stream, and water (Ganczarczyk, 1983; Li and Ganczarczyk, 1990; Keiding and Nielsen, 1997). Divalent metal cations, such as calcium and magnesium, have also been identified as forming bridges within the floc structure (Ganczarczyk, 1983; Eriksson and Alm, 1991; Higgins and Novak, 1997a).

The actual structure of the floc is a heterogeneous mixture of its components, with a variety of different sized pore spaces and water channels dispersed throughout. The morphology of the floc cross sections and floc surface profiles have been found to be statistically self similar, that is, when observing a floc under microscope at varying magnifications, one can see a general resemblance (in a statistical sense) in the floc's broad appearance at the different magnifications. This therefore suggests that the flocs can be characterized by fractal concepts (Li and Ganczarczyk, 1990). The size distribution of the flocs is also important as certain processes are dependent on this distribution, such as oxygen consumption (biomass distribution), adsorption and mass transfer (surface area distribution), and solid liquid separation (volume distribution). It has also been found that for flocs larger than 10 μm , which are the major source of surface area, volume, and mass, a log normal distribution was the most suitable model (Li and Ganczarczyk, 1991).

Factors which can affect the floc structure and performance include the influent wastewater composition in terms of organic chemical concentrations and the type of microorganisms present, the presence of toxins or inhibitors in the wastewater, and the process and facility design parameters such as organic loading, aeration time and intensity, etc. (Ganczarczyk, 1983; Çetin and Sürücü, 1990; Galil et al., 1991; Echeverría et al., 1992; Li and Ganczarczyk, 1993). Of these factors, the presence of increased salinity is of interest since many high saline wastewaters are produced from several industries and processes (Woolard and Irvine, 1994), such as sea water distillation, pickling, canning, and water softening by ion exchange and seawater may infiltrate into coastal city sewer systems (Al-Attar, 1992). This can lead to either continual exposure of the biological treatment system to higher than normal salt concentrations, or to intermittent pulses of a high saline wastewater. It is then of practical importance to understand how increased wastewater salinity concentrations, as well as interactions between cations, affect the activated sludge floc structure.

1.2 Objective of the Investigation

With the importance of the microbial aggregates to the proper operation of the activated sludge system, it is imperative to understand the factors which affect the nature of these aggregates. It was then the objective of this research to investigate the effects of increased wastewater salinity, as well as the combined effects of sodium and calcium ions, on the physical characteristics of the activated sludge flocs by direct microscopic means. The effect of exposure time to wastewater salinity was also investigated. The effects were quantified by changes to the floc size distributions, mean geometric porosities, and fractal characteristics of the flocs.

The investigation was divided into two parts. In part I, the effect of increased wastewater salinity, investigated as increased NaCl concentrations, on the physical characteristics of activated sludge flocs was studied. The time response of the sludge to a given NaCl concentration was also studied here. In part II, the combined effect of Ca^{2+} and Na^+ ions, added as CaCl_2 and NaCl, was investigated.

Chapter 2 Literature Review

2.1 The Activated Sludge Process

For the treatment of municipal sewage, and various industrial wastewaters, the activated sludge process is one of the major biological treatment methods used today (Gerardi and Berger, 1987; Li and Ganczarczyk, 1990; Metcalf and Eddy, 1991). In fact, the activated sludge process has been used quite extensively for many years (Ganczarczyk, 1983).

2.1.1 Process Description

The activated sludge process is a continuous or semicontinuous aerobic treatment method, based on the aeration of wastewater with flocculating biological growth, followed by the separation of treated wastewater from the growth (Ganczarczyk, 1983; Gerardi and Berger, 1987). Operationally, organic waste is introduced into a reactor where an aerobic bacterial culture is maintained in suspension. The reactor contents are referred to as the “mixed liquor”. In the reactor, heterotrophic organisms, which flocculate together forming microbial aggregates or activated sludge flocs, utilize the organic substances present in the wastewater as a carbon source for cell synthesis and as an energy source (Ganczarczyk, 1983; Metcalf and Eddy, 1991). The bacterial culture carries out the conversion in general accordance with the following stoichiometry (Metcalf and Eddy, 1991),

Oxidation and synthesis:

Endogenous respiration:

COHNS represents the organic matter in the wastewater, however it is a conceptual representation in that the stoichiometry may differ, e.g. $C_xO_yH_z$, and $C_5H_7NO_2$ represents the bacterial cells.

The treatment removes from the wastewater dissolved and colloidal biodegradable organics, identified as the substrate, as well as the unsettlable suspended solids and other constituents which can be sorbed on, or entrapped by, the activated sludge floc (Ganczarczyk, 1983). A large fraction of the incoming organic particles are degraded by microbiological processes, but only small and simple molecules can be transported into the cells so the substrate must undergo depolymerization and hydrolysis (Frølund, et al., 1995). The decomposition of the substrate involves one or more pathways and each step in the process includes a specific enzymatic system which is comprised of one or more enzymes. The enzymes are produced by the microorganisms active in the process and they include intracellular and extracellular versions. Intracellular enzymes are involved in the oxidation and synthesis reactions within the cell, whereas it is the extracellular enzymes, which are present within extracellular polymers within the floc structure, that are responsible for the depolymerization and hydrolysis of the more complex organic compounds which are originally unable to enter the cell wall (Ganczarczyk, 1983; Frølund, et al., 1995).

The stabilization of the organic substrate by activated sludge microorganisms actually occurs inside the bacterial cells, therefore the transport of the substrate into the cell and that of metabolic products out of the cell is especially important. The major transport phenomena in activated sludge treatment involve the transport of gaseous oxygen and solid phase substrate into solution, dissolved oxygen and substrate to the vicinity of a metabolizing organism, dissolved oxygen and substrate into the cell, and products of the biochemical reaction out of the cell (Ganczarczyk, 1983).

2.1.2 Aeration

There are several purposes of the aeration in the activated sludge process. One, it provides an oxygen supply for the microorganism requirements, two, it keeps the microorganisms in suspension so they can access the substrate and oxygen, and three, it serves to maintain the mixed liquor in a completely mixed regime. The aerobic environment in the reactor is achieved by the use of diffused or mechanical aeration (Ganczarczyk, 1983; Metcalf and Eddy, 1991). Diffused air aeration is accomplished by introducing compressed air to the aeration tanks in the form of air bubbles, and some common types of diffusers include fine, medium, and coarse bubble diffusers. Mechanical aeration is generally accomplished via surface aerators, of which include oxydation brushes, aeration disks, and low speed aerators. Other areation devices do exist which utilize both mechanical and diffused aeration principles (Ganczarczyk, 1983).

The oxygen uptake by the bacteria is highly dependent upon the physical nature of the microbial aggregates, as floc size, porosity, surface area, etc. will affect the transport of the oxygen, as well as the organic substrates, within the floc matrix (Li and Ganczarczyk, 1991).

2.1.3 Biomass Separation

After a specified period of time, where the activated sludge flocs have utilized the available oxygen and substrate, separation of the biomass from the treated wastewater is required. This is primarily done by settling, gravity separation, but can also be achieved by flotation or other methods (Ganczarczyk, 1983). The mixed liquor is passed into a settling tank where the flocs are allowed to settle. Some of the settled flocs, otherwise known as activated sludge, are wasted while the remainder is returned to the system in order to maintain the desired concentration of organisms in the reactor (Metcalf and Eddy, 1991). This separation step is an integral part and the most important limiting factor of activated sludge process treatment (Ganczarczyk, 1983). In fact, the quality of the effluent and the overall

efficiency of the sludge process is directly dependent on the settleability of the flocs (Gerardi and Berger, 1987).

The obvious importance of the floc physical structure is that the separation of the biomass from the treated wastewater is dependent on how well the flocs will settle (Barbusinski and Koscielniak, 1995). A much more permeable floc will settle faster than one which is relatively solid as a permeable floc allows flow through the particle thereby reducing the effective drag force on the floc. A denser particle will also settle more quickly due to a greater mass per floc volume when compared to a lighter floc. Finally, a floc which has a rougher surface will have an increased drag force resulting in a decreased settling velocity (Ganczarczyk, 1995).

2.1.4 Sludge Thickening and Dewatering

The solids content of activated sludge may vary quite considerably and is dependent on the sludge (floc) characteristics, the sludge removal and pumping facilities, and the method of operation. Thickening is a procedure used to increase the solids content of the sludge by removing a portion of the liquid fraction and is generally accomplished by physical means, including gravity settling, flotation, centrifugation, gravity belts, and rotary drums. The volume reduction gained by sludge thickening is beneficial to other subsequent unit operations such as digestion, dewatering, drying, and combustion.

Dewatering involves the reduction of the moisture content of the sludge in order to further reduce the sludge volume to reduce transport costs, to improve sludge handling ability, to increase sludge energy content prior to incineration, to reduce bulking agent requirements prior to composting, to reduce leachate production when landfilling (Metcalf and Eddy, 1991). Many techniques are used for sludge dewatering, including filtration, squeezing, capillary action, vacuum withdrawal, and centrifugal separation and compaction, and the method is determined by the type of sludge to be dewatered, characteristics of the dewatered product, and the space available (Metcalf and Eddy, 1991). Regardless of the method

employed, however, the ability of the sludge to dewater is highly dependent upon the physical structure of the individual sludge flocs in terms of their porosity and permeability (Li and Ganczarczyk, 1990; Ganczarczyk and Rizzi, 1996). Large, dense flocs with few protruding filaments are tolerant to shearing and compression during filtration dewatering procedures, whereas small, diffuse flocs with many filaments tend to shear during filtration leading to filter medium and cake blinding (Jiwani, et al., 1997). Smaller particle sizes are also associated with poor dewatering (Higgins and Novak, 1997c).

2.1.5 Importance of Floc Characteristics in Relation to Process Performance

Although there exists many more aspects to the activated sludge process, such as nutrient removal, sludge handling, sludge incineration, process design, etc., only those aspects known to be directly affected by the physical structure of the activated sludge flocs were presented. This is because the floc characteristics are a reflection of the prevailing conditions in an activated sludge plant (Jiwani, et al., 1997). Now that the process has been described, and the relationship between the individual unit operations and the microbial aggregates identified, it is important to look at the structure and flocculation mechanisms involved in the formation of the activated sludge flocs.

2.2 The Activated Sludge Floc

In the activated sludge process, the generation of proper microbial flocs is of prime importance. The efficient operation of the treatment method is dependent upon the floc-forming bacteria to produce a floc capable of stabilizing organic waste and settling effectively in the secondary clarifier. Not only are the flocs important for the transformation of organic matter, but also in other steps of the process such as solid-liquid separation. Therefore, the physical characteristics of the flocs are extremely important in terms of their role in the overall performance of the system (Li and Ganczarczyk, 1990).

2.2.1 Floc Composition

Before looking at what is responsible for the flocculation of activated sludge flocs, it is beneficial to first investigate the internal composition of the microbial aggregates. The composition of some of the individual components will also be discussed.

The activated sludge floc is made up of several components : microorganism such as rod shaped and filamentous bacteria and protozoa, extracellular polymers arising from the bacteria or inherent in the wastewater, water, and inorganic particles and organic fibres present in the wastewater (Ganczarczyk, 1983; Li and Ganczarczyk, 1990; Keiding and Nielsen, 1997). Divalent metal cations, such as calcium and magnesium, have also been identified as forming ionic bridges within the floc structure, but make up little in terms of mass (Ganczarczyk, 1983; Eriksson and Alm, 1991; Higgins and Novak, 1997a).

2.2.1.1 Microorganisms

The microorganisms present within the activated sludge floc matrix represent a complex variety of bacteria, viruses, protozoa, and fungi. Besides being present within the microbial aggregates, the organisms can be found as free living cells as well.

Although the flocs are comprised of numerous microorganisms, it is the heterotrophic, and to a lesser extent autotrophic, bacteria which are the most predominant and active within the activated sludge (Ganczarczyk, 1983; Kämpfer, et al., 1996). Many different bacterial species have been identified within activated sludge and sludge from municipal sewage treatment plants typically contain many different species at any given time. Industrial sludges, such as petrochemical sludges, however appear to limit the number of species present in the activated sludge by exerting selective pressure on the ecosystem. Also, the heterogeneous microbial populations may shift their species composition in response to several different environmental factors, such as washout of slow growers (Ganczarczyk, 1983; Kasan, 1993).

In general, most bacteria in activated sludge flocs are rod shaped and, at neutral pH, negatively charged (Eriksson and Härdin, 1984). These floc forming bacteria are integral to the proper operation of the entire system as they degrade the organic substrate and define the settleability of the floc in the solid liquid separation step. Filamentous organisms are, however, equally important as they may play several roles in the performance of the activated sludge floc. The filamentous bacteria are essential to the integrity of the macrostructure of the activated sludge floc as they form a rigid backbone for the floc, and to which flocculent microorganisms and colloidal particles may attach (Sezgin, et al., 1978). Yet it is very well known (Sezgin, et al., 1978; Ganczarczyk, 1983; Gerardi and Berger, 1987; Metcalf and Eddy, 1991) that excessive amounts of filamentous organisms will lead to the development of light, open structured flocs, which settle slowly and compact poorly. This phenomena is known as sludge bulking. The outgrowth of filaments from the flocs occur when conditions within the floc matrix allow for a higher growth rate of filamentous organisms than for other floc forming organisms, possibly due to low interior dissolved oxygen concentrations. It can be said then that a balance between the two types of organisms (flocculent and filamentous) is required to achieve the correct microbially-mediated physical/chemical conditions in order to form a stable flocculent suspension of microorganisms (Sezgin, et al., 1978).

The bacteria known to be involved in the activated sludge process include members of the genera *Pseudomonas*, *Zoogloea*, *Achromobacter*, *Flavobacterium*, *Nocardia*, *Bdellovibrio*, *Mycobacterium*, *Nitrosomonas*, *Nitrobacter* (Metcalf and Eddy, 1991), *Aeromonas*, *Acinetobacter* (advanced phosphorous removal) (Kämpfer, et al., 1996), *Alcaligenes*, *Arthrobacter*, *Azobacter*, *Citromonas*, and *Escherichia* (Gerardi and Berger, 1987). Filamentous forms of bacteria isolated from activated sludge include members of the genera *Sphaerotilus*, *Beggiatoa*, *Thiothrix*, *Lecicothrix*, *Geotrichum* (Metcalf and Eddy, 1991), *Cyanophyceae*, and *Nocardia* (Gerardi and Berger, 1987). Although the bacteria are the microorganisms which degrade the organic waste in the influent, the metabolic activities of other microorganisms, such as protozoa which can consume dispersed bacteria that have not flocculated, are also important (Metcalf and Eddy, 1991).

Many studies on the bacterial communities of sewage treatment plants have been conducted, however, due to differences in the systems studied, the techniques used, and the complexity of the bacterial communities and of their chemical transformations, the exact role of the microorganisms in the process is still not fully understood (Kasan, 1993). A major problem in the study of bacteria, particularly heterotrophs, in wastewater and activated sludge systems arises from the lack of accurate and efficient techniques for their enumeration. In most cases, identification of bacteria from the environment is difficult, both with conventional methods and with commercially available kits. It is difficult to grow many of the bacteria on the media available and there is no way to isolate all heterotrophs expected to be present in wastewater on any given medium (Kämpfer, et al., 1996; Kasan, 1993). However, the development of fluorescently labeled, ribosomal RNA (rRNA)-targeted oligonucleotides allows for another direct microscopic identification method. Combining in situ hybridization with fluorescently labeled, rRNA-target oligonucleotides and culture-dependent techniques can then give a detailed description of the bacterial populations in activated sludge (Kämpfer, et al., 1996).

Many species of protozoa have been identified in activated sludge and these include flagellates, motile ciliates, stalked ciliates, amoebae, rotifers, and nematodes. In fact, several attempts to assess the condition of sludge based on the presence of protozoa have been made since a succession of domination stages of different protozoa during the start up phase of the activated sludge system has been observed (Ganczarczyk, 1983).

Fungi are usually poorly represented in activated sludges but are most prevalent in systems operating at low pH levels or treating specific industrial wastes (Ganczarczyk, 1983). In various studies, over 90% of fungi found in activated sludge belonged to four common genera: *Penicillium* spp., *Cephalosporium* spp., *Cladosporium cladosporioides*, and *Alternaria tenuis*, but the most consistently occurring species present in almost all plants investigated were *Geotrichum candidum* and *Trichosporon* spp. (Kasan, 1993). Although fungi do degrade simple carbohydrates, some genera have been associated with sludge bulking problems, e.g. *Geotrichum* (Ganczarczyk, 1983).

2.2.1.2 Extracellular Polymers

The second major component of the activated sludge floc is the extracellular polymers (Li and Ganczarczyk, 1990), also known as exocellular biopolymers (Higgins and Novak, 1997c). In fact, activated sludge flocs contain an abundance of extracellular polymers, too much to be ignored, and these extracellular polymers form a matrix connecting most of the microorganisms together and maintaining the integrity of the flocs (Li and Ganczarczyk, 1990; Higgins and Novak, 1997c).

Many different species of bacteria isolated from activated sludge have been shown to produce extracellular polymers and, typically, the polymers can be attached to the cell as a capsule, or excreted into the surrounding medium as a slime (Brown and Lester, 1979; Ganczarczyk, 1983). Floc forming bacteria can secrete these extracellular polymers during the early declining or stationary phases of growth. It is not until the microorganisms have been subjected to extended periods of carbon and nitrogen starvation that a rapid build-up of polysaccharide, a polymer component, becomes apparent (Ganczarczyk, 1983). The extracellular polymers have different densities, rheological properties, and a different physical state than those of the microbial cells within the flocs (Li and Ganczarczyk, 1990). The extracellular polymers consist of monosaccharides, polysaccharides, protein, and small amounts of DNA and RNA (Brown and Lester, 1979; Higgins and Novak, 1997c). Uronic acids and hexosamines have also been isolated from the extracellular polymers and hexuronic acid has been identified as one of the main components contributing to the negative value of the zeta potential of activated sludge surfaces. In other words, hexuronic acid is responsible for conferring properties of charge onto the polymer (Brown and Lester, 1979).

The extracellular polymers also affect the substrate and oxygen transfer within the floc. The substrate, or oxygen, must overcome the diffusional resistance of the extracellular polymers in order to reach the microorganisms encapsulated by the extracellular polymers (Li and Ganczarczyk, 1990). Depolymerization and hydrolysis involve exoenzymes (extracellular enzymes) which have been found to be primarily located in the extracellular polymers of the

activated sludge floc (Frølund, et al., 1995). Therefore the more complex organic molecules are broken down in the polymers and then must diffuse through the matrix in order to reach the various microorganisms. This indicates that the role of the extracellular polymers is not only to act as a binding agent between floc particles, but also as a sink for immobilized extracellular enzymes.

2.2.1.3 Water

The third component identified within the floc structure is of course water. Water present within the floc is either trapped within the microbial cells or is located within the pores of the floc. The availability of the water is directly related to the dewaterability of the sludge, the more available is the water the more easily dewatered is the sludge. This availability is then dependent upon the floc structure (Li and Ganczarczyk, 1990). The flow of water through the floc structure is also extremely important with regards to the solid-liquid separation step of the activated sludge process in that it will affect the settling velocity of the individual flocs (Li and Ganczarczyk, 1987).

2.2.1.4 Other Components

The final major component of the activated sludge floc structure is the assorted inorganic particles and organic fibres present within the wastewater which become entrapped with the floc matrix during flocculation (Keiding and Nielsen, 1997). Numerous waste and debris, composed of unbiodegraded organic matter or colloidal particles inherited from the effluent, have been observed (Zartarian, et al., 1994; Snidaro, et al., 1997).

2.2.2 Floc Structure

Now that the components which comprise the floc structure have been identified, the spatial location within the floc matrix must be identified.

2.2.2.1 Morphology

In the activated sludge floc matrix, the components are irregularly dispersed throughout the floc structure. There is no uniform distribution of the microorganisms, extracellular polymers, or other colloidal material (Li and Ganczarczyk, 1990). This discontinuous structure is indicative of a multi-level aggregation process where dispersed bacteria first aggregate to form microflocs, then these microflocs join to form larger macroflocs (Ganczarczyk, 1995; Ganczarczyk, 1996; Ganczarczyk and Rizzi, 1996).

Zartarian, et al. (1994) identified three separate subunits existing within the floc structure. The subunits were of 2.5 μm , 13 μm , and 51 μm in size. These researchers also observed that the distribution of polysaccharides within the floc matrix was heterogeneous, with their densities being greater in domains close to the microorganisms.

2.2.2.2 Pore Spaces

As with the floc components, the resulting pore spaces between the components are also irregularly dispersed throughout the floc matrix. The pore spaces vary significantly in size, from very small micropores, formed from the initial flocculation of individual bacteria into microflocs, to very large pore spaces and water channels, formed from the joining of two or more microflocs into larger macroflocs (Li and Ganczarczyk, 1990). The smaller pore spaces contribute relatively little to the total geometric porosity of the flocs whereas the larger pores constitute the major portion of the total geometric porosity (Ganczarczyk and Rizzi, 1996). Activated sludge flocs have also been identified as possessing two separate pore size populations (see section 2.2.3.3), also representative of the floc's aggregation process.

The size and shape of the pores influence flow through the floc (Li and Ganczarczyk, 1990), as large pores formed between clusters within the flocs permit streamlines to cross the floc surface (Li and Logan, 1997). This flow through the flocs will affect both dewaterability

and settleability (Li and Ganczarczyk, 1990), as well as particle, or bacterial, collision frequencies (Li and Logan, 1997).

2.2.3 Physical Characteristics

The actual physical characteristics of the activated sludge floc are numerous in that many particulars can be determined. Those characteristics determined in this investigation are presented, along with characteristics which are related in a secondary nature, such as settling velocity and floc porosity (density).

2.2.3.1 Measurement

In the past it was difficult to investigate the structure of the activated sludge floc because one could not adequately manipulate the individual flocs without drastically disturbing the initial structure. Even if the internal structure of the flocs were not being measured, to retain the specific size distribution and geometric properties of the flocs, some physical stabilization was required. Originally, stabilization was done by diluting the sample enough to allow differentiation between flocs. This method had the limitation that microbial activity continued and that the samples had to be immediately analyzed. Agar embedding was later employed which proved to be more robust in that the samples could be stored longer, were transportable, and aerobic metabolism was effectively terminated (Ganczarczyk, et al., 1992). This method was quite suitable for investigating geometric properties of the flocs but the internal structure could not be observed.

Li and Ganczarczyk (1990), developed a method of embedding the activated sludge flocs in paraffin and then cutting 3 and 6 μm thick sections using a microtome. The flocs were then observed using conventional optical microscopy and the samples analyzed with an image analysis system. This allowed for direct investigation of the internal structure of the sludge flocs. This method was then later improved upon by use of a methacrylate resin, instead of the paraffin, to embed the samples, thereby greatly reducing the complexity and

time of the sample preparations (Ganczarczyk, et al., 1992). This new method was used to investigate the structure of RBC biofilms (Zahid, 1993).

A further modification to the resin embedding procedure was put forward by Droppo, et al. (1996) who emphasized the use of a plankton settling chamber which allowed for on-site settling. This eliminated the uncertainty related to multiple sampling and particle disruption caused by sample manipulation. The settled floc samples could then be immobilized in agarose for microscopic analysis with as little disruption to the flocs as possible.

Other investigators measured floc characteristics under free settling conditions and utilized the floc's free settling properties to determine floc porosity, i.e. in mass terms (Li and Ganczarczyk, 1987; Andreadakis, 1993; Hilligardt and Hoffmann, 1997), by using a modified Stokes equation in order to account for flow through the particle aggregates. The validity of this method was investigated by Lee, et al. (1996).

2.2.3.2 Size Distribution

The size distribution of activated sludge flocs is very important to the overall system efficiency as it influences mass transfer and biomass separation (Li and Ganczarczyk, 1993). Li and ganczarczyk (1991) looked at fitting probabilistic models to the size distributions of activated sludge flocs and they found that the size distribution of all activated sludge flocs in an aeration tank, including dispersed microorganism and very small flocs, were best fitted by the power-law model. Flocs larger than 10 μm in size, which are the major contributors to the total biomass surface area, volume, and mass, had a size distribution that was best fitted by a log-normal density function.

2.2.3.3 Fractal Properties

The concept of fractals was first introduced by Mandelbrot (1977) and has been used to characterize many phenomena, such as the size and structure of the carbonblack fineparticle

profile, as well as the structure of porous media and filter membranes (Kaye, 1989). Other uses of fractal concepts include the characterization sludge floc (Li and Ganczarczyk, 1990; Ganczarczyk, 1995) and biofilm (Zahid, 1993) structure.

Initial examinations of the cross-sectional morphology of floc sections (Li and Ganczarczyk, 1990) revealed that the flocs possessed a self similar property (Mandelbrot, 1983) over a relatively large size range. From this it was determined that the floc sections could be characterized by the fractal concept within a certain size range. It was also observed that the surface profile of the flocs could also be characterized using fractal concepts. This concept then allowed the use of the laws of probability to describe the irregular nature of the activated sludge floc (Li and Ganczarczyk, 1990). The use of fractal dimensions has also been suggested for use in characterization and differentiation among various anaerobic microbial aggregates (Bellouti, et al., 1997).

With respect to the surface profile, it is expected that a more developed surface profile will have an increased drag force and so will not settle as well as a floc with a lesser developed surface (Ganczarczyk, 1995). The extent of the external surface development of aggregates has also been found to directly affect the dewaterability of the sludge formed from these aggregates. This is explained by these more developed aggregates joining to form flocs with large, elongated pores and channels, allowing for effective drainage of water out of the flocs (Ganczarczyk and Rizzi, 1996). Aggregates formed by relatively fast coagulation have been found to have lower fractal dimension and those formed by restructuring, recoagulation, to have the highest fractal dimension (Li and Logan, 1997).

As indicated, microbial aggregates possess a discontinuous internal structure which is characterized by two separate Sierpinski fractal dimensions, indicating the presence of two pore size populations. This demonstrates the presence of relatively small and dense microbial clusters which are themselves internally strongly connected, but less strongly connected to other microbial clusters and separated by much larger pore spaces.

For a more detailed description of the development of fractal theory and the various applications, the reader is directed to Mandelbrot (1977, 1983) and Kaye (1989). A description of the particular fractal dimensions used in this investigation is given later in section 3.5.7.

2.2.3.4 Porosity

The activated sludge floc is a porous entity, comprised of water gaps (pores) and water channels, which allow water to flow through it during settling (Li and Ganczarczyk, 1990). The porosity of the floc is important because it will affect other operational parameters of the treatment system. The dewaterability and the settleability of the sludge are dependent upon the presence and size of the gaps and channels. Li and Logan (1997) looked at the effect of particle collisions of fractal aggregates under turbulent conditions and found that the more porous the aggregate, the higher the rate of particle collisions, attributing it to the increased flow through the aggregates.

As mentioned in section 2.2.3.1, measurement of porosity has been accomplished in one of two ways. In geometric terms by direct microscopic analysis of resin embedded floc sections, or in mass terms by determining the floc settling velocity and using a modified Stokes equation. This has led to a significant discrepancy in the reported porosity values, which range from 20% to 60% typically for geometric determination, and from 95% and up for mass determination (Li and Ganczarczyk, 1987; Li and Ganczarczyk, 1990; Andreadakis, 1993).

2.2.3.5 Settling Velocity

A lot of the earlier work in floc characteristics involved investigation into the settling velocities of the flocs, as sedimentation of the flocs in the secondary clarifier of a wastewater treatment system is probably the most important step in the treatment process. Later on, specific correlations between settling velocity and floc structure were investigated.

In terms of the floc structure, it is evident that the development of the floc surface should affect the drag force of the flocs, and the presence of pores should allow a significant amount of flow through the floc. The smoother the floc surface and the more permeable the floc structure, the faster the floc should settle, however, a highly developed floc structure should increase the drag (Ganczarczyk, 1995). Ganczarczyk (1995) looked at the correlation between settling velocity and the surface fractal dimension, or surface development, and found that the flocs with the smoothest surface, lowest fractal dimension, had the highest settling velocities.

Li and Ganczarczyk (1987) used a multi-exposure photographic method to determine the settling velocities and sizes of individual sludge flocs. They found that the settling velocity was a linear function of the cross-sectional diameter of the floc and was either a 0.55 power function or a linear function of the longest dimension (perpendicular to the settling direction) of the floc. This showed that the flocs did not settle according to Stokes law, which states that particle settling velocities are dependent on the second power of the particle diameter in laminar regions, possibly due to flow through the porous flocs. Ganczarczyk (1994) used this stroboscopic procedure (Li and Ganczarczyk, 1987), but analyzed the photographic films with an image analysis system instead, and found that application of linear regression models for the evaluation of the free settling velocity was superior to the multiplicative regression models, especially when incorporating a shape factor. It was also found that the use of the floc's equivalent diameter generated the highest R^2 values and best correlation with settling velocity. The shape factors were determined under settling conditions and in agar (stable conditions) with the stable shape factors having higher values than the settling shape factors.

Okubo (1994) looked at the settling velocities of colloidal spheres in deionized solutions and observed that, at extremely low ionic concentrations, the settling velocity increased. This was due to an increase in the gravitational forces acting on the colloids caused by the expansion of the electric double layers.

2.2.4 Flocculation Mechanisms

Extensive research has been done into trying to understand the mechanisms involved in microbial aggregation, flocculation, and microbial adhesion (Marshall, et al., 1971; Gordon and Millero, 1984; McEldowney and Fletcher, 1986; Zita and Hermansson, 1994; Higgins and Novak, 1997a,b,c). Several flocculation models have also been proposed (Eriksson and Hardin, 1984; Eriksson and Alm, 1991; Jorand, et al., 1995; Sanin and Vesilind, 1996), yet there is still more to be learned regarding the generation of microbial aggregates. What is known however is the relative importance of the various individual mechanisms which have been identified in the formation of activated sludge flocs. These mechanisms will be discussed individually, however, investigations into the effects of certain treatments on the particular flocculation mechanisms will be discussed in section 2.4.2.

2.2.4.1 Filamentous Microorganisms

Sezgin, et al. (1978) identified the importance of filamentous organisms in the formation of suitable activated sludge flocs. The filaments serve as backbones for the floc structure to which flocculent bacteria and colloidal particles could then attach via physicochemical forces of attachment or through the use of specific surface structures of the cell such as pili, fimbriae, or other appendages (Sezgin, et al., 1978; van Loosdrecht, et al., 1989). It should be noted however that this attachment through specific cell surface structures takes place through direct contact only, as it requires molecular recognition (van Loosdrecht, et al., 1989), and is not only limited to filamentous organisms. Floc forming bacteria, rod shaped or otherwise, can also possess these cell surface structures.

2.2.4.2 Physicochemical Forces

Bacterial adhesion and microbial aggregation, thus floc structure as well, are, to an extent, governed by attractive and repulsive forces and these physicochemical forces include long range interactions (electrostatic interactions and Van der Waals forces) and short range

interactions (dipole interactions, chemical bonding, and hydrophobic interactions) (Lindahl, et al., 1981; McEldowney and Fletcher, 1986; van Loosdrecht, et al., 1989). Since bacteria may be considered colloidal particles, their adhesion can be studied as a physicochemical phenomena applying colloid chemical principles (van Loosdrecht, et al., 1989).

Like most natural surfaces, cell surfaces are usually negatively charged (Eriksson and Härdin, 1984) and may have varying degrees of hydrophobicity. To describe bacterial adhesion as a physicochemical phenomenon, the adhesion Gibbs energy of bacteria should be calculated (van Loosdrecht, et al., 1989). The Derjaguin-Landau-Verwey-Overbeek (DLVO) theory of colloidal stability, which takes into account both electrostatic (long range) and Van der Waals forces (short range), can be used to calculate the interaction Gibbs energy between a particle and a surface as a function of the separation distance. Basically, there is a formation of a double layer of positively charged ions around the negatively charged microbial aggregates and bacteria, resulting in an overall repulsive electrostatic interaction, at long ranges, between cells and surfaces, preventing aggregation. The interaction depends on the surface potentials and the thickness of the electric double layers, where the thickness is inversely proportional to the square root of the ionic strength. Therefore, in the presence of high electrolyte concentrations or polyvalent counterions, the electrostatic interactions will be reduced (Overbeek, 1952; Gordon and Millero, 1984; McEldowney and Fletcher, 1986; Zita and Hermansson, 1994) and the aggregates are capable of approaching one another more closely.

At short range, the total attractive force is not only due to Van der Waals forces but also to hydrophobic interactions, which are dependent on the solvent (Ben-Naim, 1980). Positive correlations have been observed between the hydrophobicity of activated sludge flocs or bacteria isolated from activated sludges and their flocculation performance, in that flocculation was increased, or even observed, when an increase in the hydrophobicity of the cell surfaces was observed (Jorand, et al., 1994). Cell surface hydrophobicity may also be dependent upon the growth stage of the bacteria (Jorand, et al., 1994; Zita and Hermansson, 1997).

It has been shown that specific forces arise due to the formation of an ordered water structure around charged particles, a strongly bound layer of oriented water molecules forms around a particle, arising from the surface charge of the particle and the polar charge distribution property of water molecules. This water layer is hypothesized to be responsible for observed oscillatory attraction/repulsion forces between surfaces at less than about 2 nm distance, which contradicts the popular Derjaguin-Landau-Verwey-Overbeek (DLVO) theory of strictly repulsion at this distance due to the same layer (Israelachvili and Wennerström, 1996).

Divalent cations, such as Ca^{2+} and Mg^{2+} , can bridge negatively charged sites on extracellular polymers, polysaccharides, binding them to microbial surfaces and other polymers. The binding of polymers stabilizes the extracellular polymer network, which then improves floc formation as well as settling and clarification. The divalent cations may also stabilize the lectin structure or may be required for the binding site activity of lectins (Higgins and Novak, 1997c). Specifically, divalent cations bridge negatively charged groups on alginate polysaccharides within microbial flocs, as well as bridge among negatively charged carboxyl groups on uronic acids, and bind exocellular protein within biological flocs.

In a synthetic sludge formed with latex particles (Sanin and Vesilind, 1996), the addition of calcium and alginate resulted in particle aggregation and the higher calcium and alginate concentrations led to subsequent floc settlement with a clear supernatant. The investigation identified two main modes of calcium uptake in the synthetic sludge. One, there was an electrostatic repulsion between particles and between particles and negatively charged alginate molecules. The addition of calcium reduced the repulsive barrier leading to particle surface attraction. The calcium ions were also noted to form ionic bridges among the particles and the alginate molecules. The second mode was by calcium reaction with alginate molecules and the formation of a calcium alginate gel which is considered similar to the bonding extracellular matrix in activated sludge flocs.

2.2.4.3 Polymers and Extracellular Polymers

Polymers present in the influent or added as a coagulant can flocculate bacteria by the free ends of the polymer segments contacting at specific chemically active sites on dispersed colloids or cells. The extended part of the segments can then come into contact, through induced mixing, with other active sites on the same particle, or on other surfaces, bridging cells together (Ganczarczyk 1983).

The extracellular polymers synthesized by the microorganisms during the early declining or stationary phases of growth are responsible for bacterial agglutination and cell bonding, which has been associated with a more stable floc (Ganczarczyk 1983; Zartarian, et al., 1994; Higgins and Novak 1997a,b,c; Snidaro, et al., 1997). The joining of bacterial surfaces is also achieved through the presence of these naturally occurring, long-chained polymers or fibrils (Gerardi and Berger, 1987). Carbon starvation can be a precursor to agglutination, in which humic acid materials are polymerized to form the necessary long chain molecules that can act as bridging agents between bacteria (Ganczarczyk 1983). It has been asserted that activated sludge is formed through flocculation by two different polymers, where one interacts via charged groups and polyvalent metal ions and the other via unknown mechanisms (Eriksson and Alm, 1991).

The presence of protein in the exocellular fraction suggests it may play a role in flocculation and it has been reported that the exocellular protein concentration in activated sludge systems was greater than the exocellular polysaccharide concentration. Of the possible proteins, lectins are one of the most plausible types that could be involved in microbial flocculation (Higgins and Novak, 1997c). Higgins and Novak (1997c) determined that an increase in bound protein was associated with an improvement in settling properties, whereas a deflocculation of the microbial aggregates resulted from the digestion of exocellular protein.

2.2.4.4 Mixing

Although mixing, or fluid turbulence, does not directly cause flocculation to occur, shear motion has been shown to be involved in floc formation, specifically in the capture of smaller particles by large porous aggregates under turbulent conditions (Li and Logan, 1997). Agitation can result in the aggregation of cells into flocs as well as the separation of existing flocs into smaller aggregates, depending on the intensity of the agitation, or rather the power input as represented by the velocity gradient, $G [s^{-1}]$ (Galil, et al., 1991).

2.3 Factors Affecting the Activated Sludge Process

The efficient operation of the activated sludge process is not dependent on any one factor. In fact there are numerous factors which are known to influence the performance of the system in one way or another. Since the focus of the investigation was on increased wastewater salinity, its effects will be discussed first with the other factors following.

2.3.1 Salinity

Many operators of wastewater treatment plants have concerns over high saline wastewaters as they are unsure as to how a sudden increase in the wastewater salinity will affect the treatment and operation efficiency of the system (Bernt, 1998). Kincannon and Gaudy (1968) looked at the effect of shock loadings of NaCl (30 000 and 45 000 mg/L) on the performance of a continuous flow activated sludge system and found that the heterogenous microbial population could retain excellent substrate removal capability in the presence of the high salt concentration after an acclimatization period. However, when the system was not acclimated to the high salt concentration, a severe reduction in substrate removal efficiency was observed upon exposure. This study demonstrated that systems could be severely affected when exposed to high, intermittent doses of salts, but longer exposure will result in acclimatization and acceptable substrate removal efficiencies.

Al-Attar (1992) investigated the applicability of typical wastewater design parameters to high saline wastewater situations by feeding an influent wastewater, with a constant NaCl concentration of 30 g/L, to a 15 L lab reactor. No significant deterioration was observed in the effluent quality when compared to the effluent quality from another reactor with 0 g/L NaCl feed concentration. Al-Attar (1992) did however find that the biomass concentration in the reactors increased with increasing salt concentrations and that the added NaCl appeared to stimulate microbial cell aggregation and improve sludge settling. High organic loading combined with a rapid change in the salinity concentration has been found to have detrimental effects on the effluent quality from an activated sludge system (Stewart, et al., 1962).

Research has been done to investigate whether activated sludge systems can be used specifically to treat salty wastewaters. Work has shown that nitrification does not occur at wastewater salt concentrations greater than 1% and that greater salt concentrations can be treated using systems with slight modifications. In fact, activated sludge systems can be used in the 6% to 8% salt range as long as high effluent TSS concentrations are acceptable (Woolard and Irvine, 1994; Smythe, et al., 1997). Oil field brine wastewater is particularly difficult to treat since it has high salinity but also other inhibitors of microbiological processes, such as deparaffinators and deemulsifiers. Dalmacija, et al. (1996) identified in their research that hydraulic loads greater than 1.5 d^{-1} (this “hydraulic load” is assumed to be calculated from flow to the reactor (7.5 L/d) and volume of the reactor (5 L), as this detail was not clarified by the authors) caused increased wash-out of activated sludge from the reactor, resulting in increased suspended matter in the sedimentation tanks. The addition of powdered activated carbon (PAC) to the reactor greatly improved its performance by reducing the suspended matter in the effluent. This was explained by adsorption and immobilization of the microorganisms on the PAC.

2.3.2 Other Factors

There are numerous factors which are known to influence the performance of the activated sludge process. The dynamic behaviour of the activated sludge process is caused by

continual changes in the quality and quantity, or sludge loading, of the influent wastewater, as well as by the resulting difficulties in maintaining stable process parameters (Ganczarczyk, 1983). Sludge bulking, represented by an increase in the sludge volume index (SVI), is caused by increased growth of filamentous organisms (Sezgin, et al., 1978) which is in a way influenced by the activated sludge loading and the chemical composition of the wastewater treated. Wastewater hydraulic retention time affects the process in that longer times increase the buffering capacity of the system against qualitative or quantitative transient or shock loads (Ganczarczyk, 1983).

The level of mixed liquor suspended solids (MLSS), which represents the active microbial mass, the non-active microbial mass, the non-biodegradable organics, and the inorganic mass, varies depending on the type of activated sludge process used, as several modifications are in use (Ganczarczyk, 1983; Metcalf and Eddy, 1991; Smythe, et al., 1997), and under various modes of operation for a given system. Generally, higher levels of MLSS call for higher oxygenation capacities in the system and thus require larger secondary clarifiers, but excess sludge is somewhat smaller (Ganczarczyk, 1983).

Dissolved oxygen (DO) concentration affects the equilibrium between filamentous and zooglycal organisms in the biomass. Lower DO concentrations can lead to an increased filamentous organism growth rate (Sezgin, et al., 1978). For consistently good treatment results it is important to maintain the required level of dissolved oxygen concentration in the aeration tanks continuously. The dissolved oxygen level in the aeration tanks will also affect the net sludge production as biomass growth will be directly affected (Ganczarczyk, 1983).

Process parameters were investigated for their effect on sludge settleability and it was determined that given ranges, such as F/M ratios between 0.25 and 0.60 g BOD₅ / g MLVSS day, correlated with acceptable settleability (adequate SVI results) (Echeverría, et al., 1992). Temperature and pH effects were also investigated by Çetin and Sürücü (1990) and they found that an increase in temperature yielded a decrease in settling velocity, possibly due to a change in the protein and lipid structure, as well as in the microorganism membrane structure.

With pH, settleability increased with increasing pH values by augmenting the available reactive sites on non-ionic polymers and the polymer length.

Kakii, et al. (1985) investigated the effects of calcium ions on sludge settleability and effluent turbidity by first extracting the calcium present within the sludge via acid treatment. The acid treated sludge, when exposed to increasing calcium concentrations, reacted with a decrease in the sludge volume (SV_{30}) and effluent turbidity indicating that the calcium ions were binding relatively strongly to the surface binding sites of the sludge.

2.4 Factors Affecting the Activated Sludge Floc Characteristics

2.4.1 Salinity and Ionic Effects

There are several problems associated with treating high saline wastewaters, which directly affect the flocs themselves. Increased salinity causes reductions in the density differences, resulting in an inability to settle out the flocs. The salinity itself can be toxic to bacteria not acclimated to the salt, as well as inhibit the growth and survival of bacteria due to extreme osmotic pressures to the organism's cell structure (Smythe, et al., 1997).

Zita and Hermansson (1994) demonstrated that floc stability was affected by ionic strength of the medium in accordance with the DLVO theory up to a particular electrolyte concentration, i.e. increased concentration led to a compression of the electrical double layers around the surfaces and thus increased stability. At higher ionic strengths, the stability of the flocs was observed to decrease but they could not attribute it to a particular cause.

Gordon and Millero (1984) studied electrolyte effects on the attachment of an estuarine bacterium (*Vibrio alginolyticus*) to hydroxyapatite and found that at salt concentrations below 0.1 M, increasing electrolyte concentrations increased bacterial affinity for the hydroxyapatite, which correlated very well with the DLVO theory. Above 0.1 M it was found that the affinity of the bacterium decreased, possibly due to an ion-exchange

mechanism with divalent cations, but also possibly due to water structure changes in the adsorbed hydration layer on either the bacteria or hydroxyapatite surface. In other words, it was inconclusive as to the mechanism causing the decreased attachment at high electrolyte concentrations.

McEldowney and Fletcher (1986) looked at the influence of various electrolytes on bacterial attachment and, although finding that the electrolytes clearly influenced attachment, there was no apparent relationship between the electrolyte concentration and adhesion. The adhesion could also not be attributed to any one type of adhesive mechanism, indicating that several factors were playing a role in the attachment.

Divalent cations can improve binding of protein within the microbe-biopolymer network. In the presence of 3 meq/L of calcium and magnesium, the addition of sodium greater than 5 meq/L led to a decrease in the bound protein content while the bound polysaccharide content was not appreciably changed. The decrease was attributed to divalent cation displacement by sodium addition, as high concentrations of monovalent cations can displace the divalent cations from within the floc via an ion-exchange mechanism. This can therefore cause deflocculation of the microbial aggregates due to a release of biopolymers (Higgins and Novak, 1997c).

Novak, et al. (1998) investigated cationic effects on the settling and dewatering of an industrial activated sludge system which was experiencing acceptable sludge settling and dewatering, yet needed excess polymer addition in order to improve final clarification. The authors looked at Na^+ and K^+ addition to the influent and determined that, at concentrations greater than 10 meq/L, the physical characteristics of the sludge had been altered. The dewatering potential of the solids became poorer and the effluent suspended solids increased dramatically. The Na^+ ion addition also weakened the flocs whereas the K^+ ion addition had little effect on floc strength. It was also observed that, at these elevated Na^+ and K^+ ion concentrations, the addition of Mg^{2+} ions greatly improved the properties of the wastewater solids.

Bruus, et al. (1992) looked into the importance of calcium ions in the structure of activated sludge flocs through extraction methods. It was determined that the calcium ions could be extracted from the sludge and the extraction procedure led to a deterioration in the sludge as represented by an increase in turbidity.

Sodium/calcium ratio effects on bentonite flocs were investigated by Fogle, et al. (1991) by keeping the calcium concentration stable and increasing the sodium concentration of the solution, then determining floc density from settling velocity results. It was determined that at low $\text{Na}^+:\text{Ca}^{2+}$ ratios, 0.00/1 to 4.56/1, the floc density was relatively insensitive to floc size (large and small flocs had the same density) and the opposite was observed at high ratios, 15.67/1. At an intermediate ratio of 7.57/1 a variety of results was observed, possibly indicating a transition point between the tendency to flocculate and the tendency to disperse for bentonite when exposed to both sodium and calcium ions.

2.4.2 Other Factors

Ganczarczyk and Rizzi (1996) looked at the effect of increasing polymer doses on the characteristics of activated sludge flocs. They found that the logarithmic mean size of the flocs increased, up to an optimal dose of between 2 and 3 g/kg. They also observed a greater frequency of larger flocs with increased polymer dose. The presence of these larger floc sizes resulted in increased geometric porosity and an increase in the number of larger pores in the flocs. The formation of large elongated pores in the flocs facilitates the formation of channels which improves sludge dewaterability. These elongated pores are formed as a result of the surface development of the microbial aggregates in the sludge, and the surface development is a function of the aggregates size and of the substrate loading of the system. It was also found that increasing the polymer dose led to an initial decrease in external surface development, smoother flocs characterized by a decrease in the surface fractal dimension, followed by a subsequent increase in surface development (Ganczarczyk 1995; Ganczarczyk and Rizzi, 1996).

Li and Ganczarczyk (1990) found that lower organic loadings to the activated sludge process resulted in an increase in extracellular polymers in sludge samples, whereas lesser amounts of extracellular polymers were present in samples exposed to higher organic loadings. Increasing the sludge retention time from 10 to 20 days also resulted in an increase in the production of extracellular polymers (Brown and Lester, 1979) and has been shown to enhance floc formation (Li and Ganczarczyk, 1993). Li and Ganczarczyk (1993) investigated the effect of numerous operating parameters on the floc size distributions and determined that high organic loadings resulted in a shift in the distribution to an increase in the amount of smaller flocs (or decrease in the number of larger flocs). They attributed this to a decrease in the extracellular polymer production caused by the increased sludge loading.

Galil, et al.(1991) looked into the effect of mixing intensity (G) on the size distribution of activated sludge flocs and the overall settleability of the sludge, as represented by the SVI. Increasing the velocity gradient, G , from 64.1 s^{-1} to 173.5 s^{-1} resulted in an increase in the number of smaller sized flocs along with an associated decrease in the number of larger sized flocs. The SVI was found to significantly increase with increasing G values, indicating the development of poor sludge settling and thickening characteristics. They also identified that the longer the flocs were exposed to the agitation, the greater was the influence of G on floc size.

Chapter 3 Methods and Materials

3.1 Scope of the Experiments

The investigation consisted of two parts. Part I involved the examination of the effects of increased salinity on the floc characteristics, as well as the effect of exposure time to a given NaCl concentration, time response test. The NaCl concentrations used were from 10 g/L to 45 g/L, including a control, and were similar to the range of concentrations used by Al-Attar (1992) for a study on infiltration of sea water into sewers and the applicability of typical wastewater design parameters to high saline wastewater situations. In Part II, the combined effect of Ca^{2+} and Na^+ ions on the floc structure was investigated. The concentrations here were much lower than those used in Part I, and were similar to the concentrations used by Higgins and Novak (1997a,b). The source and type of sludge used was the same for both parts, as well as the final floc sample preparation techniques. Only the actual treatment experiments themselves differed and so only this aspect of the investigation will be described separately for each part of the experiments.

3.2 Sludge

The sludge used in the experiments was waste activated sludge obtained from the Main Treatment Plant, Toronto, Ontario. The plant, located immediately adjacent to Ashbridges Bay, serves an estimated population of 1.2 million, and is one of four wastewater treatment plants serving Toronto. The influent flow to the Main plant consists of both municipal sewage and industrial wastewater from various industries, as well as digested sludge from two other Toronto treatment plants. The Main Treatment Plant's current rated capacity is 818 ML/d for secondary treatment and 2532 ML/d for primary treatment, with an average daily flow of 780 ML/d. Treatment processes at the plant include primary treatment (grit removal, screening, and primary settling), secondary treatment (aerated biological treatment and final settling), tertiary treatment (phosphorous removal), disinfection (chlorination),

sludge treatment (dissolved air flotation and anaerobic digestion), and biosolids disposal (dewatering and incineration) (CH2M Gore and Storrie, 1997).

The sludge was collected in a 10 litre plastic container and transported to the University laboratory. For each experiment the sludge was either used the same day it was sampled, or stored at 4°C overnight and tested the following day. The parameters of the sludge for each experiment are given in Table 3.2.1 and the Main Treatment Plant monthly report of operations, namely the information for the days the sludge was sampled and the monthly average, is given in Appendix A.

Sludge Parameter	Sludge for Salinity Test #1	Sludge for Salinity Test #2 and Time Response Test	Sludge for Calcium Test
Sampling Date	July 23, 1997	August 20, 1997	March 3, 1998
Sampling Time	11:00 am	3:00 pm	3:00 pm
Date Used	July 23, 1997	August 21, 1997	March 4, 1998
Time Used	2:00 pm	8:00 am	10:00 am
pH	6.8	6.8	6.8
Temperature	21.0°C	19.0°C	19.0°C
SVI	Not Measured	103 mL/g	97 mL/g
TS	(8000 mg/L)	(7800 mg/L) 4010 mg/L	(5800 mg/L) 6410 mg/L
TVS	(65.0 %)	(62.0 %) 60.3%	(73.0%) 68.5%
Cl ⁻	Not Measured	115 mg/L	Not Measured
G	21.9 s ⁻¹	21.4 s ⁻¹	21.4 s ⁻¹

Table 3.2.1. Characteristics of the waste activated sludge

Note: All measurable characteristics were determined in the university lab except for those values in brackets which were obtained from plant data.

The Sludge Volume Index (SVI), Total Solids (TS), and Total Volatile Solids (TVS) were determined according to *Standard Methods* (1985). The chloride ion (Cl⁻) concentration was determined using Ion Chromatography (IC), Dionex 500 System, with an IONPAC anion

exchange column of sample loop length 10 μL . The eluent used was a solution of 1.8 mM Sodium Carbonate and 1.7 mM Sodium Bicarbonate. An amount of sludge supernatant was filtered through a 0.45 μm PVDF Acrodisc and then dilutions of 1/10, 1/50, and 1/100 were made. Two NaCl standard solutions (10 mg/L and 5 mg/L) were also prepared. A blank, the two standard solutions, and the three sample solutions were then run through the IC and the average of the three sample solutions was taken.

3.3 Experimental Program

3.3.1 Part I : Salinity Test and Time Response Test

The salinity experiments were carried out using a series of batch reactors, 2 litre square jars, and a paddle stirrer mechanism. Each jar contained 1000 mL of sample, consisting of 500 mL of the waste activated sludge and 500 mL of a NaCl solution. The NaCl solutions were prepared from a 100 g NaCl/L stock solution by appropriately diluting the stock to make subsequent NaCl solutions of 20, 40, 60, and 90 g/L. These NaCl solutions were then added to each reactor in order to obtain final NaCl concentrations of 10, 20, 30, and 45 g/L. A control reactor, 0 g NaCl/L, was prepared by mixing 500 mL of sludge and 500 mL of distilled water. The reactors were mixed by the paddle stirrer mechanism at 25 rpm, or $G \approx 22 \text{ s}^{-1}$ (see Table 3.2.1), in order to completely suspend the microbial aggregates. Samples of flocs were withdrawn after 15 minutes of exposure to the NaCl, using a wide mouth pipet in order to prevent damage to the flocs. The salinity test was performed twice using sludge sampled from the same plant, but on different days (Table 3.2.1).

The time response test utilized the same setup as the salinity tests, except that only one NaCl concentration and a number of sampling times were used instead. The NaCl concentration chosen was 30 g/L and samples of flocs were taken after 0, 1, 5, 10, 15, and 30 minutes. Only one time response test was performed.

3.3.2 Part II : Calcium Test

The calcium experiments were carried out in the same way as the salinity test in Part I except the chemical solution preparation was different. Six 2 litre jars were prepared with 500 mL of sludge and approximately 500 mL of a NaCl and CaCl₂ solution. The sludge sample solutions were prepared in order to achieve a final Na⁺ concentration of about 4 meq/L for each sample, and final Ca²⁺ concentrations of approximately 0, 2, 4, 6, 8, and 10 meq/L. The NaCl/CaCl₂ solutions were made by first preparing a stock solution with a NaCl concentration of 469.8 mg/L. Then, for each sample, a certain volume of a 50 mg CaCl₂/mL solution was added to 500 mL of the stock solution in order to get the appropriate concentrations. These solutions were then added to the 500 mL of activated sludge to complete the sample solutions. The samples were then mixed at $G \approx 22 \text{ s}^{-1}$ for 15 minutes. The actual final concentrations are listed in Table 3.3.1.

Jar #	Volume of CaCl ₂ added (mL)	NaCl Conc. (mg/L)	Na ⁺ Conc. (meq/L)	CaCl ₂ Conc. (mg/L)	Ca ²⁺ Conc. (meq/L)	Ca ²⁺ :Na ⁺ Ratio
1	0.00	234.90	4.018	0.00	0.000	0.000
2	2.20	234.38	4.009	109.76	1.982	0.494
3	4.45	233.86	4.000	221.51	4.000	1.000
4	6.65	233.35	3.991	330.30	5.964	1.494
5	8.85	232.84	3.982	438.62	7.920	1.989
6	11.05	232.33	3.974	546.46	9.867	2.483

Table 3.3.1. Final sodium and calcium concentrations for part II : calcium test

3.3.3 Sample Preparation

After the sample of flocs was taken at the appropriate time point, the flocs were stabilized in either agar or a commercial resin. This is because for external characteristic

measurements, the entire floc can be used and so simple agar embedding is sufficient. For examination of internal floc characteristics, the flocs require sectioning, which can damage the floc morphology if not properly stabilized in hard resin.

3.3.3.1 Agar Embedding Procedure

The agar solution was prepared by first dissolving 1.5 grams of Noble Agar in 100 mL of distilled water and autoclaving for 20 minutes at 121°C and 16 psi. The agar solution was then stored at 50°C during the sample preparation procedure. It should be noted that the agar embedding procedure is applicable only to microbial aggregates larger than 10 µm due to the interference of particulate impurities present in the commercial agar preparations. This limitation can be eliminated by membrane filtration of the agar solution which removes any impurities larger than 0.4 µm, however filtration was not done in this investigation (Ganczarczyk, et al., 1992).

A small drop of sludge sample from the end of a wide mouth pipet was placed in a petri dish and about 7 to 10 mL of agar was added. The petri dish was gently rotated to ensure an even distribution of flocs over the petri dish and the agar allowed to solidify. The samples were then stored at 4°C and analyzed within 5 days of their preparation.

3.3.3.2 Resin Embedding Procedure

In the resin embedding procedure, there were several more steps than in the agar procedure. First, the flocs had to be fixed prior to embedding in order to prevent all biological activity while retaining the initial structure. The fixing agent used was a 2% glutaraldehyde solution prepared with a 0.1 M cacodylate buffer. The 2% glutaraldehyde solution was prepared by diluting a 50% solution in 0.1 M cacodylate buffer and the pH adjusted to 7.2 with 1.0 N HCl. The 0.1 M cacodylate buffer was prepared by dissolving 2.14 g sodium cacodylate in distilled water to make 100 mL of solution.

Two millilitres of the sludge sample were placed in a small tube and fixed with 2 mL of the 2% glutaraldehyde solution for one hour. The 2% glutaraldehyde solution was then decanted and the sample flocs were washed twice with the cacodylate buffer, 5 minutes for each wash. Next, the flocs were dehydrated before being embedded. The dehydration was done by subjecting the flocs to a series of ethanol solutions (30%, 50%, 70%, 90%, and 100%) for 10 minutes in each concentration. Embedding of the sample flocs was done according to the JB-4TM Plus Embedding Kit procedure. An infiltration solution was first prepared according to the kit and added to the samples. The flocs were left in the infiltration solution overnight and were then ready for resin embedding. The resin was also prepared according to the JB-4TM Plus Embedding Kit procedure and was kept in an ice bath during use to prevent premature polymerization. The sample flocs were placed in the sample molds and the resin added. The mold caps were then closed in order to seal the molds as anaerobic conditions are required for polymerization. The molds were placed in a 35°C oven and although the resin should have been hard within a couple of hours, the samples were left for longer in order to be certain of complete polymerization. The samples were then ready for microtome sectioning.

Sectioning of the resin embedded samples involved use of a microtome, Sorval Ultra Microtome MT-2. Glass knives were made and placed in the microtome, angled at 4°. A resin bloc was placed in the sample holder and the floc samples were cut into 2 µm thick sections. The sections were collected onto glass slides, with the help of a drop of water, and heat fixed using a hot plate. The samples were then stained with toluidine blue, for easier identification, and permanently mounted with Permount[®] and a cover slip. It should be noted that from one step to the next, extreme care was taken to not overmanipulate the samples as excess forces exerted on the flocs could have damaged or distorted them, thus providing false information (Li and Ganczarczyk, 1991).

3.4 Image Analysis System

3.4.1 Description of System Use

An image analysis system was used to determine, or measure data used in the calculation of, the floc characteristics for both sample preparation procedures, agar and resin embedding. The image analysis system used was the *Global Lab® Image* system by Data Translation, and was run on MS Windows 3.1. The microscope used was an optical light microscope, Olympus model M071 (BH2-UMA), with an MTI model CCD-72SX digital camera for relay to the image analysis system. Due to problems with the *Global Lab® Image* system software, caused by another researcher, a second image analysis system was required to complete the measurements for the calcium test only. The second image analysis system used was the *Image-I®* system, version 4.0, by Universal Imaging Corporation, and was run using MS DOS. The general operation of the two systems is similar but any different operations used in the *Image-I®* system are discussed separately.

With both systems, the microscopic image, relayed by the camera, is displayed on the computer screen as a pattern of different gray level “pixels”, which correspond to the brightness of the image at each particular pixel location. With the *Global Lab® Image* system the image is displayed on the same screen as the software operations. The pixel gray levels are quantified by a number scale ranging from 0 for black to 255 for white. The threshold limit can be set according to these values in that the operator can set the range of gray level values for which the software will identify the pixel as a measurable pixel. This way the software is able to identify between the actual image and the background when measuring the characteristics. The minimum and maximum number of grouped, connecting pixels which make up a “particle”, or floc, is also defined by the user, where pixels are considered connected if they are horizontally, vertically, or diagonally adjacent. The on-screen image can be adjusted in order to achieve a higher contrast between the image and the surrounding medium, through adjustment of the display parameters. It should be noted that these manipulations of the image do introduce a certain degree of bias into the measurements, since

they are all defined by the user, but, as long as the manipulations are consistent, the relative bias between floc measurements will be insignificant. Thus, keeping the same threshold, maximum and minimum pixel grouping size, and the same image adjustment will eliminate any discrepancies in the data as a result of the user.

For the *Image-1*[®] system two monitors were used, one to display the image and one to display and use the software operations. The general workings of the system are the same as mentioned above, i.e. thresholding, image adjusting, etc., except that the maximum and minimum number of grouped pixels cannot be set. However, individual particles can be measured as opposed to measuring all particles within a boxed region.

Both imaging systems can be calibrated to the desired units, i.e. μm , mm, etc., by measuring an image of known length and width with the software. This length and width will be measured by the software in terms of the number of pixels and the user then defines the actual length and width of the image in terms of the units, in this case, μm . This relates a real length and width measurement to a given number of pixels. This calibration is required for each separate magnification used.

The *Global Lab*[®] *Image* system can measure up to 51 separate characteristics, but only 4 were actually needed for this investigation, either directly or for further calculations, and are described in section 3.5. The user can define which characteristics are to be measured. The *Image-1*[®] system can measure up to about 20 characteristics, but once again only 4 were actually needed.

3.4.2 Measuring of Floc Characteristics

The actual procedure for floc measurements using the *Global Lab*[®] *Image* system is as follows: first, the petri dish or microscope slide was placed under the microscope lens and adjusted so that the entire floc image was visible on screen. With the floc image on screen the display was adjusted to give a suitable contrast between the floc image and the background.

The sharpness of the image is however dependent on the judgment of the operator and some detail may be lost in improving contrast. Once again it is important to keep the same contrast for all images when measuring. Next, the threshold limit was selected, in order to identify the pixels which make up the floc, and the minimum and maximum number of grouped pixels which will be recognized by the software, in order to reduce the amount of irrelevant data. The calibration data was activated so that all data was reported in μm . The floc characteristics to be measured were chosen and further information on the characteristics is given in the following section. Finally, the ROI measurement option was chosen where a box, called a Region of Interest (ROI), was adjusted in order to encompass all of, and only, the actual floc image and the characteristics of the floc measured.

For the *Image-1*[®] system, the procedure was quite similar, except that, first of all, the image being displayed on the monitor was fixed by summing up all the images “seen” by the software for 16 frames. This fixed image was then adjusted for contrast between the background and the floc. Then, depending on what characteristic was being measured, either the single particle measurement method or the ROI measurement method was chosen, as opposed to using just the ROI method. Also, some characteristics measured by the *Image-1*[®] system are defined slightly different than the same characteristics measured by the *Global Lab*[®] *Image* system and are explained in section 3.5.

3.5 Floc Characteristics

The floc characteristics determined in this investigation were either measured directly by the image analysis system or were calculated from the data obtained by the software. Those characteristics calculated by the software include floc area, perimeter, longest dimension, and shape factor. Those characteristics calculated from the data include equivalent diameter, geometric porosity, boundary fractal dimension, and Sierpinski fractal dimension. A summary of the floc characteristic measurement information is given in Table 3.5.1. Appendix B gives the size distribution data for floc area, equivalent diameter, longest dimension,

perimeter, and shape factor. The porosity data is given in Appendix C and the boundary and Sierpinski fractal dimension calculations are given in Appendix D.

Floc Characteristic	Sample Preparation	Measurement Method	# of Samples Tested
Floc Area	Agar Embedding	Software Calculated	200
Equivalent Diameter	Agar Embedding	Calculated from Data	200
Longest Dimension	Agar Embedding	Software Calculated	200
Perimeter	Agar Embedding	Software Calculated	200
Shape Factor	Agar Embedding	Software Calculated	200
Porosity	Resin Embedding	Calculated from Data	30
Boundary Fractal	Resin Embedding	Calculated from Image	5
Sierpinski Fractal	Resin Embedding	Calculated from Data	5

Table 3.5.1. Floc characteristic measurement information

3.5.1 Floc Area

Floc area (A) is the projected 2-dimensional area of the floc measured. Both imaging systems can calculate two types of floc area, and they are identified as “area” and “total area”. “Area” is the area of the floc minus the hole area, in other words, the solid portion of the floc. A hole is defined as a particle of the opposite color, or grouped pixels with gray shade values outside the threshold range. “Total area” is the entire area of the floc image, including the holes, and this was used for the floc area measurement. Since the size distribution of the floc area was determined, 200 flocs were analyzed for this characteristic.

3.5.2 Equivalent Diameter

The equivalent diameter (ED) is the diameter of a smooth circle with the same area as that of the floc measured (Allen, 1990). It is calculated by $ED = (4*A/\pi)^{0.5}$. Neither imaging software can calculate an equivalent diameter. The *Global Lab® Image* system calculates an average radius, which is the average radius from the centre of area to the perimeter, while the

Image-1[®] system calculates a diameter based on the smallest distance between two points on the particle perimeter. Therefore, ED is calculated from the measured floc area. Once again for the size distribution measurements, 200 flocs were analyzed for equivalent diameter.

3.5.3 Longest Dimension

Longest Dimension (L), is the distance between the two furthest points along the perimeter of the floc measured (Allen, 1990). The *Global Lab*[®] *Image* system measures the longest dimension as “length” by placing a box around the floc image with the furthest points on the perimeter of the floc touching the box sides. The longest dimension is then the length of the longer side. For highly irregular floc shapes this measurement of the longest dimension may be inaccurate due to angling effects, but, for the most part, the measurement is quite accurate. The *Image-1*[®] system calculates a “longest chord” which is in fact the longest dimension as defined by Allen (1990), and can be displayed on the image when measured. For the size distribution measurements, 200 flocs were analyzed for longest dimension.

3.5.4 Perimeter

Perimeter (P) is the length around the outside edge of the floc measured. The imaging systems calculate this characteristic and identify it as “perimeter”. The *Global Lab*[®] *Image* system calculation of the perimeter is somewhat inaccurate due to the error introduced by a “staircase” effect of the pixels. A correction term is subtracted from the perimeter count to average out the error. The correction term assumes that half of the pixels are connected by their sides and the other half by their corners. The *Image-1*[®] system operator’s manual does not stipulate whether a correction term is used in the calculation of the perimeter. For the size distribution measurements, 200 flocs were analyzed for perimeter.

3.5.5 Shape Factor

The shape factor (η) is a measure of how much the shape of the individual floc varies from a circle (Allen, 1990). Its value ranges between 0 for a line to 1 for a circle, and is calculated by $\eta = 4\pi A/P^2$. Both systems calculate the shape factor and the *Global Lab*[®] *Image* system identifies it as “roundness”, whereas the *Image-1*[®] system identifies it as “shape factor”. Shape factor was the last characteristic measured for size distribution so, as for the others, 200 flocs were analyzed.

3.5.6 Geometric Porosity

The geometric porosity is a measure of how porous the individual floc is, based on volume measurements. It is a ratio of the volume of pore spaces to the total volume of the floc. The porosity calculated here (otherwise known as sectional void ratio) is actually based on two-dimensional, 2 μ m thick, sections (Li and Ganczarczyk 1990), so, in this study, the porosity is actually calculated by Porosity (%) = (Pore Area/Floc Area)*100%, and is different than the porosity expressed in mass terms based on the density determination. This areal porosity has been shown, however, to be quite similar to the three-dimensional porosity through calculation of the porosity of many sections of an individual floc (Ganczarczyk and Rizzi, 1996).

The *Global Lab*[®] *Image* system does calculate a hole ratio which could be taken as porosity but, in this study the porosity was determined instead by first measuring the total area of an ROI placed entirely within the floc image. Then the area of the holes was determined by measuring all “particles” outside of the threshold range. The porosity was then calculated by Porosity (%) = (Area of Pores within ROI)/(Total Area of ROI)*100%. The *Image-1*[®] system automatically measures the area of the ROI (so this extra step is excluded) and will give the area fraction of the measured particles within the ROI, in other words the porosity in this investigation.

There are some errors involved with measuring the porosity by this method because the pore spaces are not evenly distributed throughout the floc section. Therefore the porosity will be dependent upon where the ROI is placed within the floc section. An area with few pores will lead to an underestimation of the true porosity whereas an area with many, and large pores, will lead to an overestimation of the true porosity. One section from each of 30 different flocs for one sample was measured and the average of the 30 section porosities was determined for the mean geometric porosity for that sample (see Appendix C).

3.5.7 Fractal Dimensions

The concept of fractals was first introduced by Mandelbrot (1977) and has been used to characterize many phenomena, such as the size and structure of the carbonblack fineparticle profile (Kaye, 1989). Upon inspection of the floc sections (see section 5.1), it can be seen that the flocs possess a statistically self similar structure, which allows for the application of fractal analysis to measurement data. This fractal property of the activated sludge floc is apparent for both the internal structure as well as the surface profile (Li and Ganczarczyk, 1990; Ganczarczyk, 1995). In this investigation, two fractal dimensions were used to characterize the irregular nature of the activated sludge floc: the boundary fractal dimension and the Sierpinski fractal dimension. Due to the complexity in measuring both fractal dimensions, only five floc sections for each sample were analyzed.

3.5.7.1 Boundary Fractal Dimension

The boundary fractal dimension (δ_{BF}) is used to measure the ruggedness of the 2-dimensional profile of a surface. The ruggedness can be described by allocating a fractional number between one and two which will describe the profile's space-filling ability. The difference between the fractional dimension of the line and its topological dimension then describes the ruggedness (Kaye, 1989).

The boundary fractal dimension is calculated using the Alternate Swing Structured Walk Technique as described by Kaye (1989). In Appendix D : Part I, Figure B.1 shows some of the steps involved in the determination of the boundary fractal dimension and is given as a visual representation of the steps described here. First, the floc image is printed onto a sheet of paper along with a line of known length. A compass is used, set at a given step length (λ) determined from the line (step 1 in Figure B.1). The compass is placed at a starting position on the perimeter of the floc image (step 2, Figure B.1) and “walked” around the outside of the floc image, using alternating clockwise and counter-clockwise swings, until a certain number of steps (N) is made and a remainder distance, a, is left (step 4, Figure B.1). This gives an estimate of the perimeter length by $P_{EST} = N\lambda + a$. This process is repeated for different values of λ . The P_{EST} and λ values are then normalized by dividing the values by a characteristic length, here the longest dimension characteristic was chosen. P normalized is plotted against λ normalized on a log-log scale, otherwise known as a Richardson’s Plot, and should result in a straight line with slope m. The boundary fractal dimension is calculated by $\delta_{BF} = 1 + |m|$. The boundary fractal dimension calculations are given in Appendix D : Part I.

3.5.7.2 Sierpinski Fractal Dimension

The Sierpinski fractal is a quantity used to describe the structure of what are known as Sierpinski carpets, named after a Polish mathematician, and is a measure of how fast the background is disappearing at ever increasing resolutions to see smaller and smaller holes. The Sierpinski carpet can be defined as a carpet with ever decreasing sizes of holes in it, arranged in a specific pattern. This is termed an ideal Sierpinski carpet due to its symmetry, however real systems will not always exhibit this symmetry. Many real systems resemble what are known as self similar randomized carpets where the holes are varied in size but arranged randomly. This is termed a statistically self similar randomized carpet and the Sierpinski fractal dimension (δ_{SF}) can be determined to describe the system. The Sierpinski fractal dimension is actually a measure of the Sierpinski carpet’s 2-dimensional space filling ability.

Sierpinski fractals can be used to describe many porous systems such as media filters, as well as other systems such as pesticide spray deposition, where the drops are the “holes” of the carpet (Kaye 1989). In this investigation the occupancy structure of the pores within the activated sludge flocs were characterized by δ_{SF} , and activated sludge flocs have been characterized to have two Sierpinski fractal dimensions (Ganczarczyk and Rizzi 1996), each one representing a population of pores within the floc. In this context, the physical meaning of the Sierpinski fractal dimension is the larger the value, the wider the range and the higher the uniformity of pore size distribution it represents.

The Sierpinski fractal dimension (δ_{SF}) is calculated by first measuring the cross-sectional area of all pore spaces (α_i for $i = 1$ to N number of pores) in the floc section and sorting them by size. Actually, it is the pore spaces located within an ROI within the floc itself which are measured, as was done for the porosity calculations. The cumulative pore area for each pore size is then calculated and the corresponding residual areas (β_i for $i = 1$ to N number of pores), the solid portion, for each pore size as well. The residual area is simply determined by $\beta_i = (\text{ROI Box Area}) - (\text{Cumulative Pore Area})$ for pore size i . Next, α_i and β_i are normalized by dividing the values by the ROI Box Area and plotted on a log-log scale (Richardson's plot). This plot will result in one or more slopes, two slopes for activated sludge flocs, m_1 and m_2 , and the Sierpinski fractal dimensions are then calculated by $\delta_{SF1} = 2 - m_1$ and $\delta_{SF2} = 2 - m_2$. Each dimension represents a separate pore size population. The Sierpinski fractal dimension calculations are shown in Appendix D : Part II. It should be noted that this method was only used for the *Global Lab® Image* system data because the *Image-1®* system cannot report individual pore space areas, so the Sierpinski fractal dimensions were unable to be calculated.

Chapter 4 Data Analysis

4.1 Statistical Analysis

4.1.1 Distribution Curve Fitting

The data measured, or calculated, were represented and analyzed by several different methods. The floc area, equivalent diameter, longest dimension, perimeter, and shape factor data were all plotted as frequency histograms representing the respective size distributions. Curve fitting of these size distribution plots was done using the commercial statistics package STATSGRAPHICS version 2.6 (Statistical Graphics Corps.). The software generates a normal probability plot with the data and if the data fit a straight line, the distribution is considered normal. Taking the log values of the data and generating another normal probability plot will confirm whether the distribution is a log-normal distribution if the data fit a straight line.

4.1.2 Data Statistics and Regression Analysis

The statistics, i.e. mean value, standard deviation, etc., were calculated, also using the STATSGRAPHICS software. The distribution mean values were plotted against the NaCl concentrations, the sampling times, or the $\text{Ca}^{2+}:\text{Na}^{+}$ ratios to establish a graphical representation of the data and to see whether any relationship existed between the treatment (or exposure time) and the corresponding floc characteristic. The 95% confidence intervals were determined and plotted for the size distribution and porosity data only. A z-value of 1.96, corresponding to the 95% confidence level, was used in the confidence interval calculation since both the size distribution and porosity data set sample sizes were greater than or equal to 30 (200 for size distribution and 30 for porosity).

For the porosity data, a simple arithmetic mean value was calculated and these mean values plotted against the NaCl concentrations. Since frequency histograms of the porosity data were not generated, the porosity data was assumed to be normally distributed. Simple arithmetic mean values were calculated for the boundary and Sierpinski fractal dimensions as well.

Simple regression analysis was done on the mean values for the size distribution and porosity data using the STATSGRAPHICS software. For simple regression, the software can perform four types but only simple linear regression was applied to analyze the relationship between the floc characteristics and the applied NaCl concentrations. The R^2 value, or square of the correlation coefficient, was used to determine the goodness of fit of the data to the regression line, or the strength of the correlation.

4.1.3 Analysis of Variance Significance Testing

Analysis of Variance (ANOVA) significance testing was performed to confirm whether the differences observed between sample data sets were due to the treatment or to random errors. The ANOVA testing was done using the STATSGRAPHICS program. The program calculates the required F-ratio, which can then be compared to the appropriate F values as determined from F tables (Scheaffer and McClave, 1990) and the acceptance or rejection of H_0 (the null hypothesis which states that every treatment effect is zero, or that the differences in the data are due solely to random error). The software also computes a significance level where a low value indicates that H_0 can be rejected thus the differences are statistically significant, or due to the treatment. The ANOVA testing was performed on all sample data sets for each given characteristic for each given test, as well as between specific data points within the tests.

Chapter 5 Results

5.1 Floc Images

Four examples of floc images viewed and measured in this investigation are presented in Figures 5.1.1 to 5.1.4. They represent one floc sample taken from each of the tests performed. The images are from floc samples which were prepared in the commercial resin so represent 2 μm thick sections. They are presented to show how activated sludge flocs appear under the microscope and the bars given with the image indicate the relative size range of the flocs. Further examples of floc images are given in Appendix B with the size distributions data, showing visual meanings of the size distribution characteristics, and Appendix D: Part I with the boundary fractal dimension calculations.

Figure 5.1.1 Image of floc from salinity test #1, 10 g NaCl/L

Figure 5.1.2 Image of floc from salinity test #2, 45 g NaCl/L

Figure 5.1.3 Image of floc from time response test, 30 minutes

Figure 5.1.4 Image of floc from calcium test, $\text{Ca}^{2+}:\text{Na}^+ = 1.5$

The floc images can be seen to be heterogeneous in structure possessing varying sizes of pore spaces and water channels, although, from these images it is difficult to determine exactly what is bacteria and what is polymer. Upon investigation of the floc sections, the images clearly show the irregular structure of the activated sludge flocs, as well as its statistically self similar structure, which allows for the application of fractal analysis to measurement data. This fractal property of the activated sludge floc is apparent for both the internal structure as well as the surface profile (Li and Ganczarczyk, 1990; Ganczarczyk, 1995).

5.2 Part I : Salinity Tests

Two identical, but separate, series of salinity tests were run on two sludge samples, taken from the same treatment plant but on different days. The two series of tests will be presented separately in terms of response but collectively with respect to the particular characteristics examined.

5.2.1 Size Distributions for Salinity Tests

The size distributions are used in order to understand the relative distribution of flocs within the activated sludge system. The size distribution of the flocs is important as certain processes are dependent on this distribution, such as oxygen consumption (biomass distribution), adsorption and mass transfer (surface area distribution), and solid liquid separation (volume distribution). The size distributions can be described by several characteristics. Here, the size distributions were characterized by floc area, longest dimension, equivalent diameter, perimeter, and shape factor. The five characteristics were measured for each floc and a total of 200 flocs at each NaCl concentration was analyzed to generate the size distribution frequency histograms. The flocs used in the size distribution measurements were taken from the agar embedded samples. The frequency histograms of the size distributions for the two series of salinity tests are given in Figures 5.2.1 through 5.2.10, whereas the actual size distribution data is given in Appendix B.

The microbial aggregates measured from the sludge samples were all larger than 10 μm , and constitute the major source of surface area, volume, and mass, although they are greatly outnumbered by their smaller counterparts (bacteria and aggregates of only a few microorganisms) (Li and Ganczarczyk, 1991). Using distribution curve fitting, the size distributions were found, in general, to follow a log normal distribution, as was found by Li and Ganczarczyk (1991). This then required logarithmic mean values of the size distributions to be computed in order to examine the relationship between the applied NaCl concentrations and the floc characteristics. Analysis of Variance (ANOVA) significance testing was done on the size distributions of each characteristic using the STATSGRAPHICS statistical program and the individual data transformed to log values. It was found that, at a 95% confidence interval for each characteristic, there was a statistically significant difference in the size distribution data between the NaCl concentrations, indicating that the increased NaCl concentrations had a definite effect on the activated sludge floc size distributions.

Figure 5.2.1. Size Distributions of Floc Area for Salinity Test #1

Figure 5.2.2. Size Distributions of Floc Area for Salinity Test #2

Figure 5.2.3. Size Distributions of Equivalent Diameter for Salinity Test #1

Figure 5.2.4. Size Distributions of Equivalent Diameter for Salinity Test #2

Figure 5.2.5. Size Distributions of Longest Dimension for Salinity Test #1

Figure 5.2.6. Size Distributions of Longest Dimension for Salinity Test #2

Figure 5.2.7. Size Distributions of Perimeter for Salinity Test #1

Figure 5.2.8. Size Distributions of Perimeter for Salinity Test #2

Figure 5.2.9. Size Distributions of Shape Factor for Salinity Test #1

Figure 5.2.10. Size Distributions of Shape Factor for Salinity Test #2

As can be seen in Figures 5.2.1 to 5.2.8, the general response to the increasing NaCl concentrations is similar. The distributions were found to shift from many small values and few large ones, to the gradual development of more larger values in conjunction with a reduction in the amount of small values. In Figures 5.2.9 and 5.2.10, which show the shape factor results, the opposite trend of shifting distributions was observed. The shift in distribution was from relatively larger shape factor values to smaller shape factor values with the increasing NaCl concentrations. By “relatively larger”, what is meant is that those values at 0 and 10 g NaCl/L were larger than those shape factor values found at 30 and 45 g NaCl/L, but the actual shape factor values, at any NaCl concentration, were not significantly large themselves.

5.2.2 Logarithmic Mean Values for Salinity Tests

Since the size distributions of the measured characteristics in general followed a log-normal distribution, it would appear to be of little use to calculate a mean based on a normal distribution, i.e. arithmetic mean. Therefore, a logarithmic (or log-normal) mean, of the 200 floc values used to generate the size distribution frequency histograms for each characteristic, was calculated. Plots of these mean values with respect to the NaCl concentration, for both series of salinity tests, are given in Figures 5.2.11 to 5.2.14. The dashed lines on all logarithmic mean value plots and mean geometric porosity plots (for the two salinity tests, the time response test, and the calcium test) are the upper and lower limits of the calculated 95% confidence intervals.

The logarithmic mean floc area was found to fluctuate somewhat, increasing from 9700 μm^2 to 16950 μm^2 for salinity test #1 (but reaching a minimum of 9460 μm^2 at 10 g NaCl/L) and from 8640 μm^2 to 21890 μm^2 for salinity test #2. The mean equivalent diameter increased from 111 μm to 147 μm for salinity test #1 and from 105 μm to 167 μm for salinity test #2 while the mean longest dimension increased from 176 μm to 231 μm for salinity test #1 and from 164 μm to 261 μm for salinity test #2. The mean perimeter increased from 760 μm to 1125 μm for salinity test #1 and from 735 μm to 1330 μm for salinity test #2, whereas

Figure 5.2.11. Log Mean Floc Area (FA) for Salinity Tests

Figure 5.2.12. Log Mean Equivalent Diameter (ED) and Log Mean Longest Dimension (LD) for Salinity Tests

Figure 5.2.13. Log Mean Perimeter for Salinity Tests

the mean shape factor decreased from 0.2114 to 0.1682 for salinity test #1 and from 0.2009 to 0.1555 for salinity test #2.

Characteristic	Test #	Linear Regression Equation	R ² Value (%)
Floc Area	1	$y = 8804.2 + 166.6 x$	91.8
Equivalent Diameter	1	$y = 106.95 + 0.832 x$	92.3
Longest Dimension	1	$y = 171.26 + 1.239 x$	95.5
Perimeter	1	$y = 748.60 + 8.051 x$	97.7
Shape Factor	1	$y = 0.20003 - 0.000794 x$	71.3
Porosity	1	$y = 32.222 + 0.2840 x$	86.0
Floc Area	2	$y = 8700.6 + 284.0 x$	96.5
Equivalent Diameter	2	$y = 107.09 + 1.329 x$	96.3
Longest Dimension	2	$y = 170.65 + 2.097 x$	95.1
Perimeter	2	$y = 758.44 + 13.00 x$	97.7
Shape Factor	2	$y = 0.19440 - 0.001033 x$	87.5
Porosity	2	$y = 43.698 + 0.003327 x$	0.224

Table 5.2.1. Linear regression analysis results for salinity tests

Simple linear regression was performed on the logarithmic mean values for each of the characteristics for both salinity tests. The results of the linear regression analysis are

listed in Table 5.2.1. R^2 values ranged from 71% for shape factor, salinity test #1, up to 98% for perimeter, salinity tests #1 and #2. Salinity test #2 was also found to yield a higher degree of correlation, as seen by the higher R^2 values, and a higher degree of response when compared to salinity test #1, as seen by the larger slopes in Figures 5.2.11 through 5.2.14.

5.2.3 Geometric Porosity for Salinity Tests

Figures 5.2.15 shows the mean geometric porosity results for the two salinity tests and linear regression was also performed (see Table 5.2.1). The mean geometric porosity results are based on the porosity of one section taken from 30 different flocs and no correlation was made between the porosities of larger and smaller flocs within the same sample group. However, from the technical reasons, these data are characteristic, most likely, for the larger flocs. Two different responses to the increased NaCl were observed between the two sludges tested, with regards to the floc porosity. The porosity was found to increase with increasing NaCl concentration for salinity test #1 and no appreciable change in porosity was observed for salinity test #2. ANOVA significance testing on all the porosity data confirmed that, at a 95% confidence interval, there was a statistically significant change in the porosity in salinity test #1 and that the porosity differences observed in salinity test #2 was likely due to random error.

5.2.4 Fractal Dimensions for Salinity Tests

5.2.4.1 Boundary Fractal Dimension

The boundary fractal dimension is used to measure the ruggedness of the 2-dimensional profile of a surface. Five flocs, which were also used in the porosity calculations, were chosen for the boundary fractal measurements and no correlation was made between the floc size and the boundary fractal dimension. The boundary fractal dimensions for both salinity tests are shown in Figure 5.2.16. The flocs measured in salinity test #1 were found to have an initial decreasing boundary fractal dimension, from 1.40 at 0 g NaCl/L down to 1.28 at 30 g NaCl/L, which then increased back up to 1.40 at 45 g NaCl/L. The flocs measured in salinity test #2 were found to initially increase from 1.29 at 0 g NaCl/L to 1.36 at 10 g NaCl/L, but then remained relatively with further NaCl addition.

5.2.4.2 Sierpinski Fractal Dimension

The Sierpinski fractal dimension is a quantity used to describe the structure of what are known as Sierpinski carpets and is a measure of how fast the background is disappearing

at ever increasing measurement resolutions. In this investigation the pore structure of the activated sludge flocs was characterized by the Sierpinski fractal dimension. The flocs were found to exhibit two distinct Sierpinski fractal dimensions, indicating the presence of two pore size populations. The two Sierpinski fractal dimensions (δ_{SF1} and δ_{SF2}), for both salinity tests, are presented in Figure 5.2.17. For both salinity tests it was observed that the increased NaCl concentration had little effect on the larger Sierpinski fractal dimension (δ_{SF1}), with δ_{SF1} increasing slightly from 1.968 at 0 g NaCl/L to 1.988 at 45 g NaCl/L for salinity test #1 and from 1.973 at 0 g NaCl/L to 1.977 at 45 g NaCl/L (maximum of 1.981 at 30 g NaCl/L) for salinity test #2. The smaller Sierpinski fractal dimension (δ_{SF2}) was found to change quite significantly for both salinity tests, and in a similar manner as well. For salinity test #1, δ_{SF2} initially increased from 1.890 at 0 g NaCl/L up to 1.927 at 10 g NaCl/L but then decreased to a minimum of 1.830 at 20 g NaCl/L. δ_{SF2} then increased again to a value of 1.894 at 45 g NaCl/L. For salinity test #2 there was a minimal increase in δ_{SF2} from 1.903 at 0 g NaCl/L to 1.904 at 10 g NaCl/L but, as with salinity test #1, δ_{SF2} then decreased to a minimum of 1.857 at 30 g NaCl/L and then increased to 1.864 at 45 g NaCl/L.

5.3 Part I : Time Response Test

Using the same sludge that was used in salinity test #2, a time response test was performed to investigate the effect of exposure time to an increased NaCl concentration (30 g/L) on the floc physical characteristics. The same characteristics measured for the salinity tests were measured for the time response test.

5.3.1 Size Distributions for Time Response Test

The frequency histograms of the size distributions for the time response test are given in Figures 5.3.1 through 5.3.5, with the actual size distribution data given in Appendix B. As with the salinity tests, the microbial aggregates measured were all larger than 10 μm and using distribution curve fitting, the size distributions were found, in general, to follow a log normal distribution. The logarithmic mean values of the size distributions were determined to examine the relationship between the applied NaCl concentrations and the floc characteristics.

ANOVA significance testing was done on the size distributions of each characteristic to see whether there was a statistically significant difference in the distributions between time points at the NaCl concentration of 30 g/L. It was found that, at a 95% confidence interval for each characteristic, there was a statistically significant difference in the size distribution data between the time points. ANOVA significance testing was also done between the 0 and 15 minute, the 10, 15, and 30 minute, and the 15 and 30 minute time points to see whether these distributions were significantly different. This was to confirm that the 15 minute sampling time used in the salinity tests would be indicative of the floc response, and to see whether longer exposure to the NaCl concentration of 30 g/L would lead to further changes in the floc structure or whether an equilibrium state had been reached. It was found that, at the 95% confidence interval, there was a significant difference in the 0 and 15 minute size distributions, for all characteristics, and that the difference between the 10, 15, and 30 minute time point size distributions was due to random area, i.e. no significant difference.

Figure 5.3.1. Size Distributions of Floc Area for Time Response Test

Figure 5.3.2. Size Distributions of Equivalent Diameter for Time Response Test

Figure 5.3.3. Size Distributions of Longest Dimension for Time Response Test

Figure 5.3.4. Size Distributions of Perimeter for Time Response Test

As was seen with the increasing NaCl concentrations in the salinity tests, increased exposure to a given NaCl concentration also led to a shift in the size distributions. Figures 5.3.1 to 5.3.4 show similar results in that the distributions shift from mostly small values (small flocs) and a few large values (large flocs), to a distribution of fewer small values and more larger values (i.e. the distribution shift is due to the development of larger sized flocs). It was also observed that the 10, 15, and 30 minute time points had similar distributions for each individual characteristic. In Figure 5.3.5 the shape factor results show, as with the salinity tests, the opposite trend of shifting distributions, from larger values to smaller values.

5.3.2 Logarithmic Mean Values for Time Response Test

The logarithmic mean values, of the 200 flocs used to generate the size distribution frequency histograms for each characteristic, were calculated and plotted, with respect to the sampling time, in Figures 5.3.6 to 5.3.9. No regression analysis was performed on the data.

Figure 5.3.6. Log Mean Floc Area for Time Response Test

Figure 5.3.7. Log Mean Equivalent Diameter and Log Mean Longest Dimension for Time Response Test

Figure 5.3.8. Log Mean Perimeter for Time Response Test

The logarithmic mean value for the floc area was found to increase from $7580 \mu\text{m}^2$ at 0 minutes to $15490 \mu\text{m}^2$ at 10 minutes, then continued to increase slightly to $18870 \mu\text{m}^2$ at 30 minutes. The mean equivalent diameter increased from $98 \mu\text{m}$ at 0 minutes to $140 \mu\text{m}$ at 10 minutes and then $155 \mu\text{m}$ at 30 minutes, while the mean longest dimension increased from $157 \mu\text{m}$ to $227 \mu\text{m}$ at 10 minutes and then $247 \mu\text{m}$ at 30 minutes. The mean perimeter increased from $681 \mu\text{m}$ to $1127 \mu\text{m}$ to reach a final value of $1249 \mu\text{m}$ at 30 minutes. The mean shape factor decreased from 0.2052 at 0 minutes to 0.1534 at 10 minutes and then a further decrease to 0.1521 at 30 minutes. All characteristics were found to change significantly from the 0 to 10 minute time points but relatively minor changes were observed between the 10 and 30 minute time points. It was also noted that all characteristics achieved a minimum (or maximum for the mean shape factor values) at the 1 minute time point.

5.3.3 Geometric Porosity for Time Response Test

Figure 5.3.10 shows the mean geometric porosity results for the time response test, however no regression analysis was performed. The porosity was found to fluctuate somewhat between the sampling times, increasing from 41% at 0 minutes up to 50% at 5 minutes and then decreasing to 44% at 10 minutes, but appeared to stabilize at about 47% at the 15 minute time point. ANOVA significance testing on all porosity data confirmed that, at

a 95% confidence interval, there was a statistically significant change in the porosity between time points. Significance testing was also done on the 0 and 15 minute porosity data sets to determine if the floc porosity had definitely been affected and on the 15 and 30 minute porosity data sets to see whether the flocs had potentially achieved an equilibrium porosity. It was found that, at the 95% confidence interval, there was a statistically significant difference between the 0 and 15 minute time point porosities, but there was no significant difference between the 15 and 30 minute time point porosities.

5.3.4 Fractal Dimensions for Time Response Test

5.3.4.1 Boundary Fractal Dimension

As with the salinity tests, five flocs, which were also used in the porosity calculations, were chosen for the boundary fractal measurements and no correlation was attempted between the individual floc sizes and their corresponding boundary fractal dimensions. The boundary fractal dimensions for the time response test are shown in Figure 5.3.11. The flocs measured were found to have an initial decreasing boundary fractal dimension, from 1.35 at 0

minutes down to 1.26 at 1 minute, but then increased up to a maximum of 1.36 at 15 minutes and decreased to 1.31 at 30 minutes.

5.3.4.2 Sierpinski Fractal Dimension

As with the flocs in the salinity tests, the flocs examined in the time response test were also found to exhibit two distinct Sierpinski fractal dimensions, indicating the presence of two pore size populations. The two Sierpinski fractal dimensions (δ_{SF1} and δ_{SF2}) are presented in Figure 5.3.12. It was observed that the exposure time to the increased NaCl concentration had virtually no effect on δ_{SF1} , with δ_{SF1} increasing slightly from 1.981 at 0 minutes to 1.984 at 30 minutes. The smaller Sierpinski fractal dimension (δ_{SF2}) was found to fluctuate, decreasing from 1.883 to 1.859 at 1 minute, increasing up to 1.937 at 10 minutes, and decreasing to 1.877 at 15 minutes and 1.889 at 30 minutes..

5.4 Part II : Calcium Test

Using the same techniques and experimental setup as in the salinity tests and the time response test, a calcium test was used to investigate the effect of varying Ca^{2+} ion concentrations, along with a fixed Na^+ ion concentration, on the floc physical characteristics. The same characteristics measured for the salinity and time response tests were measured for the calcium test.

5.4.1 Size Distributions for Calcium Test

The frequency histograms of the size distributions for the calcium test are given in Figures 5.4.1 through 5.4.5, with the actual size distribution data presented in Appendix B. As with the tests in Part I, the microbial aggregates measured were all larger than $10\ \mu\text{m}$ and the corresponding size distributions were found, in general, to follow a log normal distribution. The logarithmic mean values of the size distributions were then calculated. ANOVA significance testing was done on the size distributions of each characteristic to see whether there was a statistically significant difference in the distributions between $\text{Ca}^{2+}:\text{Na}^+$ ratios. It was found that, at the 95% confidence interval for each characteristic, there was a statistically significant difference in the size distribution data between the ratios.

Figure 5.4.1. Size Distributions of Floc Area for Calcium Test

Figure 5.4.2. Size Distributions of Equivalent Diameter for Calcium Test

Figure 5.4.3. Size Distributions of Longest Dimension for Calcium Test

Figure 5.4.4. Size Distributions of Perimeter for Calcium Test

Figure 5.4.5. Size Distributions of Shape Factor for Calcium Test

As was seen with the increasing NaCl concentrations in the salinity tests in Part I, varying the $\text{Ca}^{2+}:\text{Na}^{+}$ ratio led to a shift in the size distributions. The shifts in distribution are subtle and not very easily identified. What can be seen in Figures 5.4.1 to 5.4.4 is that the distributions first tend to shift from mostly small values (flocs) and some larger ones, to a distribution of more smaller values and less larger ones, up to a $\text{Ca}^{2+}:\text{Na}^{+}$ ratio of 1.0. The distribution then appears to shift back after the 1.0 ratio point. In Figure 5.4.5 the shape factor results seem even more erratic than the other characteristics as the distributions appear to be shifting irregularly between the $\text{Ca}^{2+}:\text{Na}^{+}$ ratios.

5.4.2 Logarithmic Mean Values for Calcium Test

The logarithmic mean values, of the 200 flocs used to generate the size distribution frequency histograms for each characteristic, were calculated and plotted, with respect to the $\text{Ca}^{2+}:\text{Na}^{+}$ ratios, in Figures 5.4.6 to 5.4.9. No regression analysis was performed on the

calcium test logarithmic mean values, with respect to the $\text{Ca}^{2+}:\text{Na}^+$ ratios, due to a lacking of any perceivable relationships.

The logarithmic mean value for the floc area was found to first decrease from 17720 μm^2 at $\text{Ca}^{2+}:\text{Na}^+$ ratio = 0.0 to 14515 μm^2 at $\text{Ca}^{2+}:\text{Na}^+$ ratio = 1.0 and then increase to 20750 μm^2 at $\text{Ca}^{2+}:\text{Na}^+$ ratio = 2.0, but finally decreasing to 15760 μm^2 at $\text{Ca}^{2+}:\text{Na}^+$ ratio = 2.5. The mean equivalent diameter decreased from 150 μm to 136 μm at $\text{Ca}^{2+}:\text{Na}^+$ ratio = 1.0, increased to 163 μm at $\text{Ca}^{2+}:\text{Na}^+$ ratio = 2.0, then decreased again to 142 μm at $\text{Ca}^{2+}:\text{Na}^+$ ratio = 2.5, while the mean longest dimension decreased from 241 μm to 220 μm at $\text{Ca}^{2+}:\text{Na}^+$ ratio = 1.0, increased to 256 μm at $\text{Ca}^{2+}:\text{Na}^+$ ratio = 2.0, then decreased to 227 μm at $\text{Ca}^{2+}:\text{Na}^+$ ratio = 2.5. The mean perimeter decreased from 1221 μm to 1080 μm at $\text{Ca}^{2+}:\text{Na}^+$

ratio = 1.0, increased to 1264 μm at $\text{Ca}^{2+}:\text{Na}^+$ ratio = 2.0, and then decreased to 1133 μm at $\text{Ca}^{2+}:\text{Na}^+$ ratio = 2.5. The mean shape factor decreased and increased several times achieving a maximum of 0.1665 at $\text{Ca}^{2+}:\text{Na}^+$ ratio = 0.5 and a minimum of 0.1494 at $\text{Ca}^{2+}:\text{Na}^+$ ratio = 0.0.

5.4.3 Geometric Porosity for Calcium Test

Figure 5.4.10 shows the mean geometric porosity results for the calcium test, however no regression analysis was performed. The porosity was found to decrease from 51% at $\text{Ca}^{2+}:\text{Na}^+ = 0$ to 41% at $\text{Ca}^{2+}:\text{Na}^+ = 1.5$ and then remained relatively constant at increased ratios. ANOVA significance testing on all porosity data confirmed that, at a 95% confidence interval, there was a statistically significant change in the porosity between $\text{Ca}^{2+}:\text{Na}^+$ ratios. Significance testing was also done on the porosity data sets for $\text{Ca}^{2+}:\text{Na}^+$ ratios of 1.5, 2.0, and 2.5 to determine if the floc porosity had achieved a stable or equilibrium internal structure, porosity. It was found that, at the 95% confidence interval, there was no significant difference between the three ratio porosities.

5.4.4 Fractal Dimensions for Calcium Test

5.4.4.1 Boundary Fractal Dimension

Five of the 30 flocs used in the porosity calculations were chosen for the boundary fractal measurements and, unlike the results seen for the tests in Part I, there did appear to be a relationship between the observed floc size and the measure boundary fractal dimension, with the boundary fractal value increasing as the floc size increased and decreasing with a decrease in floc size. However, no quantification of the correlation between the floc size and the boundary fractal dimension was made. The boundary fractal dimensions for the calcium test are shown in Figure 5.4.11. The flocs were found to have an initial decreasing boundary fractal dimension, from 1.28 at a $\text{Ca}^{2+}:\text{Na}^{+}$ ratio of 0 down to 1.24 at $\text{Ca}^{2+}:\text{Na}^{+} = 1.0$, then increase back up to 1.31 at a ratio of 2.0. A minimum of 1.22 was finally achieved at $\text{Ca}^{2+}:\text{Na}^{+} = 2.5$.

5.4.4.2 Sierpinski Fractal Dimension

Due to problems with the *Global Lab® Image* system, as detailed in Chapter 3, a second system was required to complete the measurements. Unfortunately, the second system, *Image-1®* version 4.0 by Universal Imaging Corporation, was unable to measure individual pore space areas, only the total, maximum, minimum, and average area were able to be reported, therefore the Sierpinski fractal dimensions could not be calculated for the calcium test floc samples.

Chapter 6 Discussion

6.1 Part I : Salinity Tests

6.1.1 Size Distributions for Salinity Tests

The frequency histograms of the floc areas for salinity test #1 (Fig. 5.2.1) show that, as the NaCl concentration is increased, there is a shift in the floc area size distribution from a high proportion of small flocs, and a few large flocs, to the development of more medium and large size flocs. This effect was also seen for salinity test #2 (Fig. 5.2.2). The flocs are growing in size as the smaller flocs combine to form larger aggregates. The size distributions of the other floc physical characteristics measured, i.e. equivalent diameter, longest dimension, and perimeter, were also plotted (Fig. 5.2.3 to 5.2.8) and, for both series of salinity tests, the results were quite similar in that, as the NaCl concentration was increased, there was a shift in the characteristic values from a high proportion of small values to more larger values.

The exception to the above was the shape factor size distributions. As the NaCl concentration was increased, the shift in distribution was from higher shape factor values to lower values (Fig. 5.2.9 and 5.2.10), indicating that the flocs became more elongated with increasing NaCl concentration. Rod shaped bacteria or particles have lower electrostatic repulsions at the ends so tend to form more elongated, cylindrical flocs, rather than spherical ones (Eriksson and Härdin, 1984), and so this effect was enhanced with the increased ionic strength from the increased NaCl concentrations. This elongation of flocs with increased size was also observed by Sezgin, et al. (1978) where it was found that the flocs became more cylindrical as they became larger. The shift in the shape factor size distribution was a subtle one however, as the flocs became only slightly more elongated, and did not change drastically, such as from spherical to cylindrical. The floc elongation can possibly be considered as a secondary effect of the experiment since the flocs became larger with increasing NaCl concentration and larger flocs are characteristically longer (Sezgin, et al., 1978).

In this investigation, as was observed by Li and Ganczarczyk (1991) for flocs larger than 10 μm , it was found that , for all floc characteristics (equivalent diameter, longest dimension, perimeter, shape factor, and floc area), the size distributions followed, in general, a log-normal distribution. This confirmation of a log-normal distribution then allowed for the use of ANOVA significance testing after transformation of the values, as well as the need to determine logarithmic mean values.

6.1.2 Logarithmic Mean Values for Salinity Tests

It was seen from the size distribution results that, as the NaCl concentration of the solution was increased, the result was a shift towards a greater number of larger value floc characteristics, i.e. higher floc area values, etc., with the exception of shape factor. It can then be expected that the logarithmic mean values of the characteristics would also increase, or decrease, according to the shifting distributions.

Examination of the logarithmic mean values for floc area, equivalent diameter, longest dimension, and perimeter for both series of salinity tests (Fig. 5.2.11 to 5.2.13) clearly shows that, as expected from the size distribution data, the characteristic values increased as the NaCl concentration was increased. The increased NaCl concentration then had a definite, positive, effect on the physical structure of the activated sludge flocs, similar to the effect seen by Ganczarczyk and Rizzi (1996), who looked at the effect of polymer dose on the activated sludge floc structure. They found that with increasing polymer dosage came a general increase in floc size, quantified as equivalent diameter. As the NaCl concentration was increased the shape factor was found to decrease (Fig. 5.2.14) thus indicating that the flocs were becoming more elongated. Since the increased NaCl concentrations are affecting the mean size of the flocs, and the other characteristics as well, it is then important to understand why the increase in size is occurring.

The increase in floc size is considered to be, in part, a result of a reduction in the electric double layer surrounding the microbial aggregates due to the increase in ionic

strength. This is explained by the Derjaguin-Landau-Verwey-Overbeek (DLVO) theory of colloidal stability, which takes into account both electrostatic (long range) and Van der Waals (short range) forces (Overbeek, 1952; Gordon and Millero, 1984; McEldowney and Fletcher, 1986; Zita and Hermansson, 1994), and is also valid for bacterial applications (van Loosdrecht, et al., 1989). Most bacteria in activated sludge are rod shaped and, at neutral pH, negatively charged (Eriksson and Hårdin, 1984), resulting in the formation of a double layer of positively charged ions around the negatively charged microbial aggregates and bacteria. This double layer results in an overall repulsive force at long ranges between particles, preventing aggregation. The thickness of this electric double layer is dependent upon the ionic concentration of the medium surrounding the particle or floc. Therefore, when the NaCl solution is added, the ionic concentration of the sample solution is increased, the double layer surrounding the aggregates is then contracted reducing the repulsive force, and the aggregates are capable of approaching one another more closely (Overbeek, 1952). This, along with the added mixing, gives the potential for much larger flocs to form, as smaller aggregates would combine with others, either by coming close enough to make contact, or by single bacteria or microflocs being entrapped by the larger flocs. Wastewater colloids may also precipitate due to the increase in NaCl concentration. These precipitated colloids can then be incorporated into the floc structure by mechanical mixing, thus resulting in larger flocs.

According to the DLVO theory (Overbeek, 1952), the decrease in the thickness of the double layer is related to the square root of the molar concentration of the electrolyte, in this case NaCl. Above 0.1 M concentration of electrolyte, the incremental increase in concentration leads to a small reduction in the electric double layer thickness. At the NaCl concentrations being used in this investigation, ranging between 0.17 M and 0.77 M, the incremental decrease in thickness would then appear to be insignificant. Therefore the question arises whether the reduction in the double layer is the sole reason for the increase in floc size with the increased NaCl concentrations beyond the 0.1 M limit.

At short range, the total attractive force is not only due to Van der Waals forces but also to hydrophobic interactions, which are dependent on the solvent (Ben-Naim, 1980). It is

known that the more hydrophobic the surface of cells are, the lower the salt concentration is required to aggregate the cells, and that at increased salt concentrations the electrostatic interactions tend to be decreased as the hydrophobic interactions are increased (Lindahl, et al., 1981). In fact, all electrolytes strengthen the hydrophobic interaction relative to pure water, and with NaCl, the strength, measured in terms of the standard free energy of the solution, increases almost linearly as the NaCl concentration is increased (Ben-Naim, 1980). Positive correlations have also been observed between the hydrophobicity of activated sludge flocs or bacteria isolated from activated sludges and their flocculation performance and that the hydrophobicity may be dependent upon the growth stage of the bacteria (Jorand, et al., 1994; Zita and Hermansson, 1997).

It is then conjectured that several mechanisms could be involved in the observed development of larger flocs. The increase in NaCl concentration reduced the electric double layers thereby reducing the overall repulsive force between particles. The microbial aggregates then approached close enough so that the increased hydrophobic interactions resulted in increased aggregation and the formation of larger flocs. With the added mixing there was an increase in collisions between the microbial aggregates resulting in precipitated wastewater colloids becoming entrapped within the floc structure, contributing to an increase in floc size. To confirm this explanation, measurements of the involved hydrophobic and electrostatic forces should be done, but this is beyond the scope of the present study.

The results of the two series of salinity tests have shown very similar trends, but differ in value. The floc response of an increase in size (longest dimension, equivalent diameter, and area) in salinity test #1 tended to be less than the response in salinity test #2, as can be seen from the difference in slopes. This is likely due to the differences in the sludges which had different compositions and different floc structures. Eriksson and Hårdin (1984) also observed such differences in reactions between sludges in their experiments.

Linear regression analysis yielded satisfactory R^2 values, being as high as 98% for floc perimeter for both salinity tests (Table 5.2.1). The subsequent regression equations, however,

should not be used to determine the logarithmic mean floc size of an activated sludge at a given NaCl concentration. They are given to represent that the general response to the increased NaCl appears to be linearly correlated, as represented by the equations. Different sludges from various process applications will react in a similar fashion but will show a different magnitude of response. Moreover, the floc size is not only dependent upon the salinity concentration but on many other factors as well (Galil, et al., 1991; Bruus, et al., 1992; Barbusinski and Koscielniak, 1995).

6.1.3 Geometric Porosity for Salinity Tests

It was found that the mean porosity values (Fig. 5.2.15) for the two sample sludges (salinity tests #1 and #2) had drastically different responses to the NaCl addition. In salinity test #1, the sample sludge showed a clear and definite increase in floc porosity with respect to the NaCl concentration (R^2 of 86%). This increase can be inferred from the increase in floc size where it is expected that, as the flocs become larger, the resulting pore spaces would also be large, leading to an increase in porosity. Ganczarczyk and Rizzi (1996) found that with the addition of a cationic polymer, the resulting increase in floc size also led to an increase in porosity. The increase in porosity was found to be due to the formation of a number of large pores rather than by an increase in the total number of pores. Yet, for the sludge sample used in salinity test #2, no apparent change in porosity was observed. ANOVA significance testing confirmed that, at a 95% confidence interval, there was no statistically significant difference between the porosities measured at the different concentrations for salinity test #2.

The development of activated sludge flocs is a multi-level aggregation process (Ganczarczyk, 1994). Microcolonies of bacteria are formed and these microcolonies then form larger aggregates, which result in macroflocs. Since a well developed sludge was used in this experiment, the effect of the increased salinity would be primarily on the formation of macroflocs, formed through the multi-level aggregation process, and the larger pore spaces. The smaller pore spaces of the microcolonies, formed due to primary particle collisions, would unlikely be affected. Therefore, if the increase in floc pore volume, due to the formation of

larger pore spaces, is proportional to the increase in floc size, the overall floc porosity would not increase. This is possibly what was occurring for the flocs in salinity test #2. Then, if the increase in floc pore volume was similar for both of the sludge samples used, there would be an increase in floc porosity in salinity test #1. This is because there was less of an increase in floc size for salinity test #1 when compared to the increase in floc size for salinity test #2, providing that the size increase is made up of microflocs of very low porosity.

If this explanation is valid, it is unclear as to why the two test sludges would have similar responses in floc pore size increase but have different responses in floc size increase, therefore further experimentation is recommended. Another note of interest is that the increase in floc porosity may also be a secondary effect where the flocs became larger due to the added NaCl and larger flocs tend to have greater porosities (Ganczarczyk and Rizzi, 1996).

The porosity values measured are comparable in magnitude to results obtained by Li and Ganczarczyk (1990) using a very similar technique. They found values ranging typically between 20 and 60%, but much less than those determined by floc density determination (Li and Ganczarczyk, 1987; Andreadakis, 1993). The exact porosity values are then dependent upon the type of porosity measured, the sample preparation, and the measurement technique. Therefore, only the relative difference between the porosity values measured at each NaCl concentration has significant meaning.

6.1.4 Fractal Dimensions for Salinity Tests

The concept of fractals, first introduced by Mandelbrot (1977), has been used to characterize many phenomena, such as the size and structure of the carbonblack fineparticle profile (Kaye, 1989). Upon inspection of the floc sections (Fig. 5.1.1 to 5.1.4), it can be seen that the flocs possess a statistically self similar structure, which allows for the application of fractal analysis to measurement data. This fractal property of the activated sludge floc is apparent for both the internal structure as well as the surface profile (Li and Ganczarczyk,

1990; Ganczarczyk, 1995). In the present investigation, two fractal dimensions were used to characterize the irregular nature of the activated sludge floc: the boundary fractal dimension and the Sierpinski fractal dimension.

6.1.4.1 Boundary Fractal Dimension

The boundary fractal dimension for salinity test #1 was found to decrease initially with increasing NaCl concentration, indicating the development of smoother flocs with increasing size, but then it increased at 45 g NaCl/L (Fig. 5.2.16). Ganczarczyk and Rizzi (1996) observed a decrease in surface fractal dimension with increased polymer dose from 0.0 to 1.0 g polymer per kg of suspended solids dry mass, followed by an increase in the fractal dimension up to polymer dose of 3.0 g/kg. Both results are similar in that even though the floc mean equivalent diameter was increasing for each dose for both polymer and NaCl, the flocs were becoming smoother and then rougher with increased size. For salinity test #2 (Fig. 5.2.16), the boundary fractal was found to increase at a NaCl concentration of 10 g/L, and then remained relatively constant up to 45 g NaCl/L. This indicates that once the NaCl is added the floc surface becomes rougher, but the extent of the roughness is independent of the actual concentration added.

The observed fractal results are suspect, since the extent of the floc surface development should increase with increasing floc size, as was observed with the increase in mean perimeter results with increased NaCl concentrations. It is possible however that the limited number of measurements made, only for 5 flocs, biased the results. Also, the floc size was not taken into account when measuring the boundary fractal dimensions, therefore, for higher concentrations of NaCl, the flocs measured could have been from a smaller range of the size distribution. Either further testing, or the use of more sample measurements is required to confirm the effect of NaCl on the floc surface development.

From the varied results obtained from the two salinity tests, it appears that there is no correlation between the floc surface roughness, or boundary fractal dimension, and the added

NaCl concentration. Ganczarczyk and Rizzi (1996) also found no correlation between the boundary fractal dimension and the applied polymer dosage, however Ganczarczyk (1995) did observe a correlation between the floc free settling velocity and the surface fractal dimension. This is because the extent of the surface development will affect the drag force on the particle, with smoother flocs having faster settling velocities (Ganczarczyk, 1995). The external surface development of microbial aggregates also has a serious influence on mass transport phenomena in the respective processes, and will also affect the dewatering abilities of the resulting sludge (Ganczarczyk, 1995; Ganczarczyk, 1996).

6.1.4.2 Sierpinski Fractal Dimension

Previous work on activated sludge flocs (Ganczarczyk and Rizzi, 1996; Ganczarczyk, 1996) and biofilms (Zahid and Ganczarczyk, 1994) has used Sierpinski fractals to describe the pore structure of flocs. Two distinct fractal dimensions were observed, indicating the presence of two pore size populations. A physical interpretation of the Sierpinski fractal dimension is that the higher the value, the wider the range and the higher the uniformity of pore size distribution it represents. In this study, the flocs also exhibited these two distinct Sierpinski fractal dimensions, or two pore populations, where the larger value, identified as δ_{SF1} , represents the small pore population and the smaller value, δ_{SF2} , represents the large pore population. This proved both the discontinuous structure of the flocs as well as its multilevel aggregation (Ganczarczyk, 1996).

The Sierpinski fractal dimension results for salinity test #1 (Fig. 5.2.17) show that δ_{SF1} was more consistent than δ_{SF2} , the increased NaCl had a lesser effect on the smaller pore spaces than on the larger ones. This would indicate that any effect on the porosity would be due to changes in the larger pore spaces, which is intuitive as the larger pores constitute the majority of the actual porosity (Ganczarczyk, 1996), or to the development of new pore spaces. The slight, steady increase (0.020 overall increase) in δ_{SF1} indicates that with the increase in floc size, there are some small pores being created or added to the floc structure, although the change is rather small. The smaller Sierpinski fractal dimension (δ_{SF2}) showed a

significant change (0.097 difference between max and min values) which indicates that the larger pore size population was very much affected by the increase in NaCl concentration, although the actual relationship is unclear.

For salinity test #2 (Fig. 5.2.17), there was a similar response to the increased NaCl concentration for δ_{SF1} as was seen in salinity test #1, with the smaller pore size population unaffected (absolute difference of only 0.009). What was also interesting was that for the δ_{SF2} , a similar trend of an increase, decrease, then increase again, was observed for salinity test #2 as was seen in salinity test #1, except that the actual values differed. The change in δ_{SF2} , due to the added NaCl, was also found to be less drastic for the sludge used in salinity test #2 than for that in salinity test #1.

There was no apparent correlation between the NaCl concentration and δ_{SF2} (larger pore size population), as it increased, decreased, and then increased again for both series of salinity tests. This makes it difficult to say what the actual effect of salinity was on the pore structure. There did not appear to be any correlation between δ_{SF2} and either the increase in floc porosity seen for the sludge used in salinity test #1, or the relatively constant floc porosity observed for the sludge used in salinity test #2. This is possibly due to the different sample sizes used for the porosity and fractal dimension determinations. What can be said is that for both series of salinity tests, δ_{SF1} remained relatively constant and δ_{SF2} was the affected parameter. Therefore, δ_{SF2} can be used as an effective indicator of the relative uniformity of pore size distribution for flocs in different systems.

As with the boundary fractal dimension measurements, the flocs measured in the Sierpinski fractal analysis were not related to floc size, and the results may have been biased since only 5 flocs were measured for the analysis.

6.2 Part I : Time Response Test

6.2.1 Size Distributions for Time Response Test

The frequency histograms of the floc areas for the time response test (Fig. 5.3.1) revealed that the longer the microbial aggregates are exposed to the NaCl solution of 30 g/L, the more larger sized flocs are formed, similar to the shifting distributions in the salinity tests. This demonstrates that there is a floc development stage in response to the NaCl. There is a length of time required for the increase in ionic concentration to affect the stability of the floc structure and that the longer the flocs are exposed, the more larger flocs are developing.

The size distributions at the 10, 15 and 30 minute time points are all quite similar, which was confirmed with ANOVA significance testing at the 95% confidence interval, indicating that the time length required for the flocs to achieve a maximum, or equilibrium, size is only about 10 to 15 minutes. This development stage of about 10 to 15 minutes then confirms the use of the 15 minute sampling time used in the salinity tests. One note regarding the floc exposure time is that after 30 minutes, further floc exposure to the NaCl under mixing conditions could lead to aggregate deflocculation. This is because the increased NaCl concentration will no longer affect the floc structure and extended exposure to mixing will lead to floc breakup (Galil, et al., 1991).

The size distributions of equivalent diameter, longest dimension, and perimeter (Fig. 5.3.2 to 5.3.4) were also found to have shifting distributions from many small sized flocs, at short exposure times, to the development of more larger sized flocs as the exposure time was further increased. The shape factor data (Fig. 5.3.5) resulted in a shift to lower values, indicating that the flocs were becoming progressively more elongated through the development stage, achieving an equilibrium shape after about 10 minutes.

6.2.2 Logarithmic Mean Values for Time Response Test

The time response results for the logarithmic mean floc area (Fig. 5.3.6) clearly shows the floc development stage of about 10 to 15 minutes once the sludge is exposed to the given NaCl concentration of 30 g/L. The mean floc area is gradually increasing the longer the flocs are exposed to the increased NaCl concentration. Obviously the same mechanisms involved with the increase in floc size in the salinity tests are considered to be responsible here, except that it is shown that the mechanisms are time dependent. It appears that the suppression of the electric double layer and the increase in hydrophobic interactions, due to the increase in ionic concentration, occur relatively quickly but the flocs require a lag time in order to react to these changes in stability and develop into larger microbial aggregates.

The logarithmic mean values for equivalent diameter, longest dimension, and perimeter (Fig. 5.3.7 and 5.3.8) also show the development stage of about 10 to 15 minutes. The logarithmic mean shape factor results (Fig. 5.3.9) show that the flocs become progressively longer in relation to the increasing floc size, with a decreasing shape factor. This shows that all of the floc characteristics are developing simultaneously over time in reaction to the change in stability.

Although it appears that regression analysis could be performed in order to estimate a relationship between the floc characteristic and the exposure time, it was not done for several reasons. One, it is not known what the floc reaction would be after the 30 minute time point. It could be that the floc would remain relatively stable with regards to size, shape, and size distribution, for some time, or, as previously conjectured, decrease in size through deflocculation due to excessive mixing. Second, regression analysis would only show a relationship for a NaCl solution of 30 g/L. It is unknown whether the flocs would react in a similar fashion over time when exposed to other NaCl concentrations. It could be that the flocs might react more quickly or more slowly. However, seeing that the salinity tests showed a high degree of linear correlation between the applied NaCl concentration and the given floc

characteristic, it is more likely that the reaction observed with the NaCl solution of 30 g/L is representative of a typical floc reaction, regardless of the actual concentration.

6.2.3 Geometric Porosity for Time Response Test

The time response results of porosity (Fig. 5.3.10) seem to show no definite trend with respect to time. The mean geometric porosity fluctuates considerably between the 0 and 15 minute time points, but appears to reach an equilibrium porosity of 47% at the 15 minute time point. This equilibrium porosity was also seen by Li and Ganczarczyk (1990) with respect to floc size of a given sludge sample and attributed it to a leveling off of the porosity in the size range measured.

It is unclear as to why the porosity appears to fluctuate between 0 and 15 minutes but it could be an indication of the how the floc develops. As microbial aggregates contact each other and attach, pore spaces and water channels are formed, whereas larger aggregates combining, usually form larger pore spaces. Over time, the microorganisms present within the floc structure can divide and therefore fill in internal pore spaces or, individual bacteria may become trapped by the larger aggregate and end up within water channels. It seems that the development of the floc structure is in a way related to the development of the floc size in that, as the flocs are increasing in size, the internal structure, represented by the porosity, is also changing, eventually achieving an equilibrium state at about 15 minutes. There is however no direct, quantifiable, relationship between the increase in floc size and the change in floc porosity over time.

6.2.4 Fractal Dimensions for Time Response Test

6.2.4.1 Boundary Fractal Dimension

For the time response test (Fig. 5.3.11), the boundary fractal dimension was found to increase from the 1 minute to the 15 minute time point and then decrease slightly at 30

minutes. This indicates that the floc development stage identified for the increase in floc size is also applicable to the development of the floc surface structure, where the floc surface became rougher as the flocs were becoming larger through increased exposure. Even though the floc surface roughness did not appear to be correlated to the increase in floc size or the NaCl concentration in the two series of salinity tests, it was found to be in a way related to the increase in floc size seen with increasing exposure time to a given NaCl concentration.

6.2.4.2 Sierpinski Fractal Dimension

The effect of time at the given NaCl concentration of 30 g/L was found to have had no effect at all on δ_{SF1} (Fig. 5.3.12). This indicates that the smaller pore spaces developed in the formation of the microcolonies which make up the larger microbial aggregates were unaffected by the exposure time. It is then unlikely that the added NaCl had any effect on the smaller pore spaces, therefore the changes in δ_{SF1} in the salinity tests are probably due to random error and not as a result of the increased NaCl concentration.

On the other hand, δ_{SF2} was affected by the time of response (Fig. 5.3.12). This could be evidence of a reorganization of the larger pore spaces over time, as characterized by the fluctuating δ_{SF2} values, until an equilibrium distribution is achieved. The reorganization may be simply due to the mixing effect which would cause very small flocs and particles to become entrapped within newly developed pore channels, thereby reducing the effective size of the pore spaces, to the continuing division of internal microorganisms, or to the sloughing of surface bacteria and microcolonies and the attachment of larger particles to the microbial aggregates. With the δ_{SF1} value remaining relatively constant and the δ_{SF2} changing substantially over time and with increasing NaCl concentration, it can be said that the resulting change in porosity and internal floc structure is due to a change in the larger pore size population as a result of the increased salinity and exposure time.

The time response test has then shown that, as the flocs were developing, they were increasing in size, becoming more elongated, the internal structure, porosity and δ_{SF2} , was fluctuating, and the surface was becoming more developed.

6.3 Part II : Calcium Test

6.3.1 Size Distributions for Calcium Test

The frequency histograms of the floc areas for the calcium test (Fig. 5.4.1) show that the $\text{Ca}^{2+}:\text{Na}^{+}$ ratio is important in determining the size distribution. As the ratio is increased from 0 to 1 the floc area size distributions shift to a higher proportion of smaller sized flocs. This indicates that the presence of increased Ca^{2+} ions, but less than the concentration of Na^{+} ions leads to a deflocculation of the microbial aggregates, when compared to the microbial aggregates exposed to 4 meq Na^{+}/L alone. However, once the Ca^{2+} ion concentration is increased beyond the Na^{+} ion concentration, i.e. a ratio greater than 1, the size distributions shift back to the development of more larger flocs, with the exception of a ratio of 2.5 where another shift in the distribution, favouring smaller floc sizes, was observed. Therefore, once Ca^{2+} is added to the sludge, in the presence of Na^{+} ions, an initial deflocculation is observed until the Ca^{2+} is in excess, where a reflocculation occurs. The trends of shifting distributions were also observed for the equivalent diameter (Fig. 5.4.2), longest dimension (Fig. 5.4.3), and perimeter (Fig. 5.4.4), although not as clearly as for floc area. The effect of the $\text{Ca}^{2+}:\text{Na}^{+}$ ratio on the floc size can further be seen by examining the logarithmic mean values (section 6.3.2).

An odd result in the size distribution results was seen with the shape factor results (Fig. 5.4.5). In both the salinity tests and the time response test, as the size distributions were shifting, the shape factor size distributions were shifting accordingly. When the shift was to a higher proportion of larger flocs, the shape factor size distribution shifted to more smaller values, as larger flocs tend to have smaller shape factor values, i.e. they are more elongated.

However, for the calcium results, the shape factor size distribution appeared to be shifting irregularly between the different $\text{Ca}^{2+}:\text{Na}^+$ ratios.

ANOVA significance testing was done for each of the floc characteristics and it was found that, at the 95% confidence interval, there was a statistically significant difference in the floc characteristic between $\text{Ca}^{2+}:\text{Na}^+$ ratios. It was thought that perhaps due to the irregular response for the shape factor results, there was no difference between the ratios, however the ANOVA testing confirmed that there was a significant difference.

6.3.2 Logarithmic Mean Values for Calcium Test

The logarithmic mean floc areas for the calcium test (Fig. 5.4.6) confirm what was observed in the size distribution results. As the $\text{Ca}^{2+}:\text{Na}^+$ ratio is increased up to 1.0, the floc area initially decreases, and beyond that ratio the floc area increases again. The logarithmic mean values for equivalent diameter, longest dimension, and perimeter (Fig. 5.4.7 and 5.4.8) also show the initial decrease in floc characteristic up to a ratio of 1.0 and then an increase at ratios greater than 1.0.

From the salinity tests, it was observed that the increased Na^+ ion concentration led to a definite increase in mean floc size. It has also been observed that increasing the Ca^{2+} ion concentration can lead to an increase in the flocculation of activated sludge, i.e. an increase in floc size, and an increase in floc stability (Kakii, et al., 1985; Higgins and Novak, 1997a,b). Ca^{2+} ions are also known to bind quite strongly to surface binding sites of sewage activated sludge resulting in decreased effluent turbidity (Kakii, et al., 1985; Kasan, 1993). Na^+ ions, when in the presence of Ca^{2+} ions in a ratio of greater than 1.0 have been found to affect the density of bentonite flocs but a ratio (around $\text{Na}^+:\text{Ca}^{2+} = 7.57$) was identified as a transition point between the tendency to flocculate and the tendency to disperse (Fogle, et al., 1991). Therefore, it could be expected that with the high ionic strength of the solution, the activated sludge flocs will increase in size through increased aggregation, which is probably what happened for the first sample ($\text{Ca}^{2+}:\text{Na}^+ = 0$, $\text{Na}^+ = 4.018$ meq/L). It should also be expected

that as the Ca^{2+} ion concentration is increased the floc size should increase due to floc destabilization (Ali, et al., 1985) and binding of the calcium ions to negatively charged sites on separate aggregate surfaces and polymers (Brown and Lester, 1979; Higgins and Novak, 1997a,b,c; Keiding and Nielsen, 1997), thus joining smaller flocs together. However, once the calcium ions are added, the mean floc size begins to decrease. What is most likely occurring is that the flocs are probably larger in size than the original sludge flocs due to the addition of Ca^{2+} ions, regardless of the actual concentration added. Yet, there is some interference between the Na^+ and Ca^{2+} ions added, resulting in a dampening effect of the increased ionic strength and the resulting compression of the electrical double layers (Fogle, et al., 1991), possibly as a result of adsorption and/or binding to specific sites on the microbial aggregates (Kakii, et al., 1985; Higgins and Novak, 1997c). Therefore, a smaller increase in floc size is observed when compared to the case of when only Na^+ ions are added. It could also be that the original mean floc size is somewhere between the sizes observed at a ratio of the 0.0 and 1.0, and there truly is a deflocculation of the original flocs. In fact, research has shown that in many sediment detention ponds, the ratio of sodium to calcium both in solution and adsorbed on a soil surface is the critical parameter in determining if the suspension will or will not flocculate at a pH above six (Fogle, et al., 1991).

The ion exchange mechanism, where Na^+ ions replace Ca^{2+} ions within the floc structure, cited in the literature (Bruus, et al., 1992; Higgins and Novak, 1997a,b,c; Keiding and Nielsen, 1997) is unlikely to be responsible for the apparent decrease in floc size. This is because the solution added to each sludge sample was a mixture of both NaCl and CaCl solutions and the original flocs, although they may be composed of some calcium bridges, were not formed exclusively with the aid of calcium. The flocs, once exposed to the calcium/sodium solution, would then simply not bind with the Ca^{2+} ions and the flocs would remain relatively unchanged in size.

Once the $\text{Ca}^{2+}:\text{Na}^+$ ratio is increased beyond 1.0, the flocs increase in size. A possible explanation is that the increased Ca^{2+} ion concentration destabilizes the flocs (Ali, et al., 1985; Tobiason and O'Melia, 1988) and thus allows for further aggregation. Also, now that the

Ca^{2+} ion concentration is greater than the Na^+ ion concentration, the interference effects may have been overcome and the excess of Ca^{2+} ions will lead to the formation of more ionic bridges, thus leading to the increase in floc size. It is unclear as to why the further decrease in floc size seen at $\text{Ca}^{2+}:\text{Na}^+$ ratio of 2.5 is occurring, as several researchers have noted either increased deflocculation (Zita and Hermansson, 1994) or decreased bacterial attachment affinity (Gordon and Millero, 1984) only at cation concentrations greater than 0.05 to 0.1 M. In this investigation, the ratio of 2.5 corresponds to a Ca^{2+} concentration of approximately 0.005 M.

Therefore, as was seen for the salinity tests, more than one mechanism is involved in the floc size reaction to the added calcium/sodium solution. There appears to be some sort of interference between the added cations when the Na^+ ions are in excess, but, as the Ca^{2+} ion concentration is increased, a potential ion-bridging mechanism becomes prominent and the flocs increase in size. Once again, in order to confirm this explanation, the electrostatic interactions, as well as the solution Ca^{2+} and Na^+ ion concentrations, would need to be measured to determine whether ion exchange and/or cation bridging mechanisms are involved.

The logarithmic mean shape factor values (Fig. 5.4.9) were, as with the size distribution shape factor results, quite unusual. It was expected that, due to the fact that larger flocs tend to be more elongated and thus have smaller shape factor values (Sezgin, et al., 1978; Eriksson and Härdin, 1984), the shape factor results should follow the same trend as seen for the other characteristics, but as a mirror image. As the flocs were increasing in size, the flocs should have been getting longer and vice versa. This was not observed as the flocs appeared to vary randomly, although minimally (ANOVA significance testing showed that there was a significant difference between ratio data sets). It is noted that the size range of the flocs measured is roughly the same as the range measured in the salinity tests therefore the shape factor results can not be explained by measurement of flocs within a smaller and narrower size range.

6.3.3 Geometric Porosity for Calcium Test

It was found that the mean porosity values (Fig. 5.4.10) for the calcium test decreased as the $\text{Ca}^{2+}:\text{Na}^+$ ratio was increased, but then leveled off at about 41% after a ratio of 1.5 was reached. The initial decrease could be inferred from the decrease in floc size where smaller flocs tend to have smaller porosities (Ganczarczyk and Rizzi, 1996), therefore the porosity change is a result of the changing floc size. However, Fogle, et al. (1991), who looked at the effect of sodium/calcium ratios on bentonite floc density, found that with low $\text{Na}^+:\text{Ca}^{2+}$ ratios, or high $\text{Ca}^{2+}:\text{Na}^+$ ratios, the floc density was independent of floc size. The equilibration of floc porosity seen here could be due to a similar effect to the one seen by Fogle, et al. (1991), although they explained that changes in floc density were due to a decrease in the number of particles within the floc structure. Here, as the $\text{Ca}^{2+}:\text{Na}^+$ ratio was increased from 1.0 to 2.0, the logarithmic mean floc size was found to increase, indicating an increase in the number of particles, or microflocs, within the floc structure.

It was confirmed with ANOVA significance testing that, at a 95% confidence interval, there was a statistically significant difference between the porosities measured at the different cation ratios, yet at ratios of 1.5, 2.0, and 2.5 there were no significant differences at the same confidence interval..

The porosities determined in the calcium test were measured using a different image analysis system than for the salinity and time response tests, as indicated in section 3.5. The porosity values measured using the second system are comparable in magnitude to both the results obtained in the tests in Part I and obtained by Li and Ganczarczyk (1990) using a very similar technique. Values in the calcium test typically ranged between 25 and 70%. Once again, the porosity values are then dependent upon the investigator, however this method does appear to generate reproducible results in terms of the range of porosity values calculated.

6.3.4 Fractal Dimensions for Calcium Test

6.3.4.1 Boundary Fractal Dimension

For the calcium test (Fig. 5.4.11), the boundary fractal dimension was found to follow the trend of the logarithmic mean size values. As the mean floc size decreased with increasing $\text{Ca}^{2+}:\text{Na}^{+}$ ratio, the boundary fractal dimension decreased as well, and when the size increased, the boundary fractal increased. This indicates that as the mean floc size was decreasing, the floc profiles were becoming smoother, i.e. the floc profiles' space filling ability was decreasing. When the floc size was increasing, the opposite was observed.

It is most likely that the effect of the increased $\text{Ca}^{2+}:\text{Na}^{+}$ ratio resulted in an overall decrease or increase in floc size and, as would be expected, the flocs became smoother for a decrease in size and rougher for an increase in size. The decrease/increase in mean floc size is in relation to the mean floc size observed at $\text{Ca}^{2+}:\text{Na}^{+} = 0$.

The boundary fractal dimensions determined for the calcium test were compared with the results obtained from the salinity tests and the time response test. It was seen that, although the flocs measured for salinity test #1 were much smaller than the flocs measured for the other tests, the boundary fractal dimensions calculated were quite similar for all tests. The variety of sizes of the flocs measured for the second salinity test, the time response test, and the calcium test were comparable, that is they varied over approximately the same size range, and the diversity of the resultant boundary fractal dimensions were also comparable. It appears that, regardless of the external forces acting on the formation of activated sludge, the boundary fractal dimensions tend to remain within a given range. The floc external profile is being affected in one way or another, but the degree of change is usually of comparable magnitude.

6.3.4.2 Sierpinski Fractal Dimension

As was indicated in section 5.3.4.2, no Sierpinski fractal dimension were able to be calculated, therefore no results will be discussed.

6.4 Experimental Limitations

As with any experimental investigation, there are several limitations, or problems, associated with the methods used in this study. First, the sample was obtained from the Main Treatment plant, Toronto, and was transported back to the laboratory for testing. This initial transport may have caused floc breakup and so the flocs exposed to the various treatments would not have necessarily been representative of the sample taken at the plant. Second the samples taken can vary quite significantly from day to day and the results from the first test may not be comparable to the results of the second test.

Next, the sample preparation procedure could have caused several stresses on the floc structure. These stresses include:

- The increased heat of the melted agar when touching the flocs could have damaged the floc structure.
- Any impurities in the agar could have appeared as flocs and so the measurements were limited to flocs larger than 10 μm . This problem could have been eliminated by filtering the agar but this step was not done.
- The number of steps involved in preparing the resin embedded samples allowed for the potential of floc damage at any number of preparation steps.
- The exposure of the samples to the dehydration process (alcohol treatment) could have caused shrinkage and damage to the floc structure due to the loss of moisture.
- When the floc samples were placed in the resin molds they tended to float in the resin medium and not settle in the tip.

- When the resin cures it undergoes a loss of volume, i.e. shrinkage, and so the flocs as well will undergo a shrinkage and the floc structure will actually be less than, or deformed from, the original floc structure. The actual amount of shrinkage was not calculated.
- When the samples were sectioned with the microtome it was difficult to obtain clean, intact sections at 2 μm thickness. The sections tended to curl up or ridges parallel to the knife edge appeared on the sections due to imperfections in the cutting edge of the glass knife. These imperfections were also responsible for scratch lines on the sections running perpendicular to the knife edge.

Finally, there were several limitations in the measurement of some of the characteristics. They included:

- In the measurement of the size distributions, there is always the tendency for bias in that the flocs to be measured are chosen by the examiner. Some smaller flocs may have been overlooked. This was somewhat corrected by making the best attempt to keep the measurements as purely random as possible. This was done by moving the agar sample plate around so that a number of flocs appeared on the image screen. Then all of the flocs were measured. The image screen was then randomly moved to another spot on the plate and the procedure repeated. This way no flocs on the image screen were discarded for any reason.
- In the agar samples, the flocs are embedded at different levels within the agar. This means that two flocs may be sitting one on top of another and could be measured as one floc instead of two. This idea of depth also means that some elongated flocs may be oriented so that only the end of the floc is being viewed and so appears as a small circular floc.
- In making the measurements, the contrast and brightness of the image screen could be changed and the threshold of measurement defined by the examiner. This also lends itself to bias because the examiner can decide what is part of the floc and what isn't, as the thresholding is based on a gray-scale from 0 (black) to 255 (white). The range of gray levels which constitute part of the floc can be defined and the remainder is considered background or pore spaces. This bias was reduced by keeping the contrast, brightness,

and threshold limits as constant as possible so that there were no discrepancies between measurements, but this was not always possible.

- In measuring the porosity, a box was placed inside the floc and the area of that box was measured, then the pore spaces within that box were measured to determine the porosity. Here there was once again the bias as to what gray levels constituted the pores, but there was also a measuring limit with the *Global Lab® Image* system in that the smallest number of pixels which would be read by the program could be defined. Any pore spaces smaller than the set limit would not be measured and so the porosity calculated would be smaller than the actual one.
- There was also the problem of where to place the box within the floc to measure the porosity. Obviously if one places the box where large pores or channels are located then the measured porosity will be higher, but if the box is located where fewer pores are situated then the porosity would be lower. To get the best estimate a box filling the largest portion of the floc should be used but this may not be easy as odd shaped flocs may not allow for a very large box to be placed.
- For measuring the boundary fractal dimensions, an attempt was made to measure the perimeter of the floc at different magnifications and then use the pixel size as the step length. The problem with that method was that larger flocs could not be fully seen on the image screen so instead the images were printed out and the values were measured by hand.

Chapter 7 Conclusions

The effects of wastewater salinity on the physical characteristics of activated sludge flocs were investigated in two parts. In Part I, the effects of increased NaCl concentrations were investigated by running two series of salinity tests where the sludge was exposed to NaCl solutions of 0, 10, 20, 30, and 45 g/L and sampled after 15 minutes. The resulting size distributions of floc area, equivalent diameter, longest dimension, perimeter, and of shape factor, the resulting mean floc porosities, and the floc fractal characteristics were measured. A time response test, where the sludge was exposed to a NaCl concentration of 30 g/L and sampled at various time points, was also run to investigate the dynamics of the effected changes. In Part II, a calcium test, where the sludge was exposed to varying $\text{Ca}^{2+}:\text{Na}^+$ ratios, was run to investigate the cation interaction effect on the floc structure. The $\text{Ca}^{2+}:\text{Na}^+$ ratios used ranged from 0.0 to 2.5, in 0.5 increments, and the characteristics measured were the same as those in Part I. It was found that:

For the salinity tests,

- As the NaCl concentration was increased, the floc size distributions shifted from a high percentage of small flocs and a low percentage of large flocs, to a distribution with less small flocs and more larger flocs, as represented by the equivalent diameter, longest dimension, perimeter, and floc area. The size distributions for both salinity tests generally followed a log-normal distribution. The logarithmic mean floc size increased, and linear regression analysis resulted in R^2 values ranging between 71% and 98%.
- The reason for the increase in floc size is conjectured to be a combination of electrostatic effects, as described by the DLVO theory of colloidal stability, and hydrophobic effects, as well as the incorporation of precipitated wastewater colloids into the floc structure.
- As the flocs became larger they became more elongated, shown by a decrease in the shape factor size distribution and the logarithmic mean shape factor values.

- Two different porosity responses were observed for the two salinity tests with the sludge in the first series of tests exhibiting a definite increase in porosity ($R^2 = 86\%$) and the second test sludge exhibiting no change. The reason for the discrepancy is unclear.
- Two different boundary fractal results were observed for both series of salinity tests, with one exhibiting a decrease, therefore a smoothing of the floc surface with increasing NaCl concentration, and the second test sludge exhibiting an increase in the boundary fractal, indicating the development of a rougher surface with increasing NaCl concentration. No direct correlation was found between the increased NaCl concentration and the measured boundary fractal dimensions.
- All of the flocs exhibited two distinct Sierpinski fractal dimensions, indicating the presence of two different pore space populations and thus its discontinuous structure. For both salinity tests, the smaller pore space population was practically unaffected by exposure to higher NaCl concentrations, as indicated by the larger, more consistent results, while the larger pore spaces were greatly affected. No distinct correlation between these parameters was noted.

For the time response test,

- The experiment revealed that the flocs were changing their structure for about 10 to 15 minutes prior to achieving a maximum, or equilibrium size. This confirmed the validity of using a 15 minute sampling time for determining the effects of the salinity experiments.
- The mean geometric porosity fluctuated significantly throughout the development stage but appeared to achieve an equilibrium value of about 47% at 15 minutes.
- The floc development stage identified for the increase in floc size was also applicable to the floc surface structure development, where the flocs were becoming rougher (increased boundary fractal dimension) as the mean floc size was becoming larger.
- The flocs also exhibited two distinct Sierpinski fractal dimensions, with the smaller pore size population (δ_{SF1}) being unaffected by the increased exposure time. The larger pore size population (δ_{SF2}) fluctuated between the 0 and 15 minute time points and appeared to stabilize after 15 minutes.

For the calcium test,

- When compared to the floc size distribution with only Na^+ added, an increase in the $\text{Ca}^{2+}:\text{Na}^+$ ratio resulted in a shift in the size distribution to fewer large sized flocs and significantly more smaller sized flocs. As the ratio was further increased beyond a value of 1.0, the size distribution shifted back to fewer of the small flocs and the development of more larger flocs. As with the salinity tests, the distributions were found to generally follow a log-normal distribution.
- The added Ca^{2+} ions initially caused a deflocculation of the microbial aggregates, when compared to the flocs exposed only to Na^+ ions. However, further addition beyond a ratio of 1.0 led to a reflocculation, thus an increase in floc size.
- The flocs presumably increased in size compared to the original sludge floc size, due to the increased ionic strength, but once the Ca^{2+} ions were added, there appeared to be some interference between the Na^+ and Ca^{2+} ions. This resulted in a possible dampening effect of the increased ionic strength and the subsequent compression of the electrical double layer. This was perhaps a result of adsorption and/or binding to specific sites on the microbial aggregates. Above a $\text{Ca}^{2+}:\text{Na}^+$ ratio of 1.0, the increase in floc size is conjectured to be due to an overcoming of the interference between the competing ions and the formation of ionic, calcium, bridges among microbial aggregates and particles.
- The shape factor results did not correlate with the observed change in mean floc size, as they had in the salinity and time response tests. The results varied randomly, although minimally, and ANOVA significance testing confirmed that there was a significant difference, at the 95% confidence interval.
- As the $\text{Ca}^{2+}:\text{Na}^+$ ratio was increased, from 0, the mean geometric porosity decreased, until a ratio of 1.5 was reached, where an equilibrium porosity of about 41% was achieved.
- The flocs were found to become smoother with decreasing mean floc size, as represented by the decreasing boundary fractal dimension, and rougher with increasing mean floc size.
- No Sierpinski fractal dimensions were able to be measured using the *Image-1*[®] system.

Chapter 8 Recommendations for Future Work

Since this investigation was not able to cover all points concerning salinity and activated sludge flocs, presented here are a few recommendations for potential future research in this area or a closely related one.

- **Measurement of the electrostatic and hydrophobic interactions**

With the addition of the NaCl solutions in the salinity and time response tests, the floc structures were significantly altered. This was attributed to the combined effect of electrostatic and hydrophobic interactions. Measurement of the forces, particularly the repulsive double layer forces and attractive Van der Waals forces, and the cell surface hydrophobicity may help in confirming the aforementioned conclusion.

- **Measurement of sludge water calcium and sodium ion concentration**

For the calcium test, the observed change in the floc structure was attributed to some sort of interference between the calcium and sodium ions and not to an ion exchange phenomena as has been proposed by various researchers (Higgins and Novak, 1997a,b,c...). Measuring the calcium and sodium concentrations in the sludge water before chemical addition and after completion of the test will help in determining whether specific ion adsorption or ion release is taking place.

- **Shape factor and fractal dimension measurement in resin and agar**

It has been observed (Ganczarczyk, 1994) that certain characteristics can be affected by the sample stabilization procedure, such as measuring floc size during sedimentation experiments which can lead to floc deformation. It would therefore be useful to measure the

particular floc characteristics under different sample preparation procedures, more specifically agar and resin embedding.

- **Effect of floc size on porosity and fractal dimensions**

It was noted in this investigation that floc size and porosity or fractal dimension had little correlation with the measured mean floc sizes. This could very well be due to the small sample sizes used but a study of the correlation between a given floc's size and porosity or fractal dimension is required. This could aid to ease in investigating biomass health or performance through particle, aggregate identification.

Chapter 9 References

- Al-Attar, I.M.S. (1992). Activated Sludge Treatment of Wastewater Containing Inorganic Salts. M.A.Sc. Thesis, Civil Engineering, Kuwait University, Kuwait.
- Ali, W., O'Melia, C.R., and Edzwald, K. (1984). Colloidal stability of particles in lakes: measurement and significance. In Water Science and Technology vol 17 no 4, 701-712.
- American Public Health Association (1985). Standard Methods for the Examination of Water and Wastewater 16th edition, Washington DC.
- Andreadakis, A.D. (1993). Physical and chemical properties of activated sludge floc. Water Research vol 27 no 12, 1707-1714.
- Barbusinski, K. and Koscielniak, H. (1995). Influence of substrate loading intensity on floc size in activated sludge process. Water Research vol 29 no 7, 1703-1710.
- Bellouti, M., Alves, M.M., Novais, J.M., and Mota, M. (1997). Research note : flocs vs granules : differentiation by fractal dimension. In Water Research vol 31 no 5, p. 1227-1231.
- Bernt, R. (1998). From the web : sodium chloride concerns. Wastewater Technology Showcase vol 1 no 1, 14-15.
- Brown, M.J. and Lester, J.N. (1979). Metal removal in activated sludge: the role of bacterial extracellular polymers. In Water Research vol 13 no 9, 817-837.
- Bruus, J.H., Nielsen, P.H., and Keiding, K. (1992). On the stability of activated sludge flocs with implications to dewatering. Water Research vol 26 no 12, 1597-1604.

Çetin, F.D. and Sürücü, G. (1990). Effects of temperature and pH on the settleability of activated sludge flocs. In Water Science and Technology vol 22 no 9, p. 249-254.

CH2M Gore and Storrie (1997). Main Treatment Plant Environmental Assessment Volume 1 : Document. Prepared for the municipality of Metropolitan Toronto, Waterloo.

Dalmacija, B., Karlovic, E., Zagorka, T., and Miskovic, D. (1996). Purification of high-salinity wastewater by activated sludge process. In Water Research vol 30 no 2, p. 295-298.

Droppo, I.G., Flannigan, D.T., Leppard, G.G., and Liss, S.N. (1996). Microbial floc stabilization and preparation for structural analysis by correlative microscopy. In Water Science and Technology vol 34 no 5-6, p. 155-162.

Echeverría, E., Seco, A., and Ferrer, J. (1992). Study of the factors affecting activated sludge settling in domestic wastewater treatment plants. In Water Science and Technology vol 25 no 4-5, p. 273-279.

Eriksson, L. and Härdin, A.M. (1984). Settling properties of activated sludge related to floc structure. In Water Science and Technology vol 16 no 10/11, p. 55-68.

Eriksson, L. and Alm, B. (1991). Study of flocculation mechanisms by observing effects of a complexing agent on activated sludge properties. Water Science and Technology vol 24 no 1, 21-28.

Fogle, A.W., Barfield, B.J., and Evangelou, V.P. (1991). Solution sodium/calcium effects on bentonite floc density. In Journal of Environmental Science and Health Part A vol A26 no 6, 1003-1012.

Frølund, B., Griebe, T., and Nielson, P.H. (1995). Enzymatic activity in the activated sludge floc matrix. In Applied Microbiology and Biotechnology vol 43 no 4, 755-761.

Galil, N., Stahl, N., Novak, J.T., and Rebhun, M. (1991). The influence of mixing on the physical characteristics of biological flocs. Research Journal of the Water Pollution Control Federation vol 63 no 5, 768-772.

Ganczarczyk, J.J., (1983). Activated Sludge Process: Theory and Practice. Pollution Engineering and Technology Series vol 23, Marcel Dekker, New York.

Ganczarczyk, J.J. (1994). Microbial aggregates in wastewater treatment. In Water Science and Technology vol 30 no 8, 87-95.

Ganczarczyk, J.J. (1995). A correlation between external surface characteristics and settling velocity of activated sludge flocs. In International Association on Water Quality vol 8 no 1, 4-7.

Ganczarczyk, J.J. (1996). Microbial films and microbial flocs some similarities and differences. Paper presented at the 3rd Specialized Conference on Biofilm Reactors, Copenhagen, August 27-30.

Ganczarczyk, J.J. and Rizzi, M. (1996). Mechanism of sludge formation and dewatering. Paper presented at the CSCE 4th Environmental Engineering Conference, Edmonton, AB, May 29-June 1.

Ganczarczyk, J.J., Zahid, W., and Li, D.H. (1992). Physical stabilization and embedding of microbial aggregates for light microscopy studies. In Water Research vol 26 no 12, 1695-1699.

Gerardi, M.H. and Berger, D. (1987). Floc formation in the activated sludge process. In Public Works vol 118 no 10, 78-81.

Gordon, A.S. and Millero, F.J. (1984). Electrolyte effects on attachment of an estuarine bacterium. In Applied and Environmental Microbiology vol 47 no 3, 495-499.

Higgins, M.J. and Novak, J.T. (1997a). The effect of cations on the settling and dewatering of activated sludges: laboratory results. In Water Environment Research Vol 69 no 2, 214-224.

Higgins, M.J. and Novak, J.T. (1997b). Dewatering and settling of activated sludges : the case for using cation analysis. In Water Environment Research vol 69 no 2, 225-232.

Higgins, M.J. and Novak, J.T. (1997c). Characterization of exocellular protein and its role in bioflocculation. In Journal of Environmental Engineering vol 123 no 5, 479-485.

Hillgardt, D. and Hoffmann, E. (1997). Particle size analysis and sedimentation properties of activated sludge flocs. In Water Science and Technology vol 36 no 4, p. 167-175.

Israelachvili, J. and Wennerström, H. (1996). Role of hydration and water structure in biological and colloidal interactions. In Nature vol 379 January 18, 219-225.

Jiwani, A., Graham, N.J.D., and Day, M.C. (1997). Activated sludge process control via particle monitoring. In Water Science and Technology vol 36 no 4, p.269-277.

Jorand, F., Zartarian, F., Thomas, F., Block, J.C., Bottero, J.Y., Villemin, G., Urbain, V., and Manem, J. (1995). Chemical and structural (2D) linkage between bacteria within activated sludge flocs. In Water Research vol 29 no 7, p. 1639-1647.

Kakii, K., Kitamura, S., Shirakashi, T., and Kuriyama, M. (1985). Effect of calcium ion on sludge characteristics. In Journal of Fermentation Technology vol 63 no 3, 263-270.

Kämpfer, P., Erhart, R., Beimfohr, C., Böhringer, J., Wagner, M., and Amann, R. (1996). Characterization of bacterial communities from activated sludge : culture-dependent numerical identification versus in situ identification using group- and genus-specific rRNA-targeted oligonucleotide probes. In Microbial Ecology vol 32 no 2, p. 101-121.

Kasan, H.C. (1993). The role of waste activated sludge and bacteria in metal-ion removal from solution. In Critical Reviews in Environmental Science and Technology vol 23 no 1, 79-117.

Kaye, B.H. (1989). A Random Walk Through Fractal Dimensions. VCH Publishers, New York.

Keiding, K. and Nielsen, P.H. (1997). Desorption of organic macromolecules from activated sludge : effect of ionic composition. In Water Research vol 31 no 7, 1665-1672.

Kincannon, D.F. and Gaudy Jr., A.F. (1968). Response of biological waste treatment systems to changes in salt concentrations. In Biotechnology and Bioengineering vol 10 no 4, 483-496.

Lee, D.J., Chen, G.W., Liao, Y.C., and Hsieh, C.C. (1996). On the free-settling test for estimating activated sludge floc density. In Water Research vol 30 no 3, p. 541-550.

Li, D.H. and Ganczarczyk, J.J. (1987). Stroboscopic determination of settling velocity, size and porosity of activated sludge flocs. In Water Research vol 21 no 3, 257-262.

Li, D.H. and Ganczarczyk, J.J. (1990). Structure of activated sludge flocs. In Biotechnology and Bioengineering vol 35 no 1, 57-65.

Li, D.H. and Ganczarczyk, J.J. (1991). Size distribution of activated sludge flocs. In Research Journal of the Water Pollution Control Federation vol 63 no 5, 806-13.

Li, D.H. and Ganczarczyk, J.J. (1993). Factors affecting dispersion of activated sludge flocs. In Water Environment Research vol 65 no 3, 258-63.

Li, X. and Logan, B.E. (1997). Collision frequencies between fractal aggregates and small particles in a turbulently sheared fluid. In Environmental Science and Technology vol 31 no 4, 1237-42.

Lindahl, M., Faris, A., Wadström, T., Hjertén, S. (1981). A new test based on 'salting out' to measure relative surface hydrophobicity of bacterial cells. In Biochimica et Biophysica Acta vol 677 no 3/4, 471-6.

Mandelbrot, B.B. (1977). Fractals : Form, Chance and Dimension. Freeman, San Fransisco.

Mandelbrot, B.B. (1983). The Fractal Geometry of Nature, W.H. Freeman and Company, New York.

Marshall, K.C., Stout, R., and Mitchell, R. (1971). Mechanism of the initial events in the sorption of marine bacteria to surfaces. In Journal of General Microbiology vol 68, p. 337-348.

McEldowney, S. and Fletcher, M. (1986). Variability of the influence of physicochemical factors affecting bacterial adhesion to polystyrene substrata. In Applied and Environmental Microbiology vol 52 no 3, 460-5.

Metcalf and Eddy, Inc. (1991). Wastewater Engineering : Treatment, Disposal, Reuse 3rd edition, McGraw-Hill Inc., New York.

Novak, J.T., Love, N.G., Smith, M.L., and Wheeler, E.R. (1998). The effect of cationic salt addition on the settling and dewatering properties of an industrial activated sludge. In Water Environment Research vol 70 no 5, p. 984-996.

Okubo, T. (1994). Sedimentation velocity of colloidal spheres in deionized suspension. In Journal of Physical Chemistry vol 98 no 5, p. 1472-1474.

Overbeek, J.Th.G. (1952). Electrochemistry of the double layer, p. 115-193. In Kruyt, H.R. (ed.), Colloid Science. Elsevier Publishing Company, Amsterdam.

Sadalgekar, V.V., Mahajan, B.A., and Shaligram, A.M. (1988). Evaluation of sludge settleability by floc characteristics. In Journal of the Water Pollution Control Federation vol 60 no 10, 1862-1863.

Sanin, F.D. and Vesilind, P.A. (1996). Synthetic sludge : a physical/chemical model in understanding bioflocculation. In Water Environment Research vol 68 no 5, p. 927-933.

Scheaffer, R.L. and McClave, J.T. (1990). Probability and Statistics for Engineers 3rd edition, PWS-KENT Publishing Company, Boston.

Sezgin, M., Jenkins, D., and Parker, D.S. (1978). A unified theory of filamentous activated sludge bulking. In Journal of the Water Pollution Control Federation vol 50 no 2, p. 362-381.

Smythe, G., Matelli, G., Bradford, M., and Rocha, C. (1997). Biological treatment of salty wastewater. In Environmental Progress vol 16 no 3, p 179-183.

Snidaro, D., Zartarian, F., Jorand, F., Bottero, J.Y., Block, J.C., and Manem, J. (1997). Characterization of activated sludge flocs structure. In Water Science and Technology vol 36 no 4, p. 313-320.

Stewart, M.J., Ludwig, H.F., and Kearns, W.H. (1962). Effects of varying salinity on extended aeration process. In Journal of the Water Pollution Control Federation vol 34, 1161-1177.

Tobiason, J.E. and O'Melia, C.R. (1988). Physicochemical aspects of particle removal in depth filtration. In Journal of the American Water Works Association vol 80 no 12, 54-64.

van Loosdrecht, M.C.M., Lyklema, J., Norde, W., and Zehnder, A.J.B. (1989). Bacterial adhesion : a physicochemical approach. In Microbial Ecology vol 17 no 1, p. 1-14.

Woolard, C.R. and Irvine, R.L. (1994). Biological treatment of hypersaline wastewater by a biofilm of halophilic bacteria. In Water Environment Research vol 66 no 3, p. 230-235.

Zahid, W.M.K. (1993). Physical properties of rotating biological contactor biofilms. Ph.D. Thesis. Department of Civil Engineering, University of Toronto, Toronto, Ontario, Canada.

Zartarian, F., Mustin, C., Bottero, J.Y., Villemin, G., Thomas, F., Aillères, L., Champenois, M., Grulois, P., and Manem, J. (1994). Spatial arrangements of the components of activated sludge flocs. In Water Science and Technology vol 30 no 11, 243-250.

Zita, A. and Hermansson, M. (1994). Effects of ionic strength on bacterial adhesion and stability of flocs in a wastewater activated sludge system. In Applied and Environmental Microbiology vol 60 no 9, 3041-3048.

Zita, A. and Hermansson, M. (1997). Effects of bacterial cell surface structures and hydrophobicity on attachment to activated sludge flocs. In Applied and Environmental Microbiology vol 63 no 3, 1168-1170.

APPENDIX A

Main Treatment Plant Data

Appendix A:

All data presented in the following tables were obtained from the Main Treatment Plant Monthly Reports of Operations, which were supplied by John Thompson, Senior Shift Control Officer. All values reported for the individual days are either daily totals (e.g. volume treated) or daily averages (e.g. BOD), whereas the values reported for the individual months are monthly averages of the daily values.

Date	Precipitation (mm)	Secondary Treatment Bypass Volume (*10 ³ m ³)	Secondary Treatment Volume (*10 ³ m ³)	Total Daily Volume Treated (*10 ³ m ³)	Peak Flow Rate (*10 ³ m ³ /d)
July 23, 1997	0.0	0.0	706.0	706.0	758.0
JULY	1.4	3.7	693.3	697.0	1078.8
Aug 20, 1997	20.0	212.4	739.6	952.0	2428.8
AUGUST	3.4	22.6	686.0	708.6	1104.7
Mar 3, 1998	0.2	0.0	698.0	698.0	1035.0
MARCH	2.6	35.7	726.9	762.6	1200.3

Table A.1. Influent volumes and flow rate

Date	pH	BOD (mg/L)	SS (mg/L)	Soluble Phosphorous as P (mg/L)	Total Phosphorous as P (mg/L)	Ammonia Nitrogen as N (mg/L)	TKN Nitrogen as N (mg/L)
July 23, 1997	7.4	190	392	1.6	6.1	17.2	40.6
JULY	7.3	170	324	1.2	6.1	15.4	35.2
Aug 20, 1997	7.4	194	320	1.4	6.3	15.2	38.8
AUGUST	7.4	175	318	1.2	6.4	15.0	35.8
Mar 3, 1998	7.5	192	276	0.6	6.0	14.9	39.3
MARCH	7.5	174	284	1.1	5.8	15.0	37.5

Table A.2. Influent composition

Date	BOD (mg/L)	SS (mg/L)
July 23, 1997	215	666
JULY	200	573
Aug 20, 1997	101	756
AUGUST	187	528
Mar 3, 1998	148	222
MARCH	144	241

Table A.3. Primary effluent composition

Date	pH	CBOD (mg/L)	SS (mg/L)	Soluble Phosphorous as P (mg/L)	Total Phosphorous as P (mg/L)	Ammonia Nitrogen as N (mg/L)	TKN Nitrogen as N (mg/L)
July 23, 1997	7.7	12	13	0.07	0.51	17.8	19.1
JULY	7.7	14	16	0.11	0.59	18.0	21.8
Aug 20, 1997	n/a	n/a	n/a	n/a	n/a	n/a	n/a
AUGUST	7.7	6	16	0.09	0.62	14.2	18.4
Mar 3, 1998	8.0	9	9	0.07	0.72	16.0	23.6
MARCH	8.0	8	18	0.08	0.76	13.3	20.6

Table A.4. Final effluent composition

Date	Total Chlorine Residual (mg/L)	E-Coli (mg/L)
July 23, 1997	1.0	207
JULY	1.0	110
Aug 20, 1997	1.1	108
AUGUST	1.1	120
Mar 3, 1998	1.0	0
MARCH	0.7	11

Table A.5. Final effluent after disinfection

Date	30 Minute Settled Volume (%)	SS (mg/L)	SVI (mL/g)	Dissolved Oxygen (mg/L)
July 23, 1997	25	3041	81	2.9
JULY	27	2846	97	2.3
Aug 20, 1997	29	3380	87	2.0
AUGUST	30	2694	116	2.6
Mar 3, 1998	31	1808	173	3.3
MARCH	35	2684	136	3.5

Table A.6. Secondary treatment: mixed liquor composition

Date	Return Volume (*10 ³ m ³)	Return SS (mg/L)	Waste Volume to Primary (*10 ³ m ³)	Waste Volume to Thickening (*10 ³ m ³)	Total Volume (*10 ³ m ³)
July 23, 1997	261.1	n/a	20.9	13.4	34.3
JULY	294.7	n/a	25.0	15.5	40.4
Aug 20, 1997	332.5	n/a	38.7	9.5	48.2
AUGUST	319.9	n/a	26.0	14.6	40.6
Mar 3, 1998	347.7	n/a	1.4	22.2	23.5
MARCH	327.6	n/a	1.9	22.9	24.7

Table A.7. Secondary treatment: activated sludge

Date	Volume to Digestion (*10 ³ m ³)	TS (%)	TVS (% of TS)	TVS Loading to Digestion (tonnes)
July 23, 1997	6.7	2.2	70.3	103.8
JULY	7.1	2.5	67.3	116.8
Aug 20, 1997	8.3	2.6	67.0	146.4
AUGUST	7.9	2.6	65.2	131.5
Mar 3, 1998	2.4	2.0	66.0	32.0
MARCH	3.1	3.2	72.1	71.6

Table A.8. Raw sludge composition

Date	Volume to Thickening (*10 ³ m ³)	TS (%)	Volume Pumped to Digestion (*10 ³ m ³)	TS (%)	TVS (% of TS)	TVS Loading to Digestion (tonnes)	Subnatant SS (mg/L)
July 23, 1997	13.4	0.80	1.92	5.6	65.0	69.7	40
JULY	15.5	0.89	2.52	5.4	65.7	88.1	48
Aug 20, 1997	9.5	0.78	1.95	3.8	62.0	46.0	16
AUGUST	14.6	1.02	2.84	4.9	64.1	88.5	48
Mar 3, 1998	22.2	0.58	3.21	4.0	73.0	93.8	12
MARCH	22.9	0.67	3.46	4.6	73.0	116.2	65

Table A.9. Waste activated sludge thickening volumes and composition

Date	Total Volume to Digestion (*10³ m³)	TVS Loading to Digestion (tonnes)	Sewage Gas Produced (*10³ m³)	Digested Sludge TS (%)	Digested Sludge TVS (% of TS)
July 23, 1997	8.6	173.5	53.4	2.1	64.0
JULY	9.6	204.9	52.9	2.4	59.3
Aug 20, 1997	10.3	192.4	52.0	2.1	58.0
AUGUST	10.8	220.0	56.2	2.3	59.6
Mar 3, 1998	5.6	125.8	66.2	1.9	57.0
MARCH	6.5	187.8	61.7	2.5	62.4

Table A.10. Sludge digestion

APPENDIX B

Size Distribution Data and Statistics

Appendix B:

The original size distribution data for floc area, equivalent diameter, longest dimension, perimeter and shape factor is presented in Tables B.1 through B.5 for Salinity Test #1, B.6 through B.10 for Salinity Test #2, B.11 through B.16 for the Time Response Test, and B.17 through B.22 for the Calcium Test. A summary of the size distribution statistics is also presented in Tables B.23 through B.27 for Salinity Test #1 and #2, B.28 through B.32 for the Time Response Test, and B.33 through B.37 for the Calcium Test. The size distribution data was used to generate the size distribution frequency histograms and the logarithmic mean values given in the summary statistics tables were used to generate relationship plots and for regression analysis.

Figure B.1 is an example of a floc viewed under the microscope (same as the floc images presented in figures 5.1.1 through 5.1.4), with visual representations of the floc characteristics measured for the size distributions, except shape factor. This is meant as a further clarification of the descriptions given in section 3.6.

Figure B.1. Visual representation of some of the floc characteristics measured for the size distributions (Floc image from salinity test #2, 0 g NaCl/L)

Table B.1. Size Distribution Data, 0 g/L, Test #1

Floc #	Floc Area (μm²)	Equivalent Diameter (μm)	Longest Dimension (μm)	Perimeter (μm)	Shape Factor	Floc #	Floc Area (μm²)	Equivalent Diameter (μm)	Longest Dimension (μm)	Perimeter (μm)	Shape Factor
1	19121	156.03	195.87	1061.36	0.2133	51	4905	79.02	112.99	644.55	0.1484
2	643	28.62	40.18	166.98	0.2899	52	11827	122.72	179.64	683.82	0.3179
3	9797	111.69	147.86	625.03	0.3152	53	5749	85.55	126.72	568.90	0.2232
4	3090	62.72	125.59	499.90	0.1554	54	2891	60.68	93.39	296.72	0.4128
5	29839	194.92	425.64	2421.85	0.0639	55	6182	88.72	126.01	520.50	0.2867
6	54660	263.81	368.82	2026.28	0.1673	56	3739	69.00	110.88	436.86	0.2462
7	8466	103.82	169.07	708.27	0.2121	57	60947	278.57	410.82	1758.08	0.2478
8	261	18.21	36.28	84.31	0.4607	58	21965	167.23	303.05	1349.35	0.1516
9	19757	158.60	277.64	1415.39	0.1240	59	7304	96.43	191.79	806.90	0.1410
10	2488	56.28	91.54	304.97	0.3362	60	5046	80.16	121.11	458.75	0.3013
11	2002	50.49	82.55	338.39	0.2197	61	18452	153.28	239.71	1187.22	0.1645
12	3724	68.86	99.61	370.00	0.3419	62	17227	148.10	213.73	896.35	0.2695
13	18355	152.87	258.49	1087.58	0.1950	63	3736	68.97	119.96	463.58	0.2185
14	11668	121.89	176.29	933.30	0.1684	64	23494	172.95	285.07	1588.06	0.1171
15	10613	116.24	216.62	850.45	0.1844	65	6043	87.72	167.35	827.45	0.1109
16	11469	120.84	216.61	1052.42	0.1302	66	25213	179.17	273.79	1325.05	0.1805
17	4575	76.32	132.02	453.18	0.2800	67	9060	107.40	175.02	700.07	0.2323
18	7705	99.05	159.34	774.32	0.1615	68	3537	67.10	93.68	455.55	0.2142
19	11924	123.22	229.68	821.14	0.2223	69	2970	61.49	81.66	290.68	0.4418
20	13418	130.71	206.55	957.45	0.1840	70	3900	70.47	105.04	326.12	0.4609
21	1719	46.78	83.37	385.38	0.1455	71	9384	109.31	167.30	815.56	0.1773
22	10152	113.69	175.54	1044.51	0.1170	72	40650	227.50	330.57	1941.91	0.1355
23	17725	150.23	217.76	864.24	0.2983	73	21676	166.13	270.02	1002.84	0.2709
24	23835	174.21	265.89	1560.94	0.1230	74	3311	64.93	88.52	440.07	0.2149
25	48504	248.51	367.23	1965.85	0.1577	75	21385	165.01	352.38	1364.84	0.1443
26	11623	121.65	177.28	618.59	0.3818	76	96319	350.20	409.04	2391.59	0.2116
27	985	35.42	60.27	175.42	0.4024	77	20423	161.25	224.97	963.81	0.2763
28	30816	198.08	358.19	2245.50	0.0768	78	10988	118.28	171.89	689.76	0.2903
29	7037	94.66	183.39	612.41	0.2358	79	8242	102.44	183.61	739.72	0.1893
30	11494	120.98	192.16	931.24	0.1666	80	36889	216.72	355.29	2102.55	0.1049
31	18990	155.50	222.94	885.49	0.3044	81	13547	131.33	215.23	1022.25	0.1629
32	5348	82.52	158.07	529.41	0.2398	82	7836	99.89	150.55	806.37	0.1515
33	34651	210.05	306.06	1192.69	0.3061	83	6547	91.30	133.33	515.70	0.3094
34	14737	136.98	190.27	563.00	0.5844	84	4473	75.47	147.25	453.00	0.2740
35	11353	120.23	202.87	980.09	0.1485	85	4553	76.14	98.51	401.02	0.3558
36	8733	105.45	226.50	805.75	0.1690	86	1958	49.93	66.68	196.72	0.6360
37	10015	112.92	158.92	746.03	0.2262	87	30511	197.10	406.93	1407.15	0.1937
38	50122	252.62	349.73	1479.21	0.2879	88	4685	77.23	117.07	463.64	0.2739
39	10030	113.01	156.16	668.51	0.2821	89	11985	123.53	203.55	657.29	0.3487
40	1740	47.07	59.48	159.47	0.8602	90	6360	89.99	134.22	563.38	0.2519
41	5535	83.95	124.01	707.21	0.1391	91	1799	47.86	62.45	187.31	0.6445
42	2962	61.41	133.98	473.41	0.1661	92	8450	103.72	154.41	749.27	0.1892
43	2834	60.07	75.64	329.16	0.3288	93	25991	181.91	276.13	1456.98	0.1539
44	7567	98.16	128.29	544.29	0.3210	94	10463	115.42	239.82	1160.02	0.0977
45	15789	141.79	226.01	1384.53	0.1035	95	12656	126.94	202.85	1053.93	0.1432
46	6923	93.89	100.58	473.77	0.3877	96	4513	75.81	100.48	454.09	0.2751
47	4496	75.66	130.90	479.84	0.2454	97	2397	55.24	80.47	275.55	0.3968
48	14825	137.39	165.29	786.84	0.3010	98	1691	46.40	112.12	350.53	0.1730
49	2380	55.05	83.44	308.27	0.3147	99	1579	44.84	63.17	257.49	0.2994
50	8423	103.56	161.79	817.92	0.1582	100	4316	74.13	79.17	343.85	0.4589

Table B.1. Size Distribution Data, 0 g/L, Test #1 (cont'd)

Floc #	Floc Area (µm²)	Equivalent Diameter (µm)	Longest Dimension (µm)	Perimeter (µm)	Shape Factor	Floc #	Floc Area (µm²)	Equivalent Diameter (µm)	Longest Dimension (µm)	Perimeter (µm)	Shape Factor
101	1903	49.23	62.02	257.73	0.3601	151	15491	140.44	225.67	1293.56	0.1164
102	1577	44.81	59.34	241.34	0.3402	152	21423	165.16	249.32	1361.26	0.1453
103	1411	42.39	90.40	269.98	0.2433	153	16843	146.44	239.97	1122.58	0.1680
104	18012	151.44	196.33	915.98	0.2698	154	1955	49.89	78.28	267.54	0.3432
105	1157	38.38	74.01	191.99	0.3944	155	3785	69.42	110.64	496.29	0.1931
106	728	30.45	66.12	188.19	0.2584	156	7960	100.67	147.56	1098.23	0.0829
107	3643	68.11	151.65	561.73	0.1451	157	11637	121.72	190.64	918.28	0.1735
108	36927	216.83	299.79	1438.77	0.2242	158	16216	143.69	165.33	788.37	0.3279
109	10314	114.60	228.48	727.76	0.2448	159	60680	277.96	530.17	3200.98	0.0744
110	3648	68.15	93.53	341.84	0.3924	160	18525	153.58	230.12	1099.53	0.1926
111	1040	36.40	71.02	181.48	0.3970	161	11617	121.62	171.12	903.61	0.1788
112	1843	48.44	80.03	262.75	0.3356	162	19883	159.11	226.81	927.19	0.2907
113	5928	86.87	145.62	612.69	0.1984	163	19540	157.73	251.96	1607.62	0.0950
114	11923	123.21	210.63	811.25	0.2277	164	28482	190.43	256.51	1336.83	0.2003
115	17266	148.27	274.06	1153.00	0.1632	165	56649	268.57	401.39	2386.47	0.1250
116	37078	217.28	337.01	1042.98	0.4284	166	70667	299.96	486.86	2481.66	0.1442
117	24902	178.06	265.05	1133.52	0.2436	167	8397	103.40	123.16	384.74	0.7129
118	21968	167.25	220.25	842.71	0.3888	168	4270	73.74	127.55	585.52	0.1566
119	31015	198.72	322.23	1254.32	0.2478	169	19796	158.76	305.54	1246.84	0.1600
120	1007	35.80	69.02	189.70	0.3516	170	13763	132.38	204.08	775.48	0.2876
121	1370	41.76	71.19	174.39	0.5661	171	41078	228.70	319.88	1621.60	0.1963
122	995	35.60	53.60	204.02	0.3005	172	13193	129.61	205.34	899.50	0.2049
123	17433	148.98	270.77	1034.84	0.2046	173	20880	163.05	233.51	974.42	0.2764
124	5249	81.75	108.09	452.08	0.3228	174	6016	87.52	121.97	507.04	0.2941
125	7916	100.40	156.10	1103.36	0.0817	175	14030	133.65	198.79	958.93	0.1918
126	17535	149.42	192.54	1234.76	0.1446	176	45666	241.13	382.42	2022.90	0.1403
127	65879	289.62	522.19	4116.52	0.0489	177	22583	169.57	266.82	1683.15	0.1002
128	7216	95.85	179.97	698.77	0.1857	178	43078	234.20	318.64	2390.26	0.0948
129	4898	78.97	99.48	410.77	0.3648	179	51671	256.49	353.86	2016.21	0.1597
130	19623	158.07	273.25	1208.97	0.1687	180	11439	120.68	221.04	1098.74	0.1191
131	57211	269.89	464.46	2146.36	0.1561	181	4981	79.63	117.31	555.25	0.2030
132	21220	164.37	210.46	1269.76	0.1654	182	56192	267.48	423.25	1960.83	0.1837
133	24810	177.73	285.66	1396.59	0.1599	183	21915	167.04	278.31	1277.56	0.1688
134	13235	129.81	183.34	988.74	0.1702	184	31406	199.97	302.41	1532.99	0.1680
135	26713	184.42	229.45	1055.70	0.3012	185	1305	40.76	80.70	316.10	0.1641
136	5523	83.86	118.99	451.90	0.3399	186	21176	164.20	200.79	1108.00	0.2168
137	17340	148.59	313.99	1283.05	0.1324	187	25242	179.27	238.29	1206.36	0.2180
138	7957	100.65	141.41	438.72	0.5196	188	4704	77.39	180.20	677.45	0.1288
139	8061	101.31	169.76	923.56	0.1188	189	9504	110.00	140.68	620.72	0.3100
140	4944	79.34	218.44	601.84	0.1716	190	56032	267.10	336.14	2549.85	0.1083
141	10445	115.32	220.14	803.78	0.2032	191	34226	208.75	1441.34	3935.04	0.0278
142	5060	80.27	129.33	487.23	0.2679	192	17163	147.83	265.52	1112.50	0.1743
143	16403	144.52	232.35	1341.64	0.1145	193	3837	69.90	112.09	515.27	0.1817
144	10183	113.86	163.24	741.17	0.2330	194	3789	69.46	170.49	497.54	0.1924
145	7033	94.63	152.48	653.76	0.2068	195	7977	100.78	130.61	421.79	0.5636
146	34104	208.38	353.28	1727.92	0.1436	196	45521	240.75	353.87	1761.11	0.1845
147	5134	80.85	119.52	613.12	0.1716	197	36053	214.25	371.11	1868.80	0.1297
148	16651	145.60	291.33	1315.68	0.1209	198	36610	215.90	256.06	1300.85	0.2719
149	16499	144.94	181.02	917.12	0.2465	199	24893	178.03	304.98	1553.02	0.1297
150	6674	92.18	131.81	482.79	0.3598	200	14566	136.18	233.64	838.14	0.2606

Table B.2. Size Distribution Data, 10 g/L, Test #1

Floc #	Floc Area (μm²)	Equivalent Diameter (μm)	Longest Dimension (μm)	Perimeter (μm)	Shape Factor	Floc #	Floc Area (μm²)	Equivalent Diameter (μm)	Longest Dimension (μm)	Perimeter (μm)	Shape Factor
1	9971	112.67	205.42	693.55	0.2605	51	10072	113.24	168.10	798.37	0.1986
2	7148	95.40	132.16	544.64	0.3029	52	9694	111.10	149.41	635.30	0.3019
3	4547	76.08	168.21	590.42	0.1639	53	11911	123.15	194.62	749.40	0.2666
4	6153	88.51	144.15	616.70	0.2033	54	15913	142.34	261.88	1523.65	0.0862
5	8889	106.39	184.43	844.50	0.1566	55	6497	90.95	163.41	716.66	0.1590
6	9145	107.90	189.06	848.32	0.1597	56	5273	81.94	124.42	551.56	0.2179
7	7946	100.59	146.11	512.47	0.3803	57	10490	115.57	171.63	825.54	0.1935
8	9704	111.16	173.24	800.98	0.1901	58	30127	195.86	284.14	1458.95	0.1779
9	4157	72.76	106.71	532.45	0.1843	59	12688	127.10	179.91	1045.72	0.1458
10	28770	191.39	479.53	2555.95	0.0554	60	4578	76.35	117.51	499.46	0.2306
11	4950	79.39	131.66	530.01	0.2215	61	28368	190.05	402.77	2192.36	0.0742
12	1750	47.20	63.63	268.43	0.3052	62	10772	117.11	194.36	882.30	0.1739
13	5123	80.76	139.92	645.54	0.1545	63	12552	126.42	171.78	1175.61	0.1141
14	31958	201.72	353.33	1862.28	0.1158	64	9508	110.03	177.70	1021.50	0.1145
15	41391	229.57	443.44	2815.28	0.0656	65	7561	98.11	140.08	478.35	0.4153
16	4962	79.48	106.49	432.69	0.3331	66	18691	154.27	225.31	1187.80	0.1665
17	5948	87.03	110.20	553.18	0.2443	67	4989	79.70	134.67	561.09	0.1992
18	11675	121.92	182.65	851.98	0.2022	68	5423	83.10	148.69	603.34	0.1872
19	27052	185.59	280.11	1252.96	0.2166	69	13551	131.36	188.51	805.48	0.2625
20	14868	137.59	164.24	892.80	0.2344	70	6518	91.10	190.92	792.63	0.1304
21	34140	208.49	504.55	2515.15	0.0678	71	10598	116.16	206.46	882.16	0.1711
22	6842	93.33	125.63	636.67	0.2121	72	16352	144.29	252.35	950.60	0.2274
23	11442	120.70	208.26	1083.86	0.1224	73	48842	249.37	663.08	2833.30	0.0765
24	8463	103.81	175.23	977.40	0.1113	74	11631	121.69	186.54	1066.57	0.1285
25	17021	147.21	219.61	1289.75	0.1286	75	13086	129.08	181.15	697.40	0.3381
26	7780	99.53	150.44	839.79	0.1386	76	5520	83.84	175.75	686.16	0.1474
27	14353	135.19	184.09	1346.35	0.0995	77	3359	65.40	122.29	555.45	0.1368
28	11398	120.47	175.66	835.69	0.2051	78	7168	95.53	148.48	664.79	0.2038
29	10124	113.53	151.90	696.57	0.2622	79	17991	151.35	218.80	1117.14	0.1812
30	10225	114.10	198.20	939.79	0.1455	80	8796	105.83	189.57	832.47	0.1595
31	36914	216.80	334.40	1462.56	0.2169	81	3291	64.73	90.77	305.50	0.4432
32	20642	162.12	271.17	1231.78	0.1710	82	15228	139.25	193.45	813.06	0.2895
33	18541	153.64	284.10	1465.35	0.1085	83	7424	97.23	138.94	566.77	0.2905
34	22516	169.32	293.39	1353.92	0.1544	84	7843	99.93	167.69	713.29	0.1938
35	5113	80.69	106.38	343.83	0.5436	85	11688	121.99	172.65	683.81	0.3142
36	10464	115.42	159.78	707.83	0.2625	86	22464	169.12	320.55	1630.77	0.1062
37	9187	108.15	148.72	769.88	0.1948	87	9949	112.55	171.85	746.99	0.2241
38	8133	101.76	181.55	874.83	0.1336	88	2799	59.70	100.69	368.72	0.2588
39	7664	98.78	164.04	786.46	0.1557	89	7468	97.51	144.36	720.41	0.1809
40	8345	103.08	166.64	574.48	0.3178	90	10460	115.40	215.55	1203.42	0.0908
41	7523	97.87	135.63	502.74	0.3741	91	6906	93.77	159.73	550.78	0.2861
42	10289	114.45	181.09	667.80	0.2900	92	14389	135.35	205.25	831.70	0.2614
43	15132	138.81	207.21	1377.89	0.1002	93	9629	110.73	160.17	545.25	0.4071
44	5498	83.67	122.01	652.90	0.1621	94	4700	77.36	110.84	396.47	0.3758
45	8461	103.79	187.87	748.64	0.1898	95	16714	145.88	351.79	1850.03	0.0614
46	11183	119.32	142.63	608.38	0.3797	96	11412	120.54	168.53	659.69	0.3296
47	10985	118.26	287.31	1536.13	0.0585	97	5250	81.76	134.82	434.29	0.3498
48	22558	169.48	233.15	1692.59	0.0990	98	5246	81.73	96.20	468.38	0.3005
49	7327	96.59	137.09	449.16	0.4565	99	6836	93.30	128.58	566.02	0.2682
50	5325	82.34	187.99	619.25	0.1745	100	4150	72.69	110.14	542.35	0.1773

Table B.2. Size Distribution Data, 10 g/L, Test #1 (cont'd)

Floc #	Floc Area (µm²)	Equivalent Diameter (µm)	Longest Dimension (µm)	Perimeter (µm)	Shape Factor	Floc #	Floc Area (µm²)	Equivalent Diameter (µm)	Longest Dimension (µm)	Perimeter (µm)	Shape Factor
101	6404	90.30	165.14	711.90	0.1588	151	10615	116.25	180.48	659.25	0.3070
102	14892	137.70	191.01	1043.35	0.1719	152	23649	173.53	262.05	1533.19	0.1264
103	6347	89.90	127.51	652.87	0.1872	153	25761	181.11	311.31	1499.48	0.1440
104	13160	129.45	279.97	1351.38	0.0906	154	4126	72.48	137.80	439.83	0.2680
105	7316	96.52	151.79	779.91	0.1512	155	13871	132.90	189.66	729.86	0.3273
106	4719	77.51	153.16	556.23	0.1917	156	14217	134.54	222.52	1033.62	0.1672
107	13463	130.92	201.31	1101.21	0.1395	157	7919	100.41	159.65	690.40	0.2088
108	15953	142.52	222.22	958.45	0.2183	158	1584	44.91	207.61	428.74	0.1083
109	15201	139.12	196.85	764.10	0.3272	159	4221	73.31	132.45	517.77	0.1979
110	8714	105.33	139.24	830.80	0.1587	160	11499	121.00	255.43	1215.18	0.0979
111	4503	75.72	163.11	558.73	0.1813	161	46385	243.02	688.19	2827.38	0.0729
112	6761	92.78	185.06	715.83	0.1658	162	42074	231.45	418.47	2513.77	0.0837
113	10136	113.60	248.24	1050.25	0.1155	163	8147	101.85	171.09	655.69	0.2382
114	9433	109.59	141.72	616.99	0.3114	164	9087	107.56	155.95	614.84	0.3021
115	4155	72.74	111.44	669.56	0.1165	165	5437	83.20	144.81	571.78	0.2090
116	12562	126.47	183.08	1260.89	0.0993	166	4961	79.48	105.78	346.39	0.5197
117	4685	77.24	124.99	558.50	0.1888	167	10483	115.53	233.06	806.64	0.2025
118	7367	96.85	129.31	771.29	0.1556	168	6943	94.03	171.18	649.95	0.2066
119	10184	113.87	156.52	675.22	0.2807	169	36099	214.39	396.38	2202.97	0.0935
120	5058	80.25	146.79	558.43	0.2039	170	20501	161.57	370.69	1536.26	0.1092
121	7435	97.30	143.33	572.19	0.2854	171	4309	74.07	156.22	553.79	0.1766
122	4436	75.15	127.35	560.02	0.1778	172	11051	118.62	211.55	1047.95	0.1265
123	3855	70.06	137.85	464.50	0.2246	173	8526	104.19	152.90	533.05	0.3771
124	7444	97.36	159.11	843.36	0.1315	174	3397	65.77	90.41	425.35	0.2360
125	11116	118.97	159.76	922.45	0.1642	175	6895	93.69	153.89	608.09	0.2344
126	4619	76.68	120.39	509.48	0.2236	176	7706	99.05	145.52	533.91	0.3398
127	4463	75.39	109.17	413.49	0.3281	177	9914	112.35	176.27	1111.82	0.1008
128	7942	100.56	171.04	855.38	0.1364	178	9098	107.63	185.47	1090.67	0.0961
129	13496	131.08	193.61	1113.11	0.1369	179	12360	125.45	199.97	1150.07	0.1175
130	9712	111.20	208.81	1017.23	0.1180	180	20038	159.73	338.66	1957.33	0.0657
131	2258	53.61	83.61	288.98	0.3398	181	78035	315.21	569.07	4823.81	0.0421
132	6519	91.10	113.93	638.80	0.2008	182	9069	107.46	175.90	870.75	0.1503
133	22369	168.76	280.74	2355.49	0.0507	183	18828	154.83	232.83	1158.17	0.1764
134	7914	100.38	185.62	861.80	0.1339	184	18294	152.62	217.86	848.58	0.3193
135	5096	80.55	140.92	526.26	0.2313	185	17514	149.33	247.51	1360.46	0.1189
136	8814	105.94	167.31	833.05	0.1596	186	11542	121.22	204.99	833.69	0.2087
137	2025	50.77	99.81	416.36	0.1468	187	7273	96.23	156.01	594.73	0.2584
138	5747	85.54	153.09	587.24	0.2095	188	38204	220.55	356.08	2306.66	0.0902
139	18140	151.98	198.22	1130.48	0.1784	189	6570	91.46	116.99	591.60	0.2359
140	8004	100.95	189.17	868.37	0.1334	190	19507	157.60	293.88	1516.23	0.1066
141	7379	96.93	172.68	864.84	0.1240	191	11412	120.54	161.60	637.46	0.3530
142	7614	98.46	182.29	637.87	0.2352	192	13582	131.50	222.55	1534.92	0.0725
143	26705	184.39	246.42	1013.79	0.3266	193	21343	164.85	233.91	1063.43	0.2372
144	7998	100.91	220.53	755.34	0.1762	194	7610	98.43	160.28	571.39	0.2929
145	12335	125.32	315.87	1678.28	0.0550	195	6223	89.01	120.44	506.46	0.3049
146	10844	117.50	169.41	868.31	0.1808	196	9176	108.09	145.67	996.99	0.1160
147	3601	67.71	85.33	374.23	0.3232	197	6810	93.12	123.07	550.08	0.2829
148	7915	100.39	133.75	625.03	0.2546	198	6723	92.52	156.32	680.31	0.1826
149	4739	77.67	116.49	500.69	0.2375	199	8631	104.83	159.41	869.23	0.1436
150	6063	87.86	149.79	581.33	0.2255	200	8226	102.34	201.31	925.07	0.1208

Table B.3. Size Distribution Data, 20 g/L, Test #1

Floc #	Floc Area (µm²)	Equivalent Diameter (µm)	Longest Dimension (µm)	Perimeter (µm)	Shape Factor	Floc #	Floc Area (µm²)	Equivalent Diameter (µm)	Longest Dimension (µm)	Perimeter (µm)	Shape Factor
1	8226	102.34	201.31	925.07	0.1208	51	9550	110.27	181.39	699.06	0.2456
2	12353	125.41	190.44	902.20	0.1907	52	8950	106.75	149.46	685.79	0.2392
3	8795	105.82	214.60	804.66	0.1707	53	3545	67.19	96.96	359.88	0.3441
4	16245	143.82	193.37	854.49	0.2796	54	3884	70.32	120.60	427.39	0.2672
5	4852	78.60	120.33	467.79	0.2787	55	8025	101.09	133.66	671.83	0.2235
6	21552	165.65	316.20	1732.22	0.0903	56	205628	511.68	605.29	2809.81	0.3273
7	9577	110.43	163.87	719.49	0.2325	57	19779	158.69	185.22	922.75	0.2920
8	25744	181.05	256.36	1153.93	0.2430	58	42557	232.78	317.20	2147.71	0.1160
9	20259	160.61	358.40	1411.74	0.1278	59	26667	184.26	293.90	1332.67	0.1887
10	20978	163.43	220.25	1295.52	0.1571	60	12934	128.33	378.44	1723.86	0.0547
11	19786	158.72	196.95	952.31	0.2742	61	13971	133.37	187.30	928.93	0.2035
12	22360	168.73	258.44	1271.97	0.1737	62	36608	215.90	380.28	2445.04	0.0770
13	2947	61.26	95.92	326.16	0.3482	63	17432	148.98	209.78	1043.05	0.2014
14	43013	234.02	450.20	2645.94	0.0772	64	6173	88.65	111.73	527.38	0.2789
15	18003	151.40	231.82	1264.07	0.1416	65	13502	131.12	232.83	985.41	0.1748
16	25513	180.23	207.66	1304.61	0.1884	66	13456	130.89	220.31	905.52	0.2062
17	9618	110.66	181.84	661.35	0.2763	67	222743	532.55	511.58	1884.16	0.7886
18	6055	87.80	128.70	623.37	0.1958	68	9603	110.57	175.69	741.25	0.2197
19	7042	94.69	139.66	667.48	0.1987	69	9091	107.59	149.77	646.03	0.2738
20	5961	87.12	114.41	403.26	0.4607	70	13958	133.31	203.06	934.20	0.2010
21	23902	174.45	291.22	1581.70	0.1201	71	23697	173.70	375.38	1489.03	0.1343
22	44027	236.76	400.63	1731.64	0.1845	72	20786	162.68	205.15	1045.53	0.2390
23	2867	60.42	97.47	313.34	0.3670	73	3371	65.52	81.48	372.56	0.3053
24	7868	100.09	162.54	759.57	0.1714	74	40001	225.68	414.21	1943.19	0.1331
25	24826	177.79	375.65	1414.33	0.1560	75	5035	80.07	139.18	577.10	0.1900
26	9344	109.07	148.61	701.18	0.2389	76	7157	95.46	128.74	539.39	0.3092
27	14194	134.43	203.21	926.50	0.2078	77	7463	97.48	167.25	603.77	0.2573
28	3310	64.92	99.79	355.50	0.3291	78	23066	171.37	267.01	1278.89	0.1772
29	5568	84.20	120.43	699.97	0.1428	79	37060	217.22	435.95	2283.62	0.0893
30	11690	122.00	198.73	930.23	0.1698	80	19885	159.12	283.85	1290.49	0.1501
31	36135	214.50	305.86	1671.35	0.1626	81	31003	198.68	248.72	1560.25	0.1601
32	2639	57.97	92.94	305.53	0.3554	82	25691	180.86	317.32	1471.12	0.1492
33	20161	160.22	223.14	895.80	0.3158	83	9407	109.44	148.79	792.72	0.1881
34	11679	121.95	206.83	1106.04	0.1200	84	6474	90.79	144.48	538.81	0.2803
35	6701	92.37	175.09	821.26	0.1249	85	25954	181.79	338.61	1569.82	0.1324
36	18002	151.40	233.51	1109.75	0.1837	86	11708	122.09	159.52	732.75	0.2741
37	16810	146.30	219.22	807.69	0.3239	87	5901	86.68	178.83	679.93	0.1604
38	2603	57.57	101.28	384.64	0.2212	88	8795	105.82	157.45	893.54	0.1384
39	8260	102.55	127.36	636.79	0.2560	89	2433	55.66	96.47	441.02	0.1572
40	7773	99.48	205.35	924.11	0.1144	90	12624	126.78	156.44	1115.62	0.1275
41	23727	173.81	313.81	1307.61	0.1744	91	5734	85.44	136.97	619.52	0.1878
42	4973	79.58	105.35	496.53	0.2535	92	13058	128.94	203.15	860.43	0.2217
43	5894	86.63	116.89	461.86	0.3473	93	11811	122.63	237.46	1317.50	0.0855
44	14329	135.07	262.19	1055.44	0.1617	94	27143	185.90	225.74	1616.27	0.1306
45	11759	122.36	197.17	1002.33	0.1471	95	14397	135.39	209.44	1278.76	0.1107
46	17425	148.95	255.35	1458.12	0.1030	96	8951	106.76	139.57	900.03	0.1389
47	19171	156.23	248.84	1040.32	0.2226	97	2947	61.26	172.30	588.55	0.1069
48	9295	108.79	140.41	547.80	0.3893	98	11169	119.25	164.93	1009.22	0.1378
49	11534	121.19	154.81	708.49	0.2888	99	17516	149.34	210.12	887.42	0.2795
50	50299	253.07	303.98	2086.33	0.1452	100	14007	133.55	183.47	703.07	0.3562

Table B.3. Size Distribution Data, 20 g/L, Test #1 (cont'd)

Floc #	Floc Area (µm²)	Equivalent Diameter (µm)	Longest Dimension (µm)	Perimeter (µm)	Shape Factor	Floc #	Floc Area (µm²)	Equivalent Diameter (µm)	Longest Dimension (µm)	Perimeter (µm)	Shape Factor
101	8146	101.84	153.14	653.36	0.2398	151	32426	203.19	294.20	1637.89	0.1519
102	13831	132.71	186.85	782.66	0.2838	152	9838	111.92	171.51	630.66	0.3109
103	18708	154.34	356.03	1485.74	0.1065	153	43658	235.77	392.64	2029.62	0.1332
104	9616	110.65	192.68	1258.36	0.0763	154	4426	75.07	112.52	497.56	0.2247
105	3673	68.38	123.35	443.35	0.2348	155	12683	127.08	234.61	1277.11	0.0977
106	7332	96.62	174.56	723.88	0.1759	156	11515	121.09	228.64	934.39	0.1658
107	10462	115.42	182.21	1091.33	0.1104	157	9570	110.38	203.56	873.41	0.1577
108	13206	129.67	200.94	845.35	0.2322	158	5545	84.03	148.74	556.36	0.2251
109	9875	112.13	158.53	711.22	0.2454	159	15080	138.57	210.67	934.28	0.2171
110	28540	190.63	282.38	1407.48	0.1811	160	9288	108.74	159.89	707.93	0.2329
111	7182	95.63	150.66	845.94	0.1261	161	17784	150.48	217.42	1302.31	0.1318
112	14204	134.48	231.35	1312.64	0.1036	162	12775	127.54	164.55	1034.58	0.1500
113	14139	134.17	231.64	1361.80	0.0958	163	31811	201.25	284.66	2027.79	0.0972
114	14764	137.10	260.95	998.21	0.1862	164	17744	150.31	223.93	1593.01	0.0879
115	30528	197.15	321.30	1613.77	0.1473	165	18033	151.53	250.72	1704.19	0.0780
116	20768	162.61	301.18	1596.95	0.1023	166	19784	158.71	230.27	1518.15	0.1079
117	17987	151.33	200.53	1104.19	0.1854	167	7993	100.88	166.43	796.23	0.1584
118	9162	108.00	163.78	546.47	0.3856	168	33163	205.49	272.61	1703.60	0.1436
119	4293	73.93	99.73	549.34	0.1788	169	49829	251.88	368.75	1967.17	0.1618
120	27296	186.43	273.16	2163.76	0.0733	170	15116	138.73	219.06	857.37	0.2584
121	25580	180.47	282.65	1254.81	0.2042	171	48678	248.96	411.72	2312.18	0.1144
122	17622	149.79	261.32	981.02	0.2302	172	18737	154.46	239.20	1147.45	0.1789
123	6263	89.30	121.76	710.05	0.1561	173	17268	148.28	197.22	830.94	0.3143
124	33165	205.49	392.78	1771.31	0.1329	174	13744	132.28	191.22	912.39	0.2075
125	23733	173.83	247.44	1127.30	0.2347	175	8878	106.32	142.34	737.90	0.2049
126	4711	77.45	185.29	889.19	0.0749	176	14091	133.95	199.98	1113.36	0.1429
127	3654	68.21	121.33	604.89	0.1255	177	22563	169.49	231.21	1223.27	0.1895
128	6355	89.95	154.19	641.02	0.1944	178	7036	94.65	137.44	643.29	0.2137
129	12271	124.99	189.36	872.64	0.2025	179	13716	132.15	273.49	978.01	0.1802
130	26037	182.08	346.54	2114.49	0.0732	180	16719	145.90	301.79	1380.32	0.1103
131	11310	120.00	152.41	696.32	0.2932	181	30566	197.27	280.26	1768.40	0.1228
132	21965	167.23	204.83	1086.93	0.2336	182	3659	68.25	110.88	511.11	0.1760
133	21965	167.23	204.83	1086.93	0.2336	183	8446	103.70	140.44	784.20	0.1726
134	17453	149.07	252.39	966.63	0.2348	184	9203	108.25	215.55	961.21	0.1252
135	7593	98.33	164.84	636.20	0.2358	185	8724	105.39	137.04	648.77	0.2605
136	7748	99.32	128.56	701.29	0.1980	186	10110	113.46	210.64	786.67	0.2053
137	20144	160.15	240.41	1303.54	0.1490	187	9572	110.39	193.89	1029.87	0.1134
138	14527	136.00	181.91	951.98	0.2015	188	10920	117.92	177.18	747.95	0.2453
139	8470	103.84	161.27	751.34	0.1886	189	28709	191.19	250.74	1261.95	0.2266
140	10578	116.06	203.80	1076.45	0.1147	190	5013	79.90	127.44	462.37	0.2947
141	7002	94.42	164.73	740.31	0.1606	191	1294	40.58	76.58	304.91	0.1749
142	31168	199.21	292.72	1660.45	0.1421	192	25743	181.05	261.49	1306.54	0.1895
143	2793	59.63	89.23	274.52	0.4658	193	3198	63.81	108.14	452.04	0.1967
144	4529	75.93	136.92	657.32	0.1317	194	13078	129.04	185.08	925.62	0.1919
145	7587	98.29	147.36	732.17	0.1779	195	11040	118.56	192.70	827.58	0.2026
146	6116	88.24	127.12	616.03	0.2025	196	9107	107.68	147.87	753.76	0.2015
147	23446	172.78	337.17	1794.51	0.0915	197	13118	129.24	184.09	944.26	0.1849
148	5451	83.31	124.50	560.55	0.2180	198	41047	228.61	318.86	1591.64	0.2037
149	4579	76.35	191.87	540.87	0.1967	199	32514	203.47	341.33	1953.13	0.1071
150	7377	96.92	158.22	639.37	0.2268	200	18529	153.60	205.02	1076.31	0.2010

Table B.4. Size Distribution Data, 30 g/L, Test #1

Floc #	Floc Area (μm ²)	Equivalent Diameter (μm)	Longest Dimension (μm)	Perimeter (μm)	Shape Factor	Floc #	Floc Area (μm ²)	Equivalent Diameter (μm)	Longest Dimension (μm)	Perimeter (μm)	Shape Factor
1	29884	195.06	255.63	1293.43	0.2245	51	15779	141.74	273.12	1481.11	0.0904
2	6801	93.05	134.26	629.83	0.2155	52	16348	144.27	241.19	1075.33	0.1777
3	5733	85.43	123.53	599.58	0.2004	53	19175	156.25	374.14	1301.85	0.1422
4	14888	137.68	165.90	852.56	0.2574	54	27213	186.14	289.82	1613.17	0.1314
5	37304	217.94	384.47	1745.12	0.1539	55	14780	137.18	172.61	826.99	0.2716
6	11940	123.30	207.40	1038.09	0.1392	56	17839	150.71	175.24	903.28	0.2748
7	13565	131.42	197.32	732.20	0.3180	57	18811	154.76	222.10	920.46	0.2790
8	14185	134.39	163.66	655.41	0.4150	58	10936	118.00	178.78	729.99	0.2579
9	5265	81.87	108.13	398.66	0.4164	59	12899	128.16	215.46	997.16	0.1630
10	11932	123.26	184.10	928.95	0.1738	60	19035	155.68	299.41	1312.21	0.1389
11	28561	190.70	215.32	1254.99	0.2279	61	16267	143.91	192.13	952.68	0.2252
12	7706	99.05	156.51	608.13	0.2619	62	22876	170.66	345.44	1464.02	0.1341
13	10771	117.11	184.24	691.95	0.2828	63	7881	100.17	147.92	489.89	0.4127
14	2787	59.57	86.46	258.92	0.5225	64	86503	331.87	485.60	3253.34	0.1027
15	7378	96.92	153.45	556.08	0.2999	65	49218	250.33	416.75	2663.58	0.0872
16	12831	127.82	198.48	879.27	0.2086	66	12771	127.52	178.85	974.18	0.1691
17	5338	82.44	111.10	423.75	0.3736	67	10720	116.83	141.93	554.03	0.4390
18	16288	144.01	221.20	1316.18	0.1182	68	41852	230.84	358.47	1928.70	0.1414
19	15846	142.04	188.65	980.16	0.2073	69	15038	138.37	201.60	1084.98	0.1606
20	12336	125.33	229.18	871.46	0.2042	70	16271	143.93	209.23	922.56	0.2403
21	25646	180.70	289.04	1971.10	0.0830	71	7089	95.00	139.84	693.21	0.1854
22	11258	119.73	205.41	876.33	0.1842	72	3980	71.19	93.45	577.94	0.1498
23	8337	103.03	154.94	766.71	0.1782	73	7270	96.21	136.96	495.10	0.3727
24	19697	158.36	324.43	1691.36	0.0865	74	7972	100.75	120.21	594.04	0.2840
25	31262	199.51	327.92	2205.66	0.0808	75	10361	114.86	184.97	1317.50	0.0750
26	7939	100.54	167.48	853.74	0.1369	76	6504	91.00	122.59	471.72	0.3673
27	5581	84.29	180.69	684.34	0.1498	77	28180	189.42	358.82	1905.89	0.0975
28	11879	122.98	174.90	783.46	0.2432	78	24166	175.41	303.64	1673.35	0.1085
29	74293	307.56	562.80	3280.98	0.0867	79	16425	144.61	200.02	1030.54	0.1944
30	2278	53.86	91.05	474.15	0.1274	80	9828	111.87	198.86	1000.09	0.1235
31	4022	71.56	127.32	600.60	0.1401	81	29415	193.53	431.28	1867.26	0.1060
32	10992	118.30	175.23	990.86	0.1407	82	20458	161.39	225.88	1251.74	0.1641
33	7803	99.67	163.17	845.12	0.1373	83	9542	110.23	156.97	659.72	0.2756
34	3726	68.88	90.78	500.15	0.1872	84	12200	124.63	185.24	1033.83	0.1435
35	25163	178.99	318.81	1275.71	0.1943	85	5142	80.92	110.41	460.79	0.3044
36	6052	87.78	147.60	609.84	0.2045	86	14592	136.30	205.88	837.42	0.2615
37	12181	124.53	190.00	1447.13	0.0731	87	6014	87.51	142.51	596.52	0.2124
38	4983	79.65	132.91	521.66	0.2301	88	13157	129.43	170.11	986.49	0.1699
39	5956	87.08	119.89	646.28	0.1792	89	4015	71.50	107.69	562.57	0.1594
40	12054	123.89	246.78	1002.22	0.1508	90	4015	71.50	107.69	562.57	0.1594
41	7428	97.25	135.07	789.87	0.1497	91	13988	133.46	252.02	1324.91	0.1002
42	5305	82.19	163.27	852.28	0.0918	92	6261	89.28	127.32	837.58	0.1122
43	4730	77.61	127.19	595.60	0.1676	93	32341	202.92	323.35	2446.55	0.0679
44	10874	117.66	148.67	832.94	0.1970	94	26767	184.61	291.59	1576.51	0.1354
45	5173	81.16	146.14	759.60	0.1127	95	10271	114.36	156.15	735.64	0.2385
46	22582	169.56	334.03	1738.69	0.0939	96	12011	123.67	178.31	1140.19	0.1161
47	9252	108.54	177.74	760.01	0.2013	97	34065	208.26	314.31	1615.10	0.1641
48	5320	82.31	120.44	612.36	0.1783	98	10997	118.33	162.76	587.77	0.4001
49	5812	86.02	128.63	405.01	0.4453	99	12538	126.35	217.58	832.83	0.2272
50	39777	225.04	637.42	2996.39	0.0557	100	30902	198.36	299.51	1478.35	0.1777

Table B.4. Size Distribution Data, 30 g/L, Test #1 (cont'd)

Floc #	Floc Area (μm ²)	Equivalent Diameter (μm)	Longest Dimension (μm)	Perimeter (μm)	Shape Factor	Floc #	Floc Area (μm ²)	Equivalent Diameter (μm)	Longest Dimension (μm)	Perimeter (μm)	Shape Factor
101	15779	113.31	153.97	764.12	0.2171	151	18671	154.18	238.79	1471.06	0.1084
102	16348	63.75	103.40	518.65	0.1491	152	18735	154.45	225.44	948.96	0.2615
103	19175	273.06	506.75	2799.71	0.0939	153	4431	75.11	109.88	404.69	0.3400
104	27213	73.29	97.50	389.96	0.3487	154	18672	154.19	299.34	1423.10	0.1159
105	14780	124.41	175.03	880.02	0.1973	155	31299	199.63	359.92	1804.27	0.1208
106	17839	231.96	364.63	2380.16	0.0938	156	6764	92.80	207.43	810.55	0.1294
107	18811	96.40	153.55	606.39	0.2495	157	30109	195.79	333.60	1773.77	0.1203
108	10936	50.95	68.00	315.67	0.2572	158	13821	132.66	268.20	1282.23	0.1057
109	12899	125.40	194.41	959.61	0.1686	159	8892	106.40	144.43	734.56	0.2071
110	19035	158.69	220.83	837.51	0.3544	160	8127	101.73	168.64	657.90	0.2360
111	16267	124.39	204.99	954.66	0.1676	161	7072	94.89	163.74	671.78	0.1969
112	22876	136.86	250.94	1326.33	0.1051	162	12946	128.39	182.85	868.82	0.2156
113	7881	59.55	109.44	321.56	0.3385	163	17703	150.14	202.02	1108.35	0.1811
114	86503	141.61	265.15	1380.28	0.1039	164	6755	92.74	188.04	812.69	0.1285
115	49218	144.09	267.01	1632.98	0.0769	165	9156	107.97	151.54	713.34	0.2261
116	12771	67.63	101.77	411.17	0.2670	166	28495	190.48	385.11	1897.88	0.0994
117	10720	69.40	107.31	421.66	0.2674	167	12264	124.96	174.83	964.93	0.1656
118	41852	116.35	214.22	744.76	0.2409	168	21151	164.10	287.72	1349.46	0.1460
119	15038	177.33	294.84	1251.34	0.1982	169	5623	84.61	148.06	604.72	0.1932
120	16271	135.55	200.71	854.88	0.2482	170	12007	123.64	216.16	1154.12	0.1133
121	7089	158.86	228.99	996.84	0.2507	171	39213	223.44	340.82	1621.61	0.1874
122	3980	121.42	245.41	885.04	0.1858	172	26964	185.29	370.25	1951.06	0.0890
123	7270	96.45	129.61	727.46	0.1735	173	30327	196.50	302.89	1491.21	0.1714
124	7972	99.65	149.34	674.21	0.2156	174	94420	346.73	468.95	2345.40	0.2157
125	10361	120.37	159.65	621.78	0.3699	175	8289	102.73	163.12	590.97	0.2983
126	6504	169.47	233.92	1203.91	0.1956	176	6799	93.04	202.85	618.62	0.2233
127	28180	139.24	210.72	887.14	0.2432	177	50877	254.52	353.09	1509.61	0.2806
128	24166	141.47	187.14	1109.21	0.1606	178	59168	274.47	489.35	2826.80	0.0931
129	16425	186.51	275.95	1602.70	0.1337	179	7616	98.47	154.63	601.16	0.2649
130	9828	191.76	316.17	1702.87	0.1252	180	7561	98.12	187.54	604.15	0.2604
131	29415	81.23	149.43	507.17	0.2532	181	22241	168.28	232.91	1265.38	0.1746
132	20458	255.65	403.17	2027.49	0.1570	182	27915	188.53	321.40	1619.21	0.1338
133	9542	84.19	149.79	636.72	0.1726	183	12554	126.43	207.36	780.51	0.2590
134	12200	110.44	149.83	747.09	0.2157	184	5592	84.38	126.79	504.39	0.2762
135	5142	98.82	158.81	645.25	0.2315	185	22535	169.39	284.24	1219.02	0.1906
136	14592	138.73	206.23	911.22	0.2288	186	13818	132.64	189.57	922.62	0.2040
137	6014	85.22	144.36	515.56	0.2697	187	22372	168.77	281.38	1218.07	0.1895
138	13157	158.24	282.69	1495.45	0.1105	188	21174	164.19	272.17	1527.20	0.1141
139	4015	148.75	235.28	1111.46	0.1768	189	27252	186.27	415.00	1710.24	0.1171
140	4015	119.00	167.68	952.13	0.1542	190	28004	188.83	318.40	1976.51	0.0901
141	13988	195.70	377.63	1637.85	0.1409	191	20984	163.46	199.59	1044.66	0.2417
142	6261	128.56	166.36	888.93	0.2065	192	26164	182.52	264.25	1342.45	0.1825
143	32341	147.08	236.22	1027.45	0.2023	193	16447	144.71	223.94	1383.02	0.1081
144	26767	157.90	225.70	1361.70	0.1327	194	28425	190.24	296.96	1078.56	0.3071
145	10271	130.48	193.95	843.69	0.2361	195	9955	112.58	178.41	872.61	0.1643
146	12011	129.82	185.65	955.82	0.1821	196	17652	149.92	254.78	1183.48	0.1584
147	34065	228.04	392.74	2333.56	0.0943	197	25286	179.43	295.06	1296.27	0.1891
148	10997	108.88	171.39	739.85	0.2138	198	10890	117.75	268.14	1083.65	0.1165
149	12538	64.79	110.39	531.81	0.1465	199	22567	169.51	240.20	1265.66	0.1771
150	30902	133.50	216.29	857.63	0.2392	200	11987	123.54	191.23	1021.28	0.1444

Table B.5. Size Distribution Data, 45 g/L, Test #1

Floc #	Floc Area (µm²)	Equivalent Diameter (µm)	Longest Dimension (µm)	Perimeter (µm)	Shape Factor	Floc #	Floc Area (µm²)	Equivalent Diameter (µm)	Longest Dimension (µm)	Perimeter (µm)	Shape Factor
1	8043	101.19	170.88	906.88	0.1229	51	10376	114.94	173.07	746.57	0.2340
2	17781	150.46	227.04	1008.71	0.2196	52	22883	170.69	268.46	1534.37	0.1222
3	11510	121.06	219.29	1323.87	0.0825	53	23998	174.80	366.36	1518.78	0.1307
4	4584	76.39	136.87	491.03	0.2389	54	6741	92.64	151.16	921.70	0.0997
5	24657	177.18	264.03	1124.30	0.2452	55	27665	187.68	277.31	1859.43	0.1006
6	36664	216.06	400.19	2235.31	0.0922	56	32612	203.77	297.34	1874.29	0.1167
7	22527	169.36	267.44	1034.37	0.2646	57	3436	66.14	83.12	307.24	0.4574
8	9272	108.65	160.32	774.81	0.1941	58	21706	166.24	234.25	984.98	0.2812
9	21814	166.66	250.24	1108.40	0.2232	59	47084	244.84	436.08	3020.71	0.0649
10	10700	116.72	185.79	964.50	0.1446	60	33126	205.37	296.87	2068.50	0.0973
11	18999	155.53	301.88	1324.26	0.1362	61	15205	139.14	197.14	773.08	0.3198
12	33154	205.46	453.78	2465.17	0.0686	62	13232	129.80	250.64	1337.68	0.0929
13	29274	193.06	360.81	1838.05	0.1089	63	12728	127.30	253.47	1066.79	0.1406
14	12330	125.30	180.93	785.45	0.2512	64	26351	183.17	264.58	1253.06	0.2109
15	29274	193.06	310.72	1799.81	0.1136	65	7970	100.73	213.29	812.07	0.1519
16	28872	191.73	349.08	1633.61	0.1360	66	14689	136.76	234.57	1185.14	0.1314
17	5681	85.05	136.33	865.68	0.0953	67	7773	99.48	126.74	724.72	0.1860
18	8641	104.89	136.35	692.97	0.2261	68	25932	181.71	262.87	1419.32	0.1618
19	14533	136.03	196.31	813.39	0.2761	69	9957	112.60	146.83	839.72	0.1775
20	26990	185.38	269.81	1413.88	0.1697	70	51302	255.58	381.49	2085.41	0.1483
21	41713	230.46	340.59	1893.29	0.1463	71	12173	124.50	184.04	958.48	0.1665
22	42093	231.51	294.86	1848.20	0.1549	72	3252	64.35	91.49	430.85	0.2202
23	22925	170.85	294.95	1477.64	0.1320	73	7786	99.56	185.21	675.65	0.2143
24	20054	159.79	216.87	1117.11	0.2020	74	38838	222.37	354.42	1719.89	0.1650
25	13864	132.86	233.49	800.50	0.2719	75	17534	149.42	206.35	1040.66	0.2035
26	15867	142.14	209.00	908.77	0.2415	76	17428	148.97	247.90	1185.71	0.1558
27	26182	182.58	274.45	1085.54	0.2793	77	34166	208.57	314.14	1706.58	0.1474
28	22805	170.40	212.71	1031.89	0.2692	78	21587	165.79	344.60	1269.22	0.1684
29	29094	192.47	283.75	1722.42	0.1233	79	2982	61.62	112.45	558.84	0.1200
30	6336	89.82	124.06	581.09	0.2358	80	7182	95.62	156.61	631.00	0.2267
31	14332	135.08	230.18	1160.44	0.1338	81	10708	116.76	204.62	749.23	0.2397
32	41550	230.01	433.04	2259.65	0.1023	82	20217	160.44	231.64	952.95	0.2798
33	15898	142.27	201.01	1087.55	0.1689	83	27075	185.67	254.32	1091.55	0.2856
34	8665	105.04	131.06	681.01	0.2348	84	31785	201.17	345.98	1956.19	0.1044
35	11755	122.34	179.74	802.51	0.2294	85	22333	168.63	259.82	1312.97	0.1628
36	6462	90.70	145.62	565.59	0.2539	86	15238	139.29	239.63	983.97	0.1978
37	31838	201.34	327.42	1507.16	0.1762	87	23341	172.39	285.64	1668.22	0.1054
38	16609	145.42	258.61	1415.94	0.1041	88	17228	148.10	285.85	1860.12	0.0626
39	4531	75.95	102.51	433.58	0.3029	89	12072	123.98	172.69	813.98	0.2290
40	7768	99.45	161.64	766.95	0.1660	90	17068	147.42	203.96	926.79	0.2498
41	6976	94.24	138.48	590.71	0.2513	91	31579	200.52	355.68	1811.30	0.1210
42	14159	134.27	249.05	1166.39	0.1308	92	24098	175.16	233.82	1408.48	0.1527
43	5128	80.81	121.46	515.96	0.2421	93	26239	182.78	264.94	1447.33	0.1574
44	18153	152.03	182.27	896.50	0.2839	94	8823	105.99	174.08	727.63	0.2095
45	3662	68.29	112.40	383.73	0.3126	95	20321	160.85	248.10	1106.53	0.2086
46	23365	172.48	256.53	1711.13	0.1003	96	20202	160.38	287.61	1127.42	0.1998
47	7228	95.93	163.35	863.70	0.1218	97	16995	147.10	248.39	864.25	0.2860
48	37739	219.20	510.13	2507.04	0.0755	98	3404	65.84	113.62	420.03	0.2425
49	31555	200.44	304.80	1672.89	0.1417	99	9568	110.38	192.15	754.73	0.2111
50	47267	245.32	536.83	2361.88	0.1065	100	12035	123.79	230.70	859.58	0.2047

Table B.5. Size Distribution Data, 45 g/L, Test #1 (cont'd)

Floc #	Floc Area (µm²)	Equivalent Diameter (µm)	Longest Dimension (µm)	Perimeter (µm)	Shape Factor	Floc #	Floc Area (µm²)	Equivalent Diameter (µm)	Longest Dimension (µm)	Perimeter (µm)	Shape Factor
101	12807	127.70	165.09	769.54	0.2718	151	17770	150.42	275.78	1262.45	0.1401
102	11415	120.56	180.98	964.58	0.1542	152	6828	93.24	158.31	648.29	0.2042
103	16009	142.77	171.24	844.07	0.2824	153	9562	110.34	170.71	713.28	0.2362
104	1590	44.99	66.84	242.74	0.3391	154	7016	94.52	143.48	503.85	0.3474
105	8219	102.30	212.25	900.84	0.1273	155	9810	111.76	234.63	740.06	0.2251
106	27069	185.65	244.32	1300.52	0.2011	156	22585	169.58	272.17	1235.94	0.1858
107	18198	152.22	212.43	1001.58	0.2280	157	35723	213.27	284.75	1332.05	0.2531
108	26444	183.49	298.50	1385.29	0.1732	158	25200	179.13	315.11	1450.50	0.1505
109	27216	186.15	281.06	1325.97	0.1946	159	12097	124.11	195.66	886.93	0.1933
110	13429	130.76	187.61	838.45	0.2401	160	8309	102.85	132.63	597.10	0.2929
111	9958	112.60	198.60	981.18	0.1300	161	20000	159.58	276.25	1493.34	0.1127
112	15784	141.76	204.28	1000.39	0.1982	162	17558	149.52	204.95	1010.71	0.2160
113	31979	201.78	334.46	1556.87	0.1658	163	25418	179.90	284.80	1583.29	0.1274
114	10394	115.04	186.27	676.73	0.2852	164	22265	168.37	234.75	1442.35	0.1345
115	37112	217.38	463.26	2084.09	0.1074	165	5755	85.60	127.85	635.97	0.1788
116	14443	135.61	196.10	916.68	0.2160	166	30455	196.92	288.89	1263.17	0.2399
117	17012	147.18	227.72	1071.99	0.1861	167	31562	200.47	331.30	1545.04	0.1662
118	29081	192.42	295.63	1399.16	0.1867	168	18541	153.65	243.55	877.45	0.3027
119	7318	96.53	153.91	672.75	0.2032	169	11436	120.67	215.87	1352.78	0.0785
120	144466	428.88	627.65	4275.75	0.0993	170	10846	117.52	186.53	862.82	0.1831
121	36413	215.32	411.02	2099.42	0.1038	171	19292	156.73	347.29	1664.47	0.0875
122	18512	153.53	269.80	2388.32	0.0408	172	26472	183.59	289.76	1450.81	0.1581
123	29677	194.39	296.28	1355.99	0.2029	173	10252	114.25	134.99	610.92	0.3452
124	25932	181.71	275.28	1351.73	0.1784	174	41801	230.70	452.55	2024.97	0.1281
125	9156	107.97	175.61	963.06	0.1241	175	9347	109.09	136.41	629.95	0.2960
126	19000	155.54	328.37	1805.19	0.0733	176	29560	194.00	290.73	1285.51	0.2248
127	12606	126.69	210.20	975.38	0.1665	177	44626	238.37	454.10	3057.29	0.0600
128	30145	195.91	324.13	1553.88	0.1569	178	44789	238.80	299.59	1403.23	0.2859
129	13264	129.95	180.76	1168.51	0.1221	179	6867	93.51	132.04	449.43	0.4273
130	37531	218.60	292.36	1963.70	0.1223	180	12234	124.81	231.50	1532.51	0.0655
131	27626	187.55	303.44	1620.15	0.1323	181	12294	125.11	159.60	824.04	0.2275
132	29491	193.78	260.48	1388.46	0.1923	182	43451	235.21	372.89	1883.27	0.1540
133	80858	320.86	475.60	3578.69	0.0794	183	7366	96.84	128.13	678.47	0.2011
134	55862	266.69	420.64	3073.83	0.0743	184	16414	144.57	205.57	1101.42	0.1701
135	31318	199.69	280.00	1310.09	0.2293	185	33827	207.53	277.51	1615.71	0.1629
136	9339	109.04	129.33	571.30	0.3596	186	49106	250.05	403.00	2053.58	0.1463
137	10270	114.35	179.88	711.90	0.2547	187	51943	257.17	374.88	1828.78	0.1952
138	28045	188.97	325.91	1691.95	0.1231	188	38909	222.58	414.29	2488.21	0.0790
139	31816	201.27	411.14	1915.76	0.1090	189	7849	99.97	158.21	666.22	0.2222
140	10702	116.73	159.21	721.61	0.2583	190	7345	96.70	138.74	888.05	0.1170
141	10548	115.89	169.29	820.26	0.1970	191	8477	103.89	160.39	582.72	0.3137
142	35564	212.79	327.60	1420.14	0.2216	192	35441	212.43	320.97	1920.30	0.1208
143	55947	266.90	420.89	2611.19	0.1031	193	48817	249.31	347.97	1912.83	0.1677
144	14670	136.67	221.99	1012.94	0.1797	194	9488	109.91	280.89	1219.79	0.0801
145	5942	86.98	138.05	609.06	0.2013	195	12097	124.11	154.65	997.53	0.1528
146	22211	168.17	359.86	1952.08	0.0733	196	38549	221.55	294.16	1829.95	0.1447
147	64430	286.42	374.00	2507.92	0.1288	197	12674	127.03	178.48	872.20	0.2094
148	8220	102.31	147.14	640.72	0.2517	198	17755	150.35	240.22	1241.89	0.1447
149	12396	125.63	168.00	847.93	0.2167	199	28190	189.45	313.24	1500.56	0.1574
150	13411	130.67	188.05	892.04	0.2118	200	5202	81.39	125.15	536.04	0.2275

Table B.6. Size Distribution Data, 0 g/L, Test #2

Floc #	Floc Area (µm²)	Equivalent Diameter (µm)	Longest Dimension (µm)	Perimeter (µm)	Shape Factor	Floc #	Floc Area (µm²)	Equivalent Diameter (µm)	Longest Dimension (µm)	Perimeter (µm)	Shape Factor
1	10534	115.81	168.88	910.77	0.1596	51	10505	115.65	220.02	1173.74	0.0958
2	15766	141.68	243.62	913.75	0.2373	52	9095	107.61	156.28	666.82	0.2571
3	4641	76.87	131.63	480.05	0.2531	53	16296	144.04	254.98	1155.03	0.1535
4	6122	88.29	125.06	509.33	0.2966	54	10491	115.57	168.58	740.00	0.2408
5	5539	83.98	173.16	580.97	0.2062	55	8569	104.45	144.63	731.02	0.2015
6	16761	146.09	280.95	1657.60	0.0767	56	11833	122.74	188.43	1057.44	0.1330
7	5393	82.86	117.79	514.20	0.2563	57	5487	83.58	165.63	552.94	0.2255
8	5581	84.30	155.92	584.53	0.2053	58	10277	114.39	182.95	742.21	0.2345
9	3020	62.01	117.41	369.08	0.2787	59	4146	72.66	87.71	357.63	0.4074
10	14596	136.33	234.02	1160.69	0.1362	60	3428	66.06	105.21	351.53	0.3486
11	5359	82.60	141.97	455.20	0.3250	61	22957	170.97	278.56	1285.16	0.1747
12	11281	119.85	192.74	763.41	0.2433	62	11393	120.44	154.59	639.88	0.3497
13	9382	109.30	157.36	944.21	0.1323	63	6852	93.40	161.10	686.45	0.1828
14	12538	126.35	210.49	1067.36	0.1383	64	1543	44.33	82.68	260.95	0.2849
15	7630	98.56	123.38	599.80	0.2666	65	4000	71.36	154.52	546.01	0.1686
16	23090	171.46	212.65	1169.31	0.2123	66	10396	115.05	151.17	641.23	0.3178
17	51101	255.08	392.78	2738.43	0.0856	67	11960	123.40	245.94	1168.52	0.1101
18	5208	81.43	127.78	560.23	0.2085	68	5849	86.30	114.16	573.37	0.2236
19	5391	82.85	115.93	435.92	0.3565	69	8055	101.27	144.42	626.55	0.2579
20	3741	69.01	88.69	415.08	0.2729	70	8055	101.27	144.42	626.55	0.2579
21	3430	66.09	107.74	493.02	0.1774	71	7294	96.37	140.53	691.71	0.1916
22	10008	112.89	134.78	600.80	0.3485	72	13771	132.41	226.47	1316.67	0.0998
23	13534	131.27	178.47	847.07	0.2371	73	7761	99.41	138.58	448.97	0.4839
24	6895	93.69	166.34	942.13	0.0976	74	15261	139.40	222.50	1311.33	0.1115
25	8816	105.95	226.86	777.88	0.1831	75	31659	200.77	432.06	2375.09	0.0705
26	18057	151.63	276.54	1393.48	0.1169	76	6473	90.78	121.99	501.76	0.3231
27	4908	79.05	113.46	480.52	0.2671	77	5662	84.91	137.49	620.40	0.1849
28	21296	164.67	222.64	1098.60	0.2218	78	6571	91.47	166.45	612.49	0.2201
29	22242	168.28	248.73	1109.49	0.2271	79	43429	235.15	341.37	1817.18	0.1653
30	16319	144.14	279.64	1281.68	0.1249	80	19567	157.84	247.27	984.56	0.2537
31	14812	137.33	223.81	842.12	0.2625	81	2509	56.52	119.10	376.58	0.2224
32	4668	77.09	119.43	573.67	0.1783	82	4155	72.74	115.36	519.53	0.1935
33	3611	67.81	91.07	377.60	0.3183	83	6957	94.12	148.33	568.53	0.2705
34	9769	111.53	144.86	715.80	0.2396	84	10398	115.06	160.76	602.43	0.3601
35	11923	123.21	171.21	786.49	0.2423	85	7772	99.47	141.57	598.72	0.2725
36	10969	118.18	143.07	845.93	0.1927	86	22117	167.81	267.58	1252.82	0.1771
37	4533	75.97	113.11	560.93	0.1811	87	6356	89.96	149.78	612.03	0.2133
38	5818	86.07	135.02	651.39	0.1723	88	13680	131.98	221.40	1151.22	0.1297
39	15106	138.69	213.81	1210.82	0.1295	89	4016	71.51	82.13	392.15	0.3282
40	5405	82.96	155.56	542.46	0.2309	90	5460	83.38	175.63	592.17	0.1957
41	2940	61.18	125.65	454.84	0.1786	91	6589	91.60	150.09	556.95	0.2670
42	3734	68.95	159.28	490.49	0.1951	92	8183	102.07	135.00	612.30	0.2743
43	5156	81.02	101.59	395.67	0.4139	93	12415	125.73	178.51	707.86	0.3114
44	16235	143.77	225.51	957.16	0.2227	94	9631	110.74	171.41	743.77	0.2188
45	25861	181.46	309.02	2094.17	0.0741	95	12417	125.74	180.72	900.24	0.1926
46	22678	169.92	261.51	1341.22	0.1584	96	11496	120.98	273.03	1107.04	0.1179
47	18970	155.41	239.49	1206.45	0.1638	97	4569	76.27	118.03	487.04	0.2420
48	3150	63.33	109.91	458.06	0.1887	98	12960	128.46	252.81	1415.66	0.0813
49	7836	99.89	123.14	568.19	0.3050	99	8486	103.94	189.44	782.90	0.1740
50	40325	226.59	300.69	1891.57	0.1416	100	13177	129.53	193.60	968.35	0.1766

Table B.6. Size Distribution Data, 0 g/L, Test #2 (cont'd)

Floc #	Floc Area (µm²)	Equivalent Diameter (µm)	Longest Dimension (µm)	Perimeter (µm)	Shape Factor	Floc #	Floc Area (µm²)	Equivalent Diameter (µm)	Longest Dimension (µm)	Perimeter (µm)	Shape Factor
101	2689	58.51	80.55	327.74	0.3146	151	17415	148.91	237.25	1367.40	0.1171
102	3910	70.56	98.60	518.08	0.1831	152	9353	109.12	233.99	962.39	0.1269
103	3485	66.61	83.19	284.99	0.5393	153	11819	122.67	227.28	1146.62	0.1130
104	41107	228.78	310.36	1784.20	0.1623	154	10888	117.74	154.62	684.57	0.2920
105	9785	111.62	160.55	775.70	0.2044	155	10614	116.25	167.87	637.74	0.3280
106	9234	108.43	128.24	566.10	0.3621	156	10539	115.84	182.40	1193.77	0.0929
107	13428	130.76	247.59	1309.24	0.0985	157	8894	106.41	182.19	1062.07	0.0991
108	4051	71.82	115.42	561.17	0.1617	158	2115	51.90	88.98	341.56	0.2279
109	2005	50.53	81.39	233.95	0.4605	159	14851	137.51	195.77	1072.50	0.1623
110	8648	104.94	177.61	763.19	0.1866	160	5064	80.30	146.46	468.48	0.2900
111	6441	90.56	130.73	754.55	0.1422	161	12330	125.30	160.64	730.74	0.2902
112	18956	155.35	236.24	1409.82	0.1199	162	8944	106.71	144.35	680.29	0.2429
113	4875	78.79	138.10	706.37	0.1228	163	24417	176.32	255.07	1185.03	0.2185
114	5028	80.01	125.59	486.43	0.2671	164	7701	99.02	143.88	625.80	0.2472
115	3839	69.92	93.07	403.56	0.2963	165	52547	258.66	344.30	1916.63	0.1798
116	28595	190.81	311.65	1951.98	0.0943	166	3655	68.22	99.75	382.24	0.3144
117	17521	149.36	198.16	1051.56	0.1992	167	29401	193.48	493.14	1973.59	0.0949
118	6876	93.57	141.37	577.78	0.2589	168	9551	110.27	167.43	772.29	0.2013
119	4944	79.34	131.53	410.60	0.3686	169	7724	99.17	176.11	755.71	0.1700
120	3818	69.72	114.42	572.53	0.1464	170	8804	105.87	130.77	634.96	0.2745
121	5784	85.82	129.97	533.45	0.2555	171	5167	81.11	150.19	678.28	0.1412
122	22107	167.77	251.18	1398.67	0.1420	172	4319	74.16	101.21	454.59	0.2627
123	27149	185.92	332.04	1918.83	0.0927	173	18249	152.43	207.97	884.88	0.2929
124	12348	125.39	199.16	1008.08	0.1527	174	6366	90.03	114.51	835.71	0.1146
125	8315	102.89	169.30	768.62	0.1769	175	8130	101.74	114.79	470.65	0.4613
126	9762	111.49	213.32	1009.76	0.1203	176	22445	169.05	237.72	1141.29	0.2166
127	5484	83.56	132.01	539.52	0.2368	177	6207	88.90	140.61	440.27	0.4024
128	4680	77.20	122.89	513.84	0.2228	178	5625	84.63	130.03	475.48	0.3127
129	6448	90.61	149.25	637.10	0.1997	179	10567	115.99	164.08	795.64	0.2098
130	8341	103.05	184.90	991.75	0.1066	180	7079	94.94	134.88	638.98	0.2179
131	5905	86.71	132.30	604.31	0.2032	181	12681	127.07	178.78	678.32	0.3464
132	2516	56.60	96.76	331.45	0.2878	182	8879	106.32	166.57	703.89	0.2252
133	3701	68.65	107.87	450.25	0.2295	183	3248	64.31	107.30	384.32	0.2764
134	5853	86.33	118.28	558.98	0.2354	184	9045	107.31	179.35	787.41	0.1834
135	6138	88.41	132.41	563.62	0.2429	185	13431	130.77	183.20	827.56	0.2465
136	7566	98.15	167.88	908.23	0.1153	186	8021	101.06	170.27	485.96	0.4269
137	18243	152.41	237.89	1178.19	0.1652	187	6747	92.69	132.49	656.30	0.1969
138	14097	133.97	239.10	1304.89	0.1040	188	18395	153.04	243.87	1401.65	0.1177
139	6462	90.70	134.71	657.37	0.1879	189	3576	67.47	103.27	325.34	0.4245
140	13736	132.25	178.18	980.40	0.1796	190	13963	133.34	234.47	1214.15	0.1190
141	13310	130.18	189.56	985.15	0.1724	191	13963	133.34	234.47	1214.15	0.1190
142	7622	98.51	149.35	623.90	0.2461	192	9098	107.63	140.92	704.60	0.2303
143	12778	127.55	181.01	973.00	0.1697	193	8569	104.46	137.31	827.56	0.1573
144	4227	73.36	140.25	529.95	0.1892	194	11827	122.72	205.79	1141.40	0.1141
145	5448	83.29	125.65	553.55	0.2235	195	7366	96.85	136.45	536.29	0.3219
146	4259	73.64	119.00	404.16	0.3277	196	6635	91.91	157.92	637.11	0.2054
147	9618	110.66	167.64	792.22	0.1926	197	8600	104.64	184.05	688.64	0.2279
148	2086	51.54	82.34	270.65	0.3580	198	14501	135.88	207.49	868.09	0.2418
149	12033	123.78	199.09	1010.79	0.1480	199	6462	90.71	129.89	550.66	0.2679
150	25175	179.04	282.93	1747.06	0.1037	200	11808	122.61	174.76	850.78	0.2050

Table B.7. Size Distribution Data, 10 g/L, Test #2

Floc #	Floc Area (μm²)	Equivalent Diameter (μm)	Longest Dimension (μm)	Perimeter (μm)	Shape Factor	Floc #	Floc Area (μm²)	Equivalent Diameter (μm)	Longest Dimension (μm)	Perimeter (μm)	Shape Factor
1	18101	151.81	335.54	1232.16	0.1499	51	6768	92.83	115.33	418.12	0.4866
2	16968	146.98	258.87	1280.71	0.1300	52	8940	106.69	190.90	879.17	0.1454
3	65139	287.99	454.27	2020.53	0.2005	53	4882	78.84	130.22	485.91	0.2599
4	13163	129.46	227.83	977.11	0.1733	54	25937	181.72	272.20	1914.30	0.0890
5	16364	144.34	193.09	925.36	0.2402	55	10616	116.26	184.97	858.36	0.1811
6	20690	162.31	304.85	1348.09	0.1431	56	9961	112.62	140.24	624.78	0.3207
7	9582	110.46	180.56	745.61	0.2166	57	9871	112.11	249.96	1026.68	0.1177
8	15744	141.58	238.45	1690.79	0.0700	58	19907	159.21	242.67	1146.04	0.1905
9	6744	92.67	142.12	668.87	0.1895	59	10073	113.25	178.73	650.81	0.2989
10	13093	129.11	198.32	814.21	0.2482	60	13334	130.30	203.34	936.60	0.1911
11	3169	63.52	97.62	429.12	0.2163	61	13587	131.53	229.54	1105.75	0.1397
12	13634	131.76	189.95	816.79	0.2568	62	26094	182.27	356.85	1979.90	0.0837
13	18211	152.27	279.14	1360.64	0.1236	63	24294	175.88	337.97	1602.21	0.1190
14	25748	181.06	287.23	1399.25	0.1653	64	5921	86.83	141.41	527.73	0.2672
15	16332	144.20	241.27	1339.16	0.1145	65	10135	113.60	196.05	793.94	0.2021
16	13740	132.26	225.61	1006.38	0.1705	66	9711	111.19	160.18	841.84	0.1722
17	11831	122.73	164.11	712.34	0.2931	67	12827	127.79	218.61	961.51	0.1744
18	9081	107.53	167.88	836.04	0.1633	68	8504	104.06	178.41	727.24	0.2021
19	3026	62.07	84.77	412.08	0.2240	69	17878	150.87	254.17	926.13	0.2620
20	16849	146.47	216.02	964.77	0.2275	70	22264	168.37	211.48	981.21	0.2906
21	14447	135.63	185.17	818.19	0.2713	71	11446	120.72	170.53	974.41	0.1515
22	22474	169.16	270.76	1120.89	0.2248	72	17161	147.82	256.18	1310.25	0.1256
23	22688	169.96	336.68	1624.74	0.1080	73	5834	86.19	127.77	768.75	0.1241
24	21770	166.49	376.21	1732.60	0.0911	74	8256	102.53	146.11	573.45	0.3156
25	4491	75.62	109.65	458.19	0.2689	75	6319	89.70	144.88	504.42	0.3121
26	15011	138.25	195.57	1267.05	0.1175	76	3068	62.50	89.79	418.61	0.2200
27	8032	101.13	162.86	800.86	0.1574	77	7090	95.01	145.78	663.52	0.2024
28	7040	94.67	152.72	523.87	0.3224	78	45603	240.96	332.59	1693.11	0.1999
29	13213	129.71	242.64	1026.95	0.1575	79	5431	83.16	126.75	519.43	0.2530
30	5948	87.02	163.56	557.44	0.2406	80	6960	94.14	170.78	713.16	0.1720
31	7794	99.62	127.82	657.37	0.2267	81	3990	71.27	102.43	407.16	0.3025
32	3141	63.24	78.11	341.26	0.3390	82	10261	114.30	163.75	719.89	0.2488
33	17088	147.50	220.66	1012.68	0.2094	83	5274	81.94	116.88	527.36	0.2383
34	9842	111.94	153.35	861.89	0.1665	84	5888	86.58	138.17	505.34	0.2897
35	7985	100.83	171.32	844.45	0.1407	85	13653	131.85	191.15	979.35	0.1789
36	5781	85.80	168.15	723.35	0.1389	86	9376	109.26	175.34	634.22	0.2930
37	40661	227.53	362.86	2000.34	0.1277	87	20573	161.85	277.29	1539.05	0.1092
38	6768	92.83	133.22	493.54	0.3492	88	12928	128.30	229.85	938.23	0.1846
39	3412	65.91	95.48	382.13	0.2937	89	10342	114.75	202.70	798.51	0.2039
40	5962	87.12	130.57	557.90	0.2407	90	9901	112.28	160.88	713.56	0.2444
41	18687	154.25	229.94	1212.15	0.1598	91	16500	144.94	281.43	1332.77	0.1167
42	6791	92.98	143.11	626.79	0.2173	92	4467	75.41	101.02	363.04	0.4259
43	7797	99.63	146.34	922.65	0.1151	93	30698	197.70	356.88	2090.68	0.0883
44	16523	145.05	279.97	1773.65	0.0660	94	5472	83.47	145.42	650.88	0.1623
45	10488	115.56	163.62	772.21	0.2211	95	31353	199.80	298.35	1438.06	0.1906
46	16984	147.05	284.35	1455.95	0.1007	96	14165	134.29	221.86	1126.04	0.1404
47	8683	105.14	170.96	753.47	0.1922	97	39622	224.61	324.28	2032.30	0.1206
48	10009	112.89	173.25	641.15	0.3060	98	42880	233.66	374.73	2397.83	0.0937
49	71528	301.78	454.42	2180.94	0.1890	99	11543	121.23	182.93	736.88	0.2672
50	3429	66.07	88.19	299.04	0.4818	100	23190	171.83	362.22	1617.37	0.1114

Table B.7. Size Distribution Data, 10 g/L, Test #2 (cont'd)

Floc #	Floc Area (µm²)	Equivalent Diameter (µm)	Longest Dimension (µm)	Perimeter (µm)	Shape Factor	Floc #	Floc Area (µm²)	Equivalent Diameter (µm)	Longest Dimension (µm)	Perimeter (µm)	Shape Factor
101	5980	87.26	143.41	474.57	0.3337	151	13128	129.29	199.06	1039.36	0.1527
102	17716	150.19	292.31	1232.16	0.1467	152	14880	137.65	292.46	1256.45	0.1185
103	9572	110.40	158.65	831.34	0.1741	153	35083	211.35	261.96	1382.52	0.2307
104	4277	73.80	127.49	547.19	0.1795	154	19764	158.63	314.83	1329.56	0.1405
105	12628	126.80	200.60	906.08	0.1933	155	3038	62.19	83.84	319.85	0.3732
106	16929	146.81	281.48	1135.93	0.1649	156	3859	70.10	110.84	475.93	0.2141
107	12044	123.83	173.13	773.91	0.2527	157	9830	111.88	147.44	729.30	0.2323
108	12272	125.00	219.72	1098.87	0.1277	158	10909	117.85	198.10	907.52	0.1665
109	12868	128.00	167.75	945.39	0.1810	159	2579	57.31	94.45	335.51	0.2880
110	4431	75.11	142.03	607.23	0.1510	160	5965	87.15	157.41	578.76	0.2238
111	15345	139.78	188.07	921.90	0.2269	161	28861	191.69	380.89	1904.67	0.1000
112	7366	96.84	145.77	630.46	0.2329	162	39562	224.44	373.52	2329.09	0.0917
113	6098	88.12	148.21	553.94	0.2498	163	8192	102.13	176.65	758.26	0.1791
114	9543	110.23	155.01	1111.18	0.0971	164	5079	80.42	128.77	528.78	0.2283
115	12176	124.51	232.73	994.85	0.1546	165	10186	113.88	177.17	658.18	0.2955
116	19377	157.07	223.37	1453.10	0.1153	166	28681	191.10	388.82	2134.13	0.0791
117	34450	209.43	299.65	1970.26	0.1115	167	7121	95.22	167.95	642.66	0.2167
118	17475	149.16	244.59	1409.94	0.1105	168	4906	79.04	106.71	524.20	0.2244
119	21376	164.97	263.39	1163.85	0.1983	169	6491	90.91	153.79	465.29	0.3768
120	4225	73.35	109.33	508.63	0.2053	170	12828	127.80	189.36	976.10	0.1692
121	9180	108.12	167.54	738.36	0.2116	171	10902	117.82	206.70	867.80	0.1819
122	15083	138.58	189.52	1315.83	0.1095	172	14281	134.85	234.57	1071.67	0.1563
123	17099	147.55	261.14	1346.93	0.1184	173	15700	141.39	265.16	1220.01	0.1326
124	16583	145.31	223.45	1234.72	0.1367	174	6997	94.39	159.01	714.99	0.1720
125	4043	71.75	112.83	387.74	0.3380	175	13221	129.74	220.73	1171.49	0.1211
126	14588	136.29	182.76	944.49	0.2055	176	10910	117.86	145.67	720.19	0.2644
127	43165	234.43	396.68	2376.72	0.0960	177	19420	157.24	243.87	1057.37	0.2183
128	3019	62.00	92.43	528.91	0.1356	178	9412	109.47	169.73	759.43	0.2051
129	3368	65.49	100.49	399.00	0.2659	179	9305	108.85	191.86	805.58	0.1802
130	18893	155.10	282.43	1217.06	0.1603	180	7291	96.35	180.25	761.28	0.1581
131	5932	86.91	152.27	652.10	0.1753	181	9291	108.76	190.97	875.27	0.1524
132	12761	127.47	235.70	905.07	0.1958	182	14154	134.24	234.99	1202.00	0.1231
133	10297	114.50	235.59	1170.01	0.0946	183	19457	157.39	255.80	959.11	0.2659
134	2385	55.11	91.24	279.74	0.3831	184	10631	116.34	179.62	842.10	0.1884
135	4908	79.05	141.46	652.32	0.1449	185	10891	117.76	144.42	911.59	0.1647
136	19182	156.28	283.45	1067.68	0.2115	186	34144	208.50	298.80	1794.34	0.1333
137	33231	205.70	366.91	1640.62	0.1552	187	51152	255.20	494.10	2897.37	0.0766
138	3423	66.01	87.05	355.44	0.3405	188	4356	74.47	97.87	409.66	0.3262
139	10537	115.83	217.60	1009.77	0.1299	189	36178	214.62	325.01	2028.49	0.1105
140	17653	149.92	225.53	1019.23	0.2136	190	7651	98.70	173.49	668.39	0.2153
141	21274	164.58	359.72	1993.81	0.0673	191	17420	148.93	325.00	1742.37	0.0721
142	6680	92.22	166.37	612.40	0.2239	192	10576	116.04	227.86	1038.31	0.1233
143	12506	126.19	156.99	763.93	0.2693	193	4751	77.78	89.86	344.66	0.5027
144	7163	95.50	146.89	503.03	0.3558	194	41521	229.93	451.26	1920.67	0.1415
145	9263	108.60	178.87	728.30	0.2195	195	3788	69.45	123.29	446.68	0.2386
146	12969	128.50	165.03	730.02	0.3058	196	17668	149.99	260.04	1175.48	0.1607
147	4621	76.71	97.14	434.30	0.3079	197	26743	184.53	226.16	1348.50	0.1849
148	12875	128.04	221.52	783.99	0.2633	198	10897	117.79	173.21	741.23	0.2493
149	9886	112.19	141.31	714.31	0.2435	199	7459	97.45	141.90	712.94	0.1844
150	39260	223.58	303.69	1767.54	0.1579	200	27334	186.55	306.79	2047.52	0.0819

Table B.8. Size Distribution Data, 20 g/L, Test #2

Floc #	Floc Area (µm²)	Equivalent Diameter (µm)	Longest Dimension (µm)	Perimeter (µm)	Shape Factor	Floc #	Floc Area (µm²)	Equivalent Diameter (µm)	Longest Dimension (µm)	Perimeter (µm)	Shape Factor
1	12631	126.82	186.13	691.46	0.3320	51	44920	239.15	386.52	2622.98	0.0821
2	20870	163.01	253.00	955.20	0.2875	52	16906	146.72	227.28	1269.83	0.1318
3	10706	116.75	162.42	578.73	0.4018	53	19090	155.90	197.32	834.32	0.3447
4	6305	89.60	132.09	636.47	0.1956	54	5586	84.33	116.21	482.67	0.3013
5	32891	204.64	352.06	1674.07	0.1475	55	32298	202.79	357.56	2259.97	0.0795
6	13541	131.31	220.40	1102.46	0.1400	56	2675	58.37	78.75	297.73	0.3793
7	23191	171.84	346.46	1751.99	0.0950	57	15853	142.07	218.16	958.65	0.2168
8	18621	153.98	240.36	1012.93	0.2281	58	10574	116.03	200.94	648.68	0.3158
9	13091	129.10	163.11	677.03	0.3590	59	3052	62.34	90.71	398.38	0.2417
10	4478	75.50	126.69	536.83	0.1953	60	10798	117.26	172.57	711.47	0.2681
11	9438	109.62	159.53	773.58	0.1982	61	24883	177.99	215.52	906.44	0.3806
12	32923	204.74	246.39	1322.05	0.2367	62	12013	123.68	203.64	907.24	0.1834
13	21752	166.42	289.79	1402.87	0.1389	63	4376	74.64	149.37	601.09	0.1522
14	38755	222.14	553.40	2677.22	0.0680	64	16893	146.66	194.12	1071.38	0.1850
15	8971	106.88	177.65	911.80	0.1356	65	18280	152.56	238.61	925.42	0.2683
16	18647	154.08	315.92	1326.52	0.1332	66	17605	149.72	253.81	1489.86	0.0997
17	11927	123.23	170.23	798.85	0.2349	67	35302	212.01	374.07	2094.93	0.1011
18	44667	238.48	404.42	2447.85	0.0937	68	49245	250.40	374.88	2333.66	0.1136
19	43911	236.45	486.00	2739.23	0.0736	69	9861	112.05	172.46	656.50	0.2876
20	37174	217.56	356.70	1981.30	0.1190	70	24433	176.38	257.80	1376.34	0.1621
21	24802	177.70	324.35	1870.67	0.0891	71	24534	176.74	268.01	1811.28	0.0940
22	38596	221.68	366.64	1723.84	0.1632	72	38756	222.14	259.66	1453.93	0.2304
23	15308	139.61	199.61	990.98	0.1959	73	8953	106.77	177.75	764.63	0.1925
24	39729	224.91	287.20	1462.45	0.2334	74	5786	85.83	191.97	838.97	0.1033
25	40288	226.49	494.40	2521.85	0.0796	75	5655	84.85	110.67	422.76	0.3977
26	14988	138.14	231.18	1102.31	0.1550	76	12764	127.48	240.93	995.99	0.1617
27	25902	181.60	309.54	1295.49	0.1940	77	8193	102.13	140.07	612.89	0.2741
28	6820	93.19	169.24	789.92	0.1374	78	49630	251.38	387.32	2031.83	0.1511
29	38504	221.42	297.85	1735.48	0.1607	79	28178	189.41	329.15	1753.09	0.1152
30	21228	164.40	249.61	1039.60	0.2469	80	6864	93.48	151.79	566.29	0.2690
31	10751	117.00	173.94	999.33	0.1353	81	16965	146.97	206.04	1300.60	0.1261
32	27296	186.43	305.93	1290.78	0.2059	82	13342	130.34	215.84	1163.75	0.1238
33	10182	113.86	227.42	816.85	0.1918	83	11475	120.87	259.81	1124.01	0.1142
34	14394	135.38	207.27	800.38	0.2824	84	23265	172.11	207.26	1074.03	0.2535
35	19854	158.99	227.94	780.95	0.4092	85	10820	117.38	210.43	908.24	0.1649
36	9683	111.04	160.58	588.39	0.3515	86	4515	75.82	122.83	462.76	0.2650
37	5645	84.78	97.59	469.39	0.3220	87	28254	189.67	322.39	1883.24	0.1001
38	30851	198.19	383.63	2067.22	0.0907	88	8534	104.24	133.89	567.65	0.3329
39	10033	113.02	142.75	678.52	0.2739	89	27755	187.99	281.38	1575.79	0.1405
40	32596	203.72	312.77	1839.12	0.1211	90	8938	106.68	173.23	788.24	0.1808
41	6507	91.02	122.95	488.41	0.3428	91	20360	161.01	245.97	1368.59	0.1366
42	10668	116.55	177.00	1004.19	0.1330	92	20816	162.80	316.28	1297.68	0.1554
43	15333	139.73	217.05	1196.89	0.1345	93	45677	241.16	457.09	1962.35	0.1491
44	4962	79.49	108.22	493.73	0.2558	94	5742	85.50	141.47	519.06	0.2678
45	49026	249.84	307.80	2051.13	0.1465	95	9140	107.88	195.66	711.74	0.2268
46	10148	113.67	234.79	814.57	0.1922	96	14868	137.59	236.91	965.23	0.2006
47	16209	143.66	213.92	1388.41	0.1057	97	30300	196.42	265.95	1955.65	0.0996
48	16672	145.70	249.83	1122.99	0.1661	98	33778	207.38	329.48	2024.19	0.1036
49	18145	152.00	254.19	1190.47	0.1609	99	10978	118.23	249.51	1162.90	0.1020
50	25925	181.68	305.06	1515.89	0.1418	100	7515	97.82	188.25	667.31	0.2121

Table B.8. Size Distribution Data, 20 g/L, Test #2 (cont'd)

Floc #	Floc Area (μm ²)	Equivalent Diameter (μm)	Longest Dimension (μm)	Perimeter (μm)	Shape Factor	Floc #	Floc Area (μm ²)	Equivalent Diameter (μm)	Longest Dimension (μm)	Perimeter (μm)	Shape Factor
101	21219	164.37	249.53	1189.33	0.1885	151	4668	77.09	100.41	470.33	0.2652
102	29283	193.09	323.33	1879.75	0.1042	152	7532	97.93	144.17	612.42	0.2524
103	12485	126.08	211.54	1079.51	0.1347	153	3544	67.18	116.29	472.00	0.1999
104	24356	176.10	340.33	1677.64	0.1088	154	16545	145.14	226.13	903.77	0.2546
105	7821	99.79	182.51	744.04	0.1775	155	39711	224.86	359.26	2097.75	0.1134
106	8611	104.71	159.86	688.30	0.2284	156	9359	109.16	172.34	972.77	0.1243
107	13508	131.14	168.89	731.99	0.3169	157	13752	132.33	201.93	1266.40	0.1078
108	15710	141.43	249.34	1076.69	0.1703	158	12827	127.80	185.09	641.99	0.3912
109	52940	259.63	457.03	2472.27	0.1089	159	4725	77.56	131.91	499.34	0.2382
110	6595	91.64	140.34	721.51	0.1592	160	4297	73.97	120.28	464.45	0.2504
111	4655	76.99	123.08	428.89	0.3181	161	26422	183.42	231.42	1149.41	0.2513
112	5477	83.50	118.84	439.13	0.3570	162	3267	64.49	130.67	490.66	0.1705
113	47157	245.03	371.30	2350.60	0.1073	163	7278	96.26	167.49	559.66	0.2920
114	54902	264.39	440.61	2580.58	0.1036	164	4684	77.22	103.60	414.16	0.3432
115	52298	258.05	571.26	2676.39	0.0918	165	9340	109.05	134.04	641.38	0.2854
116	8708	105.29	169.08	701.43	0.2224	166	17340	148.58	247.96	1582.56	0.0870
117	27651	187.63	299.76	1679.82	0.1232	167	33489	206.49	341.13	1614.01	0.1616
118	45721	241.28	476.76	2428.98	0.0974	168	17058	147.37	204.98	1316.04	0.1238
119	40970	228.39	386.56	2012.79	0.1271	169	8101	101.56	140.12	674.96	0.2235
120	39063	223.02	329.91	1811.63	0.1496	170	21760	166.45	272.89	1232.87	0.1799
121	4173	72.89	132.12	475.80	0.2317	171	9048	107.33	174.89	825.01	0.1671
122	11984	123.53	223.95	894.60	0.1882	172	17868	150.83	272.40	1433.35	0.1093
123	23061	171.35	295.38	1537.76	0.1226	173	21455	165.28	212.38	964.17	0.2901
124	17344	148.60	302.19	1385.00	0.1136	174	30026	195.53	288.44	1866.70	0.1083
125	14942	137.93	210.13	696.39	0.3872	175	9794	111.67	184.87	783.29	0.2006
126	26375	183.25	335.14	2172.64	0.0702	176	9938	112.49	280.12	1095.80	0.1040
127	24749	177.51	267.96	1823.73	0.0935	177	94358	346.61	628.76	4458.34	0.0597
128	15697	141.37	255.81	954.48	0.2166	178	48248	247.85	445.18	3373.09	0.0533
129	4672	77.13	127.18	456.47	0.2818	179	12074	123.99	218.06	1048.76	0.1380
130	20577	161.86	264.97	1466.52	0.1202	180	5828	86.14	144.48	536.88	0.2541
131	14926	137.86	239.54	857.34	0.2552	181	4988	79.69	129.67	555.27	0.2033
132	7675	98.86	121.69	546.97	0.3224	182	12581	126.57	195.85	768.35	0.2678
133	39968	225.59	354.01	2171.03	0.1066	183	28756	191.35	301.44	1456.25	0.1704
134	12756	127.44	218.07	871.94	0.2109	184	4277	73.79	164.84	575.11	0.1625
135	5597	84.42	148.23	569.07	0.2172	185	24109	175.20	254.88	1080.60	0.2595
136	10909	117.85	159.09	720.34	0.2642	186	45594	240.94	322.10	1904.14	0.1580
137	6542	91.27	127.79	607.62	0.2227	187	6293	89.51	165.08	655.05	0.1843
138	28467	190.38	395.41	1883.03	0.1009	188	38527	221.48	351.85	2005.14	0.1204
139	18010	151.43	221.53	1218.60	0.1524	189	34847	210.64	326.52	2440.25	0.0736
140	31824	201.29	391.54	2211.43	0.0818	190	34070	208.28	327.50	1697.25	0.1486
141	6032	87.63	125.43	517.93	0.2826	191	6454	90.65	171.63	634.38	0.2016
142	10686	116.64	187.81	983.83	0.1388	192	27268	186.33	317.08	1208.65	0.2346
143	19245	156.54	301.23	1366.35	0.1296	193	7766	99.44	216.04	1077.44	0.0841
144	25575	180.45	237.53	1571.34	0.1302	194	7012	94.49	143.95	744.28	0.1591
145	66611	291.23	560.17	3764.74	0.0591	195	21082	163.84	307.04	1263.86	0.1659
146	17601	149.70	212.25	1054.03	0.1991	196	68118	294.50	502.57	3935.33	0.0553
147	8430	103.60	211.25	974.41	0.1116	197	36923	216.82	329.70	1531.06	0.1980
148	39847	225.24	278.72	1894.53	0.1395	198	14623	136.45	182.69	845.51	0.2571
149	16852	146.48	238.77	1024.95	0.2016	199	37513	218.55	315.87	2122.27	0.1047
150	37238	217.74	345.49	1812.72	0.1424	200	7903	100.31	140.24	907.96	0.1205

Table B.9. Size Distribution Data, 30 g/L, Test #2

Floc #	Floc Area (μm²)	Equivalent Diameter (μm)	Longest Dimension (μm)	Perimeter (μm)	Shape Factor	Floc #	Floc Area (μm²)	Equivalent Diameter (μm)	Longest Dimension (μm)	Perimeter (μm)	Shape Factor
1	22154	167.95	291.32	1171.66	0.2028	51	12798	127.65	226.77	860.17	0.2174
2	8701	105.25	141.40	593.07	0.3109	52	10443	115.31	186.22	837.54	0.1871
3	17155	147.79	246.75	1786.57	0.0676	53	33377	206.15	291.82	1492.50	0.1883
4	10769	117.10	182.15	1267.66	0.0842	54	18105	151.83	209.60	1053.16	0.2052
5	27333	186.55	311.10	1500.13	0.1526	55	13924	133.15	217.83	828.25	0.2551
6	42673	233.10	434.35	2321.11	0.0996	56	32335	202.90	316.36	1472.78	0.1873
7	8829	106.02	134.91	693.45	0.2308	57	15920	142.37	205.63	973.28	0.2112
8	3300	64.82	101.79	359.08	0.3217	58	49032	249.86	460.70	2432.44	0.1041
9	27052	185.59	337.09	1571.73	0.1376	59	97765	352.81	500.93	3160.59	0.1230
10	28990	192.12	316.67	1870.36	0.1042	60	31816	201.27	285.16	1983.80	0.1016
11	9993	112.80	207.73	697.64	0.2581	61	21918	167.05	381.61	2101.20	0.0624
12	19060	155.78	296.10	1469.23	0.1110	62	8424	103.56	144.38	546.30	0.3547
13	12439	125.85	192.79	741.52	0.2843	63	8231	102.37	180.87	1154.85	0.0776
14	12503	126.17	155.84	876.70	0.2044	64	6282	89.44	110.02	472.10	0.3543
15	79888	318.93	484.46	3274.89	0.0936	65	9698	111.12	170.54	885.26	0.1555
16	25842	181.39	252.17	1372.11	0.1725	66	14833	137.43	223.46	882.40	0.2394
17	10800	117.26	259.46	1083.04	0.1157	67	19936	159.32	251.53	1362.97	0.1349
18	24352	176.09	310.73	1719.11	0.1036	68	30702	197.72	282.07	1468.44	0.1790
19	17801	150.55	259.78	1688.31	0.0785	69	18668	154.17	282.64	1206.73	0.1611
20	12407	125.69	194.82	966.40	0.1670	70	6737	92.61	148.32	607.65	0.2293
21	30419	196.80	328.53	1385.93	0.1991	71	13914	133.10	199.59	891.77	0.2199
22	10438	115.28	223.38	1250.06	0.0840	72	17197	147.97	237.51	1295.57	0.1288
23	3781	69.39	101.39	512.80	0.1807	73	8538	104.26	126.56	799.05	0.1681
24	6997	94.38	129.42	551.38	0.2892	74	12363	125.46	195.05	1055.72	0.1394
25	13648	131.82	193.23	972.20	0.1815	75	12368	125.49	204.73	903.25	0.1905
26	6462	90.71	126.88	501.58	0.3228	76	11770	122.42	174.17	706.99	0.2960
27	10725	116.85	186.80	740.80	0.2456	77	28364	190.04	315.05	1640.64	0.1324
28	4368	74.58	103.12	395.18	0.3515	78	29404	193.49	247.31	1345.82	0.2040
29	20662	162.20	242.25	1122.95	0.2059	79	7370	96.87	125.19	485.61	0.3928
30	16380	144.41	206.69	825.76	0.3019	80	6177	88.68	165.15	800.76	0.1211
31	9502	109.99	171.85	687.35	0.2528	81	28095	189.13	297.08	1720.29	0.1193
32	31718	200.96	286.32	1769.77	0.1273	82	23520	173.05	264.00	1907.05	0.0813
33	13105	129.18	228.63	1036.82	0.1532	83	7506	97.76	186.97	737.64	0.1734
34	15671	141.25	282.79	1132.71	0.1535	84	5352	82.55	143.73	590.16	0.1932
35	10767	117.09	174.07	812.13	0.2052	85	9149	107.93	189.22	921.41	0.1354
36	10615	116.26	208.71	918.78	0.1580	86	12412	125.71	242.05	1480.50	0.0712
37	12768	127.50	203.97	815.17	0.2415	87	8841	106.10	183.85	844.83	0.1557
38	33488	206.49	280.59	1486.46	0.1905	88	12077	124.00	154.37	596.54	0.4265
39	18565	153.75	239.26	1128.49	0.1832	89	13241	129.84	181.63	832.85	0.2399
40	40226	226.31	359.12	2315.36	0.0943	90	62232	281.49	489.65	2354.70	0.1411
41	28492	190.47	351.51	1561.82	0.1468	91	32739	204.17	335.91	2269.18	0.0799
42	9185	108.14	146.11	578.17	0.3453	92	23902	174.45	271.88	1584.91	0.1196
43	14754	137.06	225.87	943.02	0.2085	93	17736	150.27	273.09	1591.12	0.0880
44	18779	154.63	197.11	945.82	0.2638	94	6552	91.34	127.06	550.80	0.2714
45	11635	121.71	188.63	860.62	0.1974	95	9450	109.69	131.26	512.05	0.4529
46	25871	181.49	271.26	1603.98	0.1264	96	52034	257.40	352.52	1715.32	0.2223
47	11718	122.15	207.92	861.11	0.1986	97	44342	237.61	390.44	2408.02	0.0961
48	37373	218.14	268.82	1489.39	0.2117	98	22442	169.04	321.41	1662.66	0.1020
49	12923	128.28	156.41	716.04	0.3168	99	12209	124.68	248.08	1018.49	0.1479
50	15292	139.54	299.38	1372.96	0.1020	100	9633	110.75	175.01	714.24	0.2373

Table B.9. Size Distribution Data, 30 g/L, Test #2 (cont'd)

Floc #	Floc Area (μm²)	Equivalent Diameter (μm)	Longest Dimension (μm)	Perimeter (μm)	Shape Factor	Floc #	Floc Area (μm²)	Equivalent Diameter (μm)	Longest Dimension (μm)	Perimeter (μm)	Shape Factor
101	8120	101.68	155.91	921.34	0.1202	151	25495	180.17	273.66	1430.59	0.1566
102	19453	157.38	205.56	1240.52	0.1589	152	36910	216.78	321.00	1944.02	0.1228
103	22371	168.77	312.31	1701.43	0.0971	153	13456	130.89	183.37	866.41	0.2253
104	10994	118.31	197.31	981.29	0.1435	154	22990	171.09	273.23	1684.90	0.1018
105	16618	145.46	259.74	1293.05	0.1249	155	12134	124.30	219.69	1345.32	0.0843
106	29209	192.85	328.00	1783.09	0.1155	156	19874	159.07	268.74	999.09	0.2502
107	12042	123.82	199.55	906.31	0.1842	157	10843	117.50	182.64	801.82	0.2120
108	10478	115.50	159.30	826.67	0.1927	158	5019	79.94	153.17	529.14	0.2253
109	5557	84.12	133.36	462.16	0.3270	159	30850	198.19	330.97	1797.47	0.1200
110	5982	87.27	146.91	598.17	0.2101	160	14072	133.86	181.73	810.36	0.2693
111	15628	141.06	212.84	1082.49	0.1676	161	10988	118.28	186.97	1094.88	0.1152
112	19490	157.53	262.40	1358.80	0.1327	162	10947	118.06	160.72	916.78	0.1637
113	8770	105.67	191.41	1080.89	0.0944	163	12504	126.18	247.88	1110.69	0.1274
114	7412	97.15	134.62	489.35	0.3890	164	10532	115.80	191.16	1271.35	0.0819
115	14968	138.05	228.57	961.61	0.2034	165	10152	113.69	146.99	721.23	0.2453
116	6304	89.59	141.29	547.44	0.2644	166	24288	175.85	305.16	1481.04	0.1392
117	42104	231.54	326.81	1953.92	0.1386	167	6814	93.14	171.10	770.89	0.1441
118	12957	128.44	236.18	1317.98	0.0937	168	20865	162.99	279.62	1575.22	0.1057
119	23577	173.26	235.64	1215.06	0.2007	169	14360	135.22	212.39	1009.22	0.1772
120	9450	109.69	185.84	956.12	0.1299	170	33407	206.24	432.55	2069.41	0.0980
121	6074	87.94	121.97	532.33	0.2694	171	8069	101.36	166.31	698.65	0.2078
122	21329	164.80	273.36	1380.39	0.1407	172	10265	114.32	194.38	598.66	0.3600
123	15965	142.57	190.02	709.51	0.3986	173	10393	115.03	160.73	948.37	0.1452
124	13415	130.69	204.19	744.86	0.3039	174	23122	171.58	294.22	1516.22	0.1264
125	11249	119.68	305.36	1168.43	0.1036	175	40126	226.03	393.57	2971.92	0.0571
126	32850	204.51	306.73	2713.17	0.0561	176	23522	173.06	225.21	1514.15	0.1290
127	23449	172.79	302.56	1883.76	0.0831	177	19456	157.39	242.75	1120.74	0.1947
128	11770	122.42	210.58	746.55	0.2654	178	16452	144.73	225.66	1317.32	0.1192
129	11155	119.18	173.54	890.58	0.1768	179	17051	147.34	323.71	1599.98	0.0837
130	36256	214.85	372.70	1921.02	0.1235	180	21357	164.90	288.58	1625.03	0.1016
131	33671	207.05	696.22	2887.98	0.0507	181	34145	208.51	283.08	1529.29	0.1835
132	55125	264.93	438.41	2594.25	0.1029	182	29077	192.41	324.93	1443.01	0.1755
133	11638	121.73	199.57	1363.32	0.0787	183	28920	191.89	451.36	2415.60	0.0623
134	39270	223.61	404.46	2848.55	0.0608	184	8599	104.63	161.57	690.80	0.2265
135	11427	120.62	199.80	922.96	0.1686	185	12724	127.28	207.83	1022.83	0.1529
136	12900	128.16	231.30	1046.61	0.1480	186	14251	134.70	173.33	756.50	0.3129
137	12100	124.12	189.13	842.77	0.2141	187	36959	216.93	394.48	1731.52	0.1549
138	1895	49.12	109.34	395.50	0.1522	188	25858	181.45	256.21	1300.61	0.1921
139	34780	210.44	346.86	1450.49	0.2078	189	9210	108.29	210.80	942.95	0.1302
140	45099	239.63	341.22	1993.15	0.1427	190	6459	90.68	222.01	796.71	0.1279
141	11286	119.87	154.15	744.77	0.2557	191	8061	101.31	169.44	772.69	0.1697
142	18682	154.23	218.39	1371.48	0.1248	192	6954	94.10	141.38	738.85	0.1601
143	93010	344.13	851.69	6688.71	0.0261	193	30070	195.67	353.81	1937.30	0.1007
144	35574	212.82	306.96	3169.69	0.0445	194	13956	133.30	288.57	1187.77	0.1243
145	13542	131.31	195.06	861.41	0.2294	195	19687	158.32	256.07	966.04	0.2651
146	23520	173.05	259.61	1413.51	0.1480	196	16768	146.12	287.94	1401.75	0.1073
147	6205	88.89	161.09	784.76	0.1266	197	46765	244.02	383.06	2735.54	0.0785
148	7240	96.01	144.92	870.28	0.1201	198	7574	98.20	178.96	729.80	0.1787
149	38214	220.58	379.36	2992.39	0.0536	199	29805	194.80	301.65	1431.88	0.1827
150	51466	255.99	353.35	1824.85	0.1942	200	11602	121.54	262.36	1103.46	0.1198

Table B.10. Size Distribution Data, 45 g/L, Test #2

Floc #	Floc Area (μm²)	Equivalent Diameter (μm)	Longest Dimension (μm)	Perimeter (μm)	Shape Factor	Floc #	Floc Area (μm²)	Equivalent Diameter (μm)	Longest Dimension (μm)	Perimeter (μm)	Shape Factor
1	30233	196.20	355.67	2138.96	0.0830	51	8219	102.30	163.67	672.74	0.2283
2	8451	103.73	139.29	586.70	0.3086	52	19084	155.88	296.85	1806.04	0.0735
3	6278	89.40	143.75	564.45	0.2477	53	37892	219.65	352.02	1490.99	0.2142
4	6432	90.50	121.33	572.58	0.2466	54	36759	216.34	314.26	1960.33	0.1202
5	27175	186.01	344.22	1320.78	0.1958	55	41240	229.15	275.49	1503.55	0.2293
6	60722	278.05	485.35	3834.02	0.0519	56	107159	369.38	607.01	3228.07	0.1292
7	26989	185.37	288.77	1571.14	0.1374	57	30072	195.67	377.32	1771.99	0.1204
8	41471	229.79	365.47	2310.89	0.0976	58	4957	79.44	135.09	559.31	0.1992
9	9079	107.52	188.40	767.89	0.1935	59	16426	144.62	198.43	1044.26	0.1893
10	8949	106.74	173.16	734.10	0.2087	60	8835	106.06	153.40	798.74	0.1740
11	19511	157.61	239.33	930.73	0.2831	61	18574	153.78	226.55	1423.50	0.1152
12	5394	82.87	136.71	469.63	0.3074	62	19621	158.06	220.83	939.67	0.2793
13	8439	103.66	137.06	735.76	0.1959	63	19755	158.60	303.29	1410.21	0.1249
14	12191	124.59	222.12	1121.53	0.1218	64	48139	247.57	408.13	2259.17	0.1185
15	10202	113.97	175.31	747.43	0.2295	65	3152	63.35	101.21	381.92	0.2716
16	13543	131.31	200.69	846.91	0.2373	66	24381	176.19	337.64	1306.66	0.1795
17	61868	280.67	568.86	3323.98	0.0704	67	19969	159.45	313.44	1354.54	0.1368
18	74056	307.07	525.33	3084.91	0.0978	68	33322	205.98	285.59	1240.73	0.2721
19	15479	140.39	206.87	1176.46	0.1406	69	19922	159.26	288.04	1480.93	0.1142
20	32717	204.10	352.44	1881.04	0.1162	70	52403	258.30	425.72	2497.68	0.1056
21	6510	91.04	177.21	615.15	0.2162	71	5327	82.36	128.51	471.58	0.3011
22	11836	122.76	176.85	1091.67	0.1248	72	8110	101.61	146.36	660.74	0.2335
23	16147	143.39	287.50	1446.20	0.0970	73	15571	140.80	210.19	979.82	0.2039
24	35726	213.28	326.35	1483.44	0.2040	74	103034	362.20	625.24	3039.19	0.1402
25	9420	109.52	157.68	1000.49	0.1183	75	56857	269.06	580.67	3211.88	0.0693
26	9492	109.93	149.55	848.16	0.1658	76	11700	122.05	225.30	772.23	0.2466
27	5193	81.31	136.27	532.93	0.2298	77	39912	225.43	336.87	1823.32	0.1509
28	21054	163.73	202.24	954.67	0.2903	78	12799	127.65	169.68	1212.27	0.1095
29	8155	101.90	143.21	715.89	0.2000	79	9991	112.79	156.41	857.15	0.1709
30	4888	78.89	110.72	518.45	0.2286	80	14344	135.14	185.61	762.44	0.3101
31	11623	121.65	188.37	803.68	0.2262	81	28552	190.67	382.71	1811.46	0.1094
32	25848	181.41	266.40	1711.27	0.1109	82	59768	275.86	589.65	3316.62	0.0683
33	42121	231.58	408.73	3192.81	0.0519	83	9794	111.67	140.79	868.48	0.1632
34	10533	115.80	239.93	939.47	0.1500	84	18718	154.38	225.27	1196.18	0.1644
35	19148	156.14	308.64	2098.90	0.0546	85	18617	153.96	231.14	1424.92	0.1152
36	31310	199.66	338.72	1952.03	0.1033	86	16946	146.89	286.34	1515.98	0.0927
37	15988	142.67	246.44	1009.00	0.1974	87	5041	80.12	155.60	539.18	0.2179
38	62994	283.21	526.64	3160.29	0.0793	88	59082	274.27	375.61	2096.40	0.1690
39	9302	108.83	154.60	781.48	0.1914	89	16619	145.46	205.61	860.78	0.2819
40	8648	104.93	186.25	952.65	0.1198	90	15743	141.58	230.12	1229.57	0.1309
41	27775	188.05	407.10	1962.91	0.0906	91	26223	182.72	262.15	1620.87	0.1254
42	11806	122.61	154.31	594.85	0.4194	92	17879	150.88	257.10	905.80	0.2739
43	23531	173.09	291.05	1518.96	0.1282	93	35591	212.88	327.82	1325.70	0.2545
44	72302	303.41	422.82	2460.48	0.1501	94	5691	85.12	140.84	445.00	0.3612
45	40567	227.27	357.78	1531.86	0.2173	95	28122	189.23	262.15	1465.20	0.1646
46	113831	380.70	509.92	3604.64	0.1101	96	10346	114.77	189.49	911.62	0.1565
47	2983	61.63	121.65	526.78	0.1351	97	32201	202.48	265.97	1790.81	0.1262
48	40188	226.21	338.46	2278.01	0.0973	98	96293	350.15	563.20	4493.85	0.0599
49	40802	227.93	368.81	1789.99	0.1600	99	43217	234.58	355.86	2289.15	0.1037
50	12094	124.09	192.72	775.69	0.2526	100	43741	235.99	328.38	1650.62	0.2018

Table B.10. Size Distribution Data, 45 g/L, Test #2 (cont'd)

Floc #	Floc Area (μm²)	Equivalent Diameter (μm)	Longest Dimension (μm)	Perimeter (μm)	Shape Factor	Floc #	Floc Area (μm²)	Equivalent Diameter (μm)	Longest Dimension (μm)	Perimeter (μm)	Shape Factor
101	32478	203.35	372.19	1821.34	0.1230	151	9927	112.43	154.63	586.81	0.3623
102	74793	308.59	416.04	3299.75	0.0863	152	31190	199.28	244.18	1210.19	0.2677
103	5768	85.70	136.78	563.10	0.2286	153	58657	273.28	487.37	3300.75	0.0677
104	6363	90.01	122.62	412.06	0.4709	154	9071	107.47	163.32	602.05	0.3145
105	6544	91.28	126.11	460.04	0.3886	155	8785	105.76	160.15	671.41	0.2449
106	18789	154.67	215.09	1024.37	0.2251	156	17650	149.91	197.61	1139.50	0.1708
107	22265	168.37	294.08	1680.82	0.0991	157	11248	119.67	167.41	569.83	0.4353
108	51707	256.58	384.07	1534.74	0.2759	158	14574	136.22	246.83	1196.86	0.1279
109	157207	447.39	769.19	5347.56	0.0691	159	50394	253.30	359.14	2830.52	0.0791
110	43202	234.54	442.90	2348.67	0.0984	160	36634	215.97	328.29	1780.09	0.1453
111	9323	108.95	204.41	724.59	0.2232	161	12026	123.74	167.83	870.49	0.1995
112	57499	270.57	371.35	2219.21	0.1467	162	60290	277.06	456.66	2823.67	0.0950
113	67116	292.33	524.13	2855.68	0.1034	163	69498	297.47	651.08	3871.76	0.0583
114	34879	210.74	307.12	1910.50	0.1201	164	34765	210.39	296.43	1547.14	0.1825
115	42926	233.78	443.63	2507.86	0.0858	165	49861	251.96	394.19	2347.02	0.1138
116	43374	235.00	314.07	2001.44	0.1361	166	84187	327.40	749.46	4204.33	0.0599
117	8389	103.35	172.59	887.56	0.1338	167	39034	222.93	308.90	2111.93	0.1100
118	15479	140.39	239.65	1202.60	0.1345	168	10119	113.51	185.04	701.75	0.2582
119	11961	123.41	158.19	723.59	0.2871	169	6964	94.17	135.13	705.70	0.1757
120	30682	197.65	364.32	2135.23	0.0846	170	10756	117.03	175.62	1024.55	0.1288
121	31198	199.31	309.67	2031.78	0.0950	171	10888	117.74	172.83	755.63	0.2397
122	34711	210.23	291.49	1568.19	0.1774	172	37544	218.64	305.09	1529.20	0.2018
123	6944	94.03	140.93	538.91	0.3005	173	38320	220.89	348.84	1745.46	0.1581
124	23782	174.01	249.51	1436.78	0.1448	174	137300	418.11	554.16	4213.06	0.0972
125	17716	150.19	271.60	1581.49	0.0890	175	18067	151.67	260.42	1080.96	0.1943
126	14708	136.85	225.31	860.53	0.2496	176	23726	173.81	227.21	1571.07	0.1208
127	27905	188.49	246.97	1267.10	0.2184	177	15302	139.58	230.72	1288.95	0.1158
128	57609	270.83	464.99	2004.13	0.1803	178	8691	105.19	156.37	1015.17	0.1060
129	56436	268.06	448.53	2232.91	0.1423	179	17468	149.13	221.81	951.57	0.2424
130	61967	280.89	433.81	2875.21	0.0942	180	74777	308.56	487.35	4135.56	0.0550
131	26881	185.00	276.76	1329.33	0.1912	181	28730	191.26	414.25	2082.52	0.0833
132	52428	258.37	319.95	1750.73	0.2150	182	17200	147.99	183.28	975.21	0.2273
133	19668	158.25	217.38	1017.70	0.2387	183	6982	94.29	173.47	809.30	0.1340
134	48654	248.89	346.31	1795.52	0.1897	184	72591	304.02	553.45	3355.44	0.0810
135	22126	167.84	231.37	1489.80	0.1253	185	9941	112.51	164.18	650.54	0.2952
136	67377	292.89	500.52	2300.35	0.1600	186	37338	218.04	382.55	2043.58	0.1124
137	15272	139.44	236.09	1198.54	0.1336	187	57603	270.82	514.22	2337.30	0.1325
138	13012	128.71	217.69	1072.57	0.1421	188	28456	190.35	280.14	1304.37	0.2102
139	14881	137.65	194.36	1228.94	0.1238	189	21805	166.62	210.79	912.31	0.3293
140	8881	106.34	155.92	689.48	0.2348	190	23921	174.52	280.14	1314.17	0.1741
141	6179	88.70	146.25	515.45	0.2923	191	77326	313.77	412.53	2175.26	0.2054
142	15716	141.46	185.25	693.47	0.4107	192	24575	176.89	228.57	1017.94	0.2981
143	10783	117.17	189.01	761.44	0.2337	193	59140	274.41	366.27	2265.26	0.1448
144	7267	96.19	161.20	652.18	0.2147	194	101775	359.98	550.66	3557.43	0.1011
145	13661	131.89	195.16	898.78	0.2126	195	26710	184.41	236.47	1249.86	0.2149
146	16784	146.18	288.64	1399.84	0.1077	196	73379	305.66	417.64	2333.20	0.1694
147	28331	189.93	283.18	2150.16	0.0770	197	44265	237.40	303.53	2395.69	0.0969
148	31868	201.43	295.77	1581.29	0.1602	198	44265	237.40	303.53	2395.69	0.0969
149	28052	188.99	243.43	1488.24	0.1592	199	23115	171.56	277.09	1456.45	0.1370
150	10824	117.40	191.23	1069.89	0.1189	200	52466	258.46	369.89	2466.43	0.1084

Table B.11 Size Distribution Data, 0 minutes, Time Response Test

Floc #	Floc Area (μm²)	Equivalent Diameter (μm)	Longest Dimension (μm)	Perimeter (μm)	Shape Factor	Floc #	Floc Area (μm²)	Equivalent Diameter (μm)	Longest Dimension (μm)	Perimeter (μm)	Shape Factor
1	11657	121.83	199.79	1191.66	0.1032	51	10435	115.27	217.28	727.73	0.2477
2	20091	159.94	413.05	1899.75	0.0700	52	7958	100.66	170.21	694.51	0.2074
3	24231	175.65	225.57	1425.83	0.1498	53	8805	105.88	208.47	671.99	0.2450
4	7158	95.47	166.13	664.90	0.2035	54	14300	134.93	260.30	1270.96	0.1113
5	8493	103.99	148.05	575.43	0.3224	55	4891	78.91	162.20	456.54	0.2949
6	7722	99.16	152.50	657.15	0.2247	56	11729	122.21	210.87	1195.41	0.1032
7	5152	80.99	138.13	540.64	0.2216	57	4399	74.84	101.20	468.14	0.2523
8	8379	103.29	176.75	995.16	0.1063	58	4098	72.24	151.68	501.42	0.2049
9	3704	68.67	147.19	645.70	0.1116	59	6366	90.03	122.40	459.97	0.3782
10	7385	96.97	201.92	756.07	0.1624	60	10161	113.75	253.07	993.39	0.1294
11	18216	152.29	218.65	1257.92	0.1447	61	6261	89.29	144.70	500.66	0.3139
12	4660	77.03	123.82	437.45	0.3061	62	5873	86.47	119.95	536.93	0.2560
13	14815	137.34	180.79	906.90	0.2264	63	8458	103.77	170.54	689.46	0.2236
14	6553	91.34	120.69	463.28	0.3838	64	2152	52.35	74.21	267.96	0.3767
15	6413	90.36	168.87	836.43	0.1152	65	4884	78.86	131.67	454.00	0.2978
16	8010	100.99	132.79	488.31	0.4221	66	7652	98.71	197.21	668.00	0.2155
17	13960	133.32	162.40	733.80	0.3259	67	10446	115.33	174.71	929.98	0.1518
18	6644	91.97	164.11	734.55	0.1547	68	6527	91.16	130.58	553.79	0.2675
19	4933	79.25	100.48	471.37	0.2790	69	14448	135.63	178.25	1122.75	0.1440
20	6790	92.98	121.62	535.54	0.2975	70	4441	75.19	122.08	403.48	0.3429
21	17715	150.18	258.79	1286.55	0.1345	71	13961	133.33	175.12	800.12	0.2741
22	15527	140.61	256.82	1383.21	0.1020	72	11235	119.60	170.73	783.75	0.2299
23	15857	142.09	185.64	911.48	0.2399	73	5007	79.85	139.17	595.83	0.1773
24	2239	53.39	75.35	423.58	0.1568	74	10716	116.81	198.99	936.12	0.1537
25	12076	124.00	153.41	640.98	0.3694	75	2319	54.33	83.35	465.14	0.1347
26	13871	132.90	225.36	1200.02	0.1211	76	10225	114.10	189.12	651.05	0.3032
27	12825	127.79	260.52	1120.98	0.1283	77	5455	83.34	107.46	362.72	0.5211
28	7412	97.15	177.32	868.52	0.1235	78	5435	83.19	112.06	418.57	0.3899
29	7254	96.10	137.73	571.81	0.2788	79	5777	85.76	149.98	470.92	0.3274
30	14003	133.53	234.21	974.87	0.1852	80	3780	69.38	110.70	516.71	0.1779
31	9852	112.00	198.97	1033.42	0.1160	81	5173	81.15	122.03	486.75	0.2744
32	9553	110.29	164.10	671.75	0.2661	82	10198	113.95	175.42	864.44	0.1715
33	10476	115.49	138.64	741.50	0.2395	83	15116	138.73	217.09	1137.10	0.1469
34	3021	62.02	102.02	260.27	0.5605	84	12848	127.90	209.23	714.85	0.3160
35	15285	139.50	312.34	1329.28	0.1087	85	7406	97.11	141.99	639.65	0.2275
36	13516	131.18	258.71	888.20	0.2153	86	8051	101.25	171.64	704.78	0.2037
37	9252	108.53	178.42	980.45	0.1210	87	3954	70.95	112.49	397.79	0.3140
38	7515	97.82	165.01	615.08	0.2497	88	4963	79.49	115.66	419.02	0.3553
39	12854	127.93	184.66	1094.49	0.1349	89	3103	62.85	84.55	428.13	0.2128
40	17649	149.90	245.12	1348.52	0.1220	90	8044	101.20	129.98	634.97	0.2508
41	8019	101.05	163.11	807.64	0.1545	91	6332	89.79	129.83	560.59	0.2532
42	4715	77.48	103.01	478.65	0.2587	92	9555	110.30	174.94	835.85	0.1719
43	4097	72.22	118.06	413.74	0.3008	93	15318	139.66	242.72	1061.36	0.1709
44	7511	97.79	161.86	583.76	0.2770	94	7262	96.16	177.17	746.94	0.1636
45	7625	98.53	220.10	755.94	0.1677	95	2907	60.84	103.25	308.10	0.3849
46	10490	115.57	179.98	811.49	0.2002	96	4240	73.47	140.50	546.06	0.1787
47	8577	104.50	168.61	522.33	0.3951	97	17708	150.15	276.33	1568.76	0.0904
48	5051	80.20	154.71	506.80	0.2472	98	4285	73.86	120.31	389.34	0.3552
49	4435	75.15	105.94	401.99	0.3450	99	3660	68.27	93.00	416.43	0.2653
50	5192	81.30	131.95	543.54	0.2209	100	11223	119.54	166.66	907.02	0.1715

Table B.11. Size Distribution Data, 0 minutes, Time Response Test (cont'd)

Floc #	Floc Area (μm²)	Equivalent Diameter (μm)	Longest Dimension (μm)	Perimeter (μm)	Shape Factor	Floc #	Floc Area (μm²)	Equivalent Diameter (μm)	Longest Dimension (μm)	Perimeter (μm)	Shape Factor
101	10201	113.97	153.54	789.81	0.2055	151	9417	109.50	137.41	590.81	0.3391
102	6726	92.54	183.31	658.97	0.1947	152	2929	61.07	81.23	294.98	0.4230
103	8125	101.71	172.88	799.06	0.1599	153	6493	90.92	199.65	770.79	0.1373
104	11908	123.13	190.09	884.18	0.1914	154	6429	90.47	114.23	532.22	0.2852
105	13073	129.02	253.71	1348.61	0.0903	155	3950	70.91	114.78	464.59	0.2300
106	5987	87.31	120.08	471.05	0.3391	156	4744	77.72	112.75	473.38	0.2661
107	12003	123.62	281.87	1390.66	0.0780	157	7951	100.62	170.70	755.44	0.1751
108	53691	261.46	427.18	2739.87	0.0899	158	7238	96.00	151.40	625.98	0.2321
109	9410	109.46	189.70	760.49	0.2045	159	9614	110.64	172.74	812.13	0.1832
110	12414	125.72	219.19	1148.70	0.1183	160	5085	80.46	99.82	461.62	0.2999
111	42243	231.92	344.93	1882.09	0.1499	161	7805	99.69	137.29	676.47	0.2144
112	4572	76.29	133.40	506.37	0.2241	162	16774	146.14	290.89	1529.78	0.0901
113	5142	80.92	125.75	567.93	0.2004	163	8179	102.05	148.39	602.78	0.2829
114	6664	92.11	148.08	729.84	0.1572	164	10065	113.20	177.40	649.20	0.3001
115	2365	54.88	135.58	420.32	0.1683	165	5251	81.77	117.08	499.62	0.2644
116	2634	57.92	92.76	292.00	0.3883	166	8897	106.44	147.12	463.38	0.5208
117	4939	79.30	114.36	677.45	0.1353	167	10448	115.34	218.49	885.34	0.1675
118	11720	122.16	197.51	720.90	0.2835	168	6336	89.82	154.32	687.24	0.1686
119	7125	95.25	185.16	797.75	0.1407	169	3330	65.12	98.40	492.86	0.1723
120	5899	86.66	132.19	736.96	0.1365	170	9181	108.12	149.85	707.51	0.2305
121	4625	76.74	135.14	626.25	0.1482	171	9189	108.17	161.20	621.30	0.2992
122	3752	69.12	128.56	438.02	0.2458	172	2668	58.28	82.22	360.42	0.2581
123	5456	83.34	150.75	573.51	0.2085	173	4430	75.10	117.67	514.34	0.2105
124	18505	153.50	233.74	1131.79	0.1816	174	10400	115.07	151.00	637.44	0.3217
125	5635	84.70	120.43	396.20	0.4512	175	5537	83.96	128.42	591.34	0.1990
126	6145	88.46	125.37	456.69	0.3703	176	2737	59.03	82.55	351.48	0.2784
127	17443	149.03	294.13	1117.38	0.1756	177	8620	104.77	226.55	1015.91	0.1050
128	36953	216.91	499.27	3045.37	0.0501	178	4712	77.45	127.93	537.63	0.2049
129	5728	85.40	107.23	469.28	0.3269	179	6452	90.63	184.24	792.77	0.1290
130	8243	102.45	147.70	717.72	0.2011	180	4941	79.32	157.21	688.02	0.1312
131	20045	159.75	325.74	1934.82	0.0673	181	13221	129.74	270.11	1094.21	0.1388
132	5365	82.65	110.93	548.56	0.2241	182	15327	139.70	254.22	1349.87	0.1057
133	4154	72.72	109.62	541.24	0.1782	183	4818	78.32	126.18	449.40	0.2998
134	7945	100.58	156.67	717.84	0.1938	184	3721	68.83	118.13	524.37	0.1701
135	8146	101.84	125.77	583.91	0.3003	185	5677	85.02	135.64	720.04	0.1376
136	14882	137.65	194.46	1087.34	0.1582	186	18464	153.33	230.95	1444.12	0.1113
137	4080	72.08	100.25	342.66	0.4368	187	10420	115.18	140.28	689.48	0.2755
138	3166	63.49	134.27	607.35	0.1079	188	5467	83.43	93.49	410.22	0.4083
139	7581	98.24	143.11	533.04	0.3353	189	4102	72.27	131.38	595.78	0.1452
140	5972	87.20	143.16	606.27	0.2042	190	14855	137.53	213.36	802.96	0.2896
141	8650	104.95	157.86	844.79	0.1523	191	9607	110.60	201.17	1141.88	0.0926
142	10589	116.11	194.76	927.57	0.1547	192	4315	74.12	109.61	449.59	0.2683
143	7142	95.36	154.92	700.31	0.1830	193	4865	78.70	127.09	681.89	0.1315
144	4920	79.14	104.51	450.40	0.3048	194	4277	73.80	97.44	422.59	0.3010
145	26984	185.36	421.75	2175.67	0.0716	195	6293	89.51	146.10	689.29	0.1665
146	9249	108.52	157.31	663.85	0.2638	196	10176	113.82	149.25	661.29	0.2925
147	11167	119.24	169.69	685.79	0.2984	197	15240	139.30	180.89	969.77	0.2037
148	3017	61.98	89.37	255.27	0.5818	198	16896	146.67	219.95	1216.69	0.1435
149	2058	51.19	83.35	357.48	0.2024	199	13869	132.88	181.48	886.79	0.2217
150	3830	69.83	94.91	291.33	0.5672	200	14847	137.49	182.33	950.52	0.2065

Table B.12. Size Distribution Data, 1 minute, Time Response Test

Floc #	Floc Area (μm ²)	Equivalent Diameter (μm)	Longest Dimension (μm)	Perimeter (μm)	Shape Factor	Floc #	Floc Area (μm ²)	Equivalent Diameter (μm)	Longest Dimension (μm)	Perimeter (μm)	Shape Factor
1	12393	125.62	174.61	828.00	0.2272	51	10923	117.93	167.91	756.38	0.2399
2	4404	74.88	141.97	614.54	0.1466	52	2812	59.83	101.47	366.02	0.2638
3	7788	99.58	203.52	952.01	0.1080	53	6777	92.89	146.30	563.58	0.2682
4	9427	109.55	176.36	974.32	0.1248	54	6204	88.88	117.65	516.17	0.2927
5	6645	91.98	174.56	672.46	0.1847	55	8990	106.99	204.40	583.53	0.3318
6	4651	76.95	164.03	493.66	0.2399	56	4242	73.49	109.80	434.25	0.2827
7	8467	103.83	143.80	703.36	0.2151	57	2993	61.73	75.85	333.57	0.3381
8	4688	77.26	128.55	545.33	0.1981	58	3277	64.60	146.02	529.80	0.1468
9	7713	99.10	144.60	711.34	0.1916	59	3493	66.69	99.79	404.20	0.2687
10	2598	57.51	89.93	332.33	0.2957	60	4703	77.38	127.17	470.87	0.2666
11	6219	88.98	109.55	627.86	0.1983	61	10476	115.49	215.59	953.21	0.1449
12	4232	73.41	131.96	486.87	0.2244	62	6725	92.53	168.56	741.89	0.1536
13	3047	62.29	90.52	411.51	0.2262	63	5019	79.94	111.80	362.53	0.4800
14	3285	64.67	132.67	498.68	0.1660	64	8539	104.27	145.60	574.31	0.3254
15	4350	74.42	125.91	506.61	0.2130	65	2432	55.65	96.33	385.69	0.2055
16	9637	110.77	158.34	775.17	0.2016	66	5029	80.02	127.21	398.55	0.3979
17	6634	91.91	140.49	589.71	0.2398	67	5455	83.34	111.64	396.12	0.4370
18	7423	97.22	146.43	848.15	0.1297	68	5380	82.77	153.70	839.59	0.0959
19	5893	86.62	105.75	469.03	0.3367	69	5214	81.48	122.52	663.70	0.1488
20	13329	130.27	241.15	1061.45	0.1487	70	19439	157.32	216.98	1136.92	0.1890
21	9432	109.59	185.69	908.60	0.1436	71	1140	38.10	86.89	255.17	0.2201
22	3414	65.93	100.57	509.14	0.1655	72	4803	78.20	115.42	435.70	0.3180
23	4466	75.41	101.86	452.35	0.2743	73	2826	59.99	103.22	392.14	0.2310
24	11945	123.32	210.98	924.55	0.1756	74	15508	140.52	224.11	1033.78	0.1824
25	5035	80.07	118.38	535.73	0.2205	75	2017	50.68	69.63	274.89	0.3355
26	1329	41.13	68.59	264.58	0.2386	76	4886	78.87	164.90	466.52	0.2822
27	5261	81.85	117.82	566.32	0.2062	77	12185	124.56	196.38	899.29	0.1894
28	18491	153.44	307.39	1181.55	0.1665	78	8533	104.23	176.47	744.82	0.1933
29	11133	119.06	186.49	921.30	0.1648	79	8875	106.30	152.58	667.72	0.2502
30	3030	62.12	88.01	313.28	0.3881	80	2294	54.04	100.96	334.99	0.2569
31	3351	65.32	89.45	359.20	0.3265	81	3751	69.10	152.90	547.19	0.1574
32	4107	72.31	102.01	427.42	0.2825	82	7637	98.61	176.51	832.14	0.1386
33	4215	73.26	116.56	496.36	0.2150	83	4870	78.74	127.61	496.18	0.2486
34	6068	87.90	155.05	625.04	0.1952	84	3065	62.47	108.67	354.44	0.3067
35	4037	71.70	111.49	407.13	0.3061	85	5650	84.82	132.51	540.10	0.2434
36	2368	54.90	88.19	360.91	0.2285	86	6094	88.09	121.37	674.84	0.1682
37	4389	74.75	140.04	606.13	0.1501	87	16889	146.64	266.94	1410.59	0.1067
38	3542	67.15	116.49	451.33	0.2185	88	9238	108.45	226.36	1118.45	0.0928
39	38769	222.18	285.53	1760.04	0.1573	89	6399	90.26	197.54	801.10	0.1253
40	13433	130.78	282.01	1330.47	0.0954	90	3108	62.91	94.57	362.00	0.2981
41	9219	108.34	195.73	747.97	0.2071	91	4181	72.96	124.97	418.22	0.3004
42	4014	71.49	95.30	492.81	0.2077	92	2231	53.30	83.70	278.67	0.3611
43	6945	94.04	184.38	796.66	0.1375	93	5112	80.67	118.83	524.18	0.2338
44	43669	235.80	333.26	1504.97	0.2423	94	6398	90.25	151.26	755.49	0.1409
45	2275	53.83	115.53	391.13	0.1869	95	5402	82.93	124.81	648.45	0.1615
46	15258	139.38	238.22	1058.29	0.1712	96	4025	71.58	124.88	424.37	0.2809
47	4470	75.44	167.90	766.95	0.0955	97	4144	72.64	120.39	455.15	0.2514
48	17422	148.94	225.74	1185.54	0.1558	98	3379	65.59	88.84	291.51	0.4998
49	3998	71.35	104.43	398.79	0.3159	99	15008	138.24	222.79	1404.65	0.0956
50	7861	100.05	153.22	684.86	0.2106	100	5681	85.05	178.19	611.49	0.1909

Table B.12. Size Distribution Data, 1 minute, Time Response Test (cont'd)

Floc #	Floc Area (µm²)	Equivalent Diameter (µm)	Longest Dimension (µm)	Perimeter (µm)	Shape Factor	Floc #	Floc Area (µm²)	Equivalent Diameter (µm)	Longest Dimension (µm)	Perimeter (µm)	Shape Factor
101	2426	55.58	76.25	322.76	0.2927	151	5366	82.66	123.47	682.44	0.1448
102	8876	106.31	161.49	860.58	0.1506	152	5057	80.24	121.89	575.93	0.1916
103	4971	79.56	105.54	481.81	0.2691	153	6861	93.46	155.08	616.48	0.2269
104	3857	70.08	106.23	432.17	0.2596	154	3664	68.31	114.53	390.12	0.3026
105	4137	72.58	118.94	549.18	0.1724	155	3787	69.44	99.28	450.34	0.2347
106	12593	126.62	215.10	940.87	0.1788	156	6423	90.44	155.44	584.56	0.2362
107	5236	81.65	161.83	565.98	0.2055	157	8202	102.19	154.51	644.93	0.2478
108	4924	79.18	135.44	518.44	0.2303	158	8883	106.35	131.96	620.21	0.2903
109	5371	82.70	139.55	510.78	0.2587	159	17216	148.06	193.43	885.12	0.2762
110	2610	57.64	138.85	398.33	0.2067	160	8279	102.67	157.55	846.97	0.1451
111	15147	138.87	255.06	1245.97	0.1226	161	6979	94.27	150.23	524.78	0.3185
112	2899	60.75	94.53	546.49	0.1220	162	5715	85.30	149.23	699.08	0.1470
113	2171	52.58	112.39	326.56	0.2559	163	10228	114.12	181.23	1019.64	0.1236
114	4742	77.70	114.91	394.88	0.3822	164	3555	67.28	98.59	376.08	0.3159
115	3389	65.69	118.57	366.21	0.3176	165	9304	108.84	160.23	805.56	0.1802
116	5807	85.98	152.08	735.08	0.1351	166	9695	111.11	158.95	895.63	0.1519
117	3335	65.16	120.31	375.85	0.2967	167	6996	94.38	138.63	508.42	0.3402
118	18096	151.79	334.70	2051.42	0.0540	168	5887	86.58	160.65	607.99	0.2002
119	9252	108.53	169.16	884.76	0.1485	169	8645	104.92	141.43	482.31	0.4671
120	5574	84.25	113.29	483.00	0.3003	170	6279	89.41	138.38	499.85	0.3159
121	6393	90.22	234.85	779.14	0.1324	171	2900	60.77	107.68	431.04	0.1962
122	2655	58.14	115.13	460.00	0.1577	172	13329	130.27	171.25	852.73	0.2304
123	1937	49.66	105.68	395.84	0.1554	173	6882	93.60	144.44	558.91	0.2769
124	3380	65.60	111.76	381.95	0.2912	174	9417	109.50	148.09	702.17	0.2401
125	8272	102.62	188.82	984.49	0.1073	175	10068	113.22	175.17	986.74	0.1300
126	22739	170.15	387.02	1536.60	0.1210	176	14687	136.75	208.30	825.83	0.2707
127	2617	57.73	67.21	239.92	0.5715	177	6016	87.52	144.71	661.83	0.1726
128	2837	60.11	90.73	277.79	0.4621	178	4365	74.55	96.37	354.60	0.4363
129	4902	79.00	97.23	405.73	0.3742	179	3427	66.05	124.69	368.24	0.3176
130	6901	93.74	124.22	596.17	0.2440	180	4863	78.68	117.73	561.19	0.1941
131	6885	93.63	165.85	729.83	0.1625	181	10963	118.15	232.30	1126.30	0.1086
132	4101	72.26	161.20	492.52	0.2125	182	14322	135.04	267.85	1205.88	0.1238
133	5366	82.66	119.09	528.22	0.2417	183	11901	123.09	227.96	1184.71	0.1066
134	5944	87.00	122.69	703.23	0.1511	184	15069	138.51	192.25	1194.46	0.1327
135	4081	72.08	103.16	475.78	0.2266	185	9595	110.53	249.41	1355.30	0.0657
136	4972	79.57	138.64	535.91	0.2176	186	8290	102.74	158.52	843.25	0.1465
137	8153	101.89	146.70	723.34	0.1959	187	2969	61.48	87.33	285.28	0.4585
138	37424	218.29	286.26	1636.51	0.1756	188	14391	135.36	164.30	1147.92	0.1373
139	8488	103.96	255.76	936.19	0.1217	189	11352	120.23	154.48	833.27	0.2055
140	33590	206.80	297.70	1585.95	0.1679	190	4562	76.21	124.68	405.56	0.3485
141	6372	90.07	123.14	471.64	0.3600	191	8733	105.45	174.91	728.94	0.2066
142	4103	72.28	105.40	389.21	0.3404	192	8921	106.58	224.20	1081.63	0.0958
143	3796	69.52	109.05	613.50	0.1267	193	7973	100.75	155.41	650.01	0.2372
144	2247	53.49	117.70	313.35	0.2876	194	4875	78.78	115.56	531.38	0.2170
145	2292	54.02	71.29	261.84	0.4201	195	9911	112.33	141.23	571.51	0.3814
146	4137	72.58	115.62	475.73	0.2297	196	12176	124.51	202.52	869.65	0.2023
147	3920	70.64	124.65	519.03	0.1829	197	9213	108.30	195.51	812.35	0.1754
148	2603	57.57	72.25	294.08	0.3782	198	2546	56.93	98.70	414.55	0.1862
149	3370	65.51	118.77	341.08	0.3641	199	11338	120.15	154.82	765.05	0.2435
150	8678	105.12	171.14	702.87	0.2208	200	4514	75.81	121.94	514.49	0.2143

Table B.13 Size Distribution Data, 5 minutes, Time Response Test

Floc #	Floc Area (µm²)	Equivalent Diameter (µm)	Longest Dimension (µm)	Perimeter (µm)	Shape Factor	Floc #	Floc Area (µm²)	Equivalent Diameter (µm)	Longest Dimension (µm)	Perimeter (µm)	Shape Factor
1	19974	159.47	238.42	1068.37	0.2199	51	43654	235.76	395.99	2447.23	0.0916
2	13924	133.15	204.93	857.71	0.2379	52	36564	215.76	404.68	2114.30	0.1028
3	4130	72.51	105.84	589.28	0.1495	53	48206	247.75	602.46	3505.65	0.0493
4	2248	53.50	95.48	370.78	0.2055	54	44573	238.23	452.32	2618.18	0.0817
5	22308	168.53	273.99	1313.54	0.1625	55	7514	97.81	155.42	622.36	0.2438
6	8530	104.21	171.49	720.78	0.2064	56	6001	87.41	176.84	716.36	0.1470
7	11230	119.58	150.01	846.78	0.1968	57	1816	48.09	63.90	200.25	0.5693
8	30668	197.60	281.98	1372.29	0.2047	58	2686	58.48	89.09	395.64	0.2157
9	4839	78.49	127.79	490.79	0.2525	59	18395	153.04	224.64	1350.90	0.1267
10	28830	191.59	316.62	2090.87	0.0829	60	9590	110.50	190.25	842.00	0.1700
11	22510	169.29	244.71	1217.09	0.1910	61	9561	110.33	157.79	740.82	0.2190
12	17604	149.71	329.12	1755.12	0.0718	62	15037	138.37	256.19	1059.86	0.1682
13	34267	208.88	372.60	1803.62	0.1324	63	19234	156.49	200.06	1018.94	0.2328
14	18648	154.09	443.14	1728.65	0.0784	64	41083	228.71	332.32	2045.51	0.1234
15	21286	164.63	312.99	1343.16	0.1483	65	3291	64.73	88.65	392.04	0.2691
16	3056	62.37	107.77	368.84	0.2823	66	18255	152.46	200.37	1187.66	0.1627
17	13969	133.37	197.46	936.21	0.2003	67	12322	125.26	169.19	913.97	0.1854
18	13543	131.32	252.82	980.32	0.1771	68	9657	110.88	176.27	745.20	0.2185
19	3905	70.51	110.97	433.09	0.2616	69	3782	69.39	116.25	664.37	0.1077
20	5040	80.10	129.80	442.64	0.3233	70	11139	119.09	176.83	840.49	0.1982
21	36701	216.17	382.78	1757.13	0.1494	71	7221	95.88	121.25	466.78	0.4165
22	5132	80.83	123.75	496.60	0.2615	72	22936	170.89	223.38	1091.60	0.2419
23	9663	110.92	179.41	987.11	0.1246	73	18090	151.76	209.41	1378.97	0.1196
24	15275	139.46	204.64	788.47	0.3088	74	11715	122.13	220.45	1035.31	0.1374
25	14210	134.51	254.53	1368.08	0.0954	75	4963	79.50	124.02	598.90	0.1739
26	4749	77.76	135.50	726.22	0.1132	76	10974	118.21	196.87	1079.01	0.1185
27	34890	210.77	412.84	1719.57	0.1483	77	10986	118.27	162.05	785.83	0.2236
28	4157	72.75	118.35	489.44	0.2181	78	36705	216.18	372.01	1949.08	0.1214
29	6572	91.48	166.78	710.23	0.1637	79	27390	186.75	223.67	1395.80	0.1767
30	11932	123.26	193.19	691.60	0.3135	80	6486	90.88	115.35	466.12	0.3752
31	5423	83.09	206.48	783.40	0.1111	81	15580	140.85	179.85	1064.46	0.1728
32	5752	85.58	133.93	647.15	0.1726	82	25190	179.09	297.58	1462.23	0.1481
33	6179	88.70	136.39	529.01	0.2775	83	45411	240.46	498.00	2675.39	0.0797
34	48105	247.49	346.26	1964.51	0.1567	84	40898	228.20	406.32	2021.59	0.1258
35	6016	87.52	132.15	687.00	0.1602	85	9588	110.49	189.38	916.18	0.1436
36	25530	180.29	375.88	1970.43	0.0826	86	18860	154.96	205.45	831.98	0.3424
37	10152	113.69	207.48	882.89	0.1637	87	36700	216.17	328.90	2538.90	0.0716
38	8044	101.20	128.18	679.44	0.2190	88	8722	105.38	169.37	618.00	0.2870
39	6155	88.53	141.72	541.93	0.2634	89	4152	72.71	129.41	671.23	0.1158
40	21827	166.71	239.78	1579.51	0.1100	90	6324	89.73	137.97	605.54	0.2167
41	11510	121.06	223.46	936.77	0.1649	91	12132	124.28	159.29	592.46	0.4344
42	2753	59.20	109.35	413.59	0.2022	92	15664	141.22	205.81	1012.35	0.1921
43	6860	93.46	108.38	427.77	0.4711	93	13893	133.00	186.30	1175.29	0.1264
44	9880	112.16	176.46	710.92	0.2457	94	7678	98.87	175.59	872.19	0.1268
45	9583	110.46	166.31	742.03	0.2188	95	20931	163.25	326.04	1314.40	0.1523
46	8088	101.48	192.86	822.50	0.1503	96	33371	206.13	340.79	1591.70	0.1656
47	17497	149.26	265.94	1452.92	0.1042	97	7538	97.97	128.30	624.51	0.2429
48	18291	152.61	272.43	1447.81	0.1097	98	6989	94.33	155.92	498.35	0.3537
49	7774	99.49	145.72	541.93	0.3327	99	7325	96.57	157.39	634.87	0.2284
50	40877	228.14	381.27	2739.32	0.0685	100	5407	82.98	162.27	866.63	0.0905

Table B.13. Size Distribution Data, 5 minutes, Time Response Test (cont'd)

Floc #	Floc Area (µm²)	Equivalent Diameter (µm)	Longest Dimension (µm)	Perimeter (µm)	Shape Factor	Floc #	Floc Area (µm²)	Equivalent Diameter (µm)	Longest Dimension (µm)	Perimeter (µm)	Shape Factor
101	35670	213.11	528.57	2523.18	0.0704	151	11365	120.29	187.89	875.69	0.1863
102	16830	146.39	245.78	1117.90	0.1693	152	20753	162.55	273.25	1437.67	0.1262
103	33900	207.76	427.61	2493.21	0.0685	153	49993	252.30	378.63	2613.18	0.0920
104	19136	156.09	327.17	1723.76	0.0809	154	11690	122.00	184.62	901.77	0.1807
105	10716	116.81	171.34	727.98	0.2542	155	9203	108.25	182.77	855.56	0.1580
106	9710	111.19	147.82	654.10	0.2853	156	21730	166.33	303.66	1528.85	0.1168
107	11164	119.23	206.15	917.67	0.1666	157	16833	146.40	220.69	1005.89	0.2091
108	13959	133.32	175.63	873.22	0.2301	158	6212	88.93	163.51	572.62	0.2381
109	6309	89.63	102.67	612.86	0.2111	159	15634	141.09	220.18	1055.11	0.1765
110	4159	72.77	89.94	442.75	0.2667	160	14572	136.21	179.04	800.16	0.2860
111	7354	96.77	153.82	626.62	0.2354	161	23873	174.35	306.13	1928.79	0.0806
112	9985	112.75	171.94	796.95	0.1976	162	7075	94.91	151.13	738.67	0.1630
113	25680	180.82	267.87	1913.09	0.0882	163	5359	82.60	118.73	455.52	0.3246
114	7994	100.89	139.83	585.90	0.2927	164	9186	108.15	154.48	768.72	0.1954
115	15253	139.36	255.24	1029.79	0.1808	165	7554	98.07	127.55	722.27	0.1820
116	5641	84.75	114.77	427.95	0.3871	166	22755	170.21	293.21	1610.17	0.1103
117	4991	79.72	112.85	493.41	0.2577	167	19061	155.78	242.93	1049.89	0.2173
118	8456	103.76	221.75	924.11	0.1245	168	5827	86.13	159.12	861.48	0.0987
119	9288	108.75	177.32	1025.54	0.1110	169	6201	88.86	122.27	658.53	0.1797
120	17138	147.72	254.75	1125.59	0.1700	170	7309	96.47	159.68	539.95	0.3151
121	11966	123.43	177.22	739.23	0.2752	171	4454	75.30	111.92	582.32	0.1651
122	6682	92.24	132.37	564.76	0.2633	172	3296	64.78	108.22	386.14	0.2778
123	7244	96.04	126.23	580.07	0.2706	173	8909	106.50	238.83	867.96	0.1486
124	5922	86.83	151.76	561.43	0.2362	174	11298	119.94	160.44	886.17	0.1808
125	25170	179.02	270.50	1482.52	0.1439	175	14987	138.14	206.55	1341.36	0.1047
126	7890	100.23	159.59	736.97	0.1826	176	9734	111.33	146.66	708.29	0.2439
127	10404	115.09	201.90	803.47	0.2025	177	48546	248.62	382.97	1746.50	0.2000
128	16427	144.62	200.06	1014.99	0.2004	178	18146	152.00	259.48	1422.81	0.1127
129	17019	147.20	232.74	1070.84	0.1865	179	8547	104.32	179.69	803.43	0.1664
130	12940	128.36	242.01	1134.80	0.1263	180	10206	114.00	191.13	941.34	0.1448
131	2506	56.48	116.66	352.85	0.2529	181	9613	110.63	215.11	880.10	0.1560
132	4680	77.19	135.39	513.27	0.2232	182	6954	94.10	167.06	1086.84	0.0740
133	14960	138.02	203.68	813.61	0.2841	183	20276	160.68	234.96	1255.99	0.1616
134	29492	193.78	300.09	1862.94	0.1068	184	10741	116.94	193.97	887.12	0.1715
135	8418	103.53	157.25	933.89	0.1213	185	17722	150.21	245.58	1292.92	0.1332
136	17686	150.06	219.38	1133.73	0.1729	186	30665	197.60	271.44	1572.91	0.1558
137	5529	83.90	157.08	544.75	0.2342	187	7678	98.87	170.56	730.05	0.1811
138	6249	89.20	180.96	939.62	0.0890	188	6757	92.75	124.67	541.96	0.2891
139	25335	179.60	226.67	1344.85	0.1761	189	6311	89.64	147.45	569.69	0.2444
140	14793	137.24	241.48	1633.35	0.0697	190	6919	93.86	150.20	556.61	0.2807
141	13010	128.70	217.74	1506.74	0.0720	191	11617	121.62	177.42	677.70	0.3179
142	22856	170.59	232.25	1341.38	0.1596	192	31797	201.21	408.26	2183.95	0.0838
143	23580	173.27	315.28	1798.63	0.0916	193	9765	111.50	231.50	1206.07	0.0844
144	9080	107.52	143.43	599.23	0.3178	194	11607	121.57	164.69	607.72	0.3950
145	6862	93.47	152.74	546.20	0.2891	195	19586	157.92	250.54	1457.22	0.1159
146	13862	132.85	188.86	999.25	0.1745	196	46880	244.31	385.05	2055.98	0.1394
147	4653	76.97	119.43	470.27	0.2644	197	5597	84.42	133.17	616.56	0.1850
148	14994	138.17	205.60	651.04	0.4446	198	14729	136.94	237.09	1183.52	0.1322
149	6458	90.68	129.11	535.57	0.2830	199	8234	102.39	161.81	545.35	0.3480
150	7718	99.13	180.87	1107.16	0.0791	200	18614	153.95	250.75	1334.85	0.1313

Table B.14 Size Distribution Data, 10 minutes, Time Response Test

Floc #	Floc Area (μm ²)	Equivalent Diameter (μm)	Longest Dimension (μm)	Perimeter (μm)	Shape Factor	Floc #	Floc Area (μm ²)	Equivalent Diameter (μm)	Longest Dimension (μm)	Perimeter (μm)	Shape Factor
1	13565	131.42	204.42	984.02	0.1761	51	11443	120.71	180.57	969.14	0.1531
2	21510	165.49	284.07	1361.96	0.1457	52	11495	120.98	201.00	845.56	0.2020
3	6492	90.92	144.68	572.61	0.2488	53	10165	113.76	213.99	900.06	0.1577
4	55443	265.69	409.91	2229.36	0.1402	54	12398	125.64	184.76	801.59	0.2425
5	8996	107.02	257.76	956.08	0.1237	55	32193	202.46	387.81	2114.70	0.0905
6	14153	134.24	201.89	990.47	0.1813	56	4257	73.62	82.73	345.82	0.4474
7	9543	110.23	173.26	859.26	0.1624	57	6967	94.18	197.57	858.06	0.1189
8	9834	111.90	190.07	1083.73	0.1052	58	27372	186.69	353.17	1798.28	0.1064
9	20315	160.83	223.37	1036.76	0.2376	59	11872	122.95	175.27	798.95	0.2338
10	58962	273.99	468.41	2685.40	0.1028	60	40033	225.77	400.41	2050.88	0.1196
11	12645	126.88	230.55	1126.71	0.1252	61	65541	288.88	506.62	2969.21	0.0934
12	6004	87.44	164.79	612.99	0.2008	62	13035	128.83	260.22	1088.33	0.1383
13	9614	110.64	165.08	874.29	0.1581	63	19111	155.99	294.36	1170.75	0.1752
14	13393	130.58	182.05	757.66	0.2932	64	14598	136.33	186.44	1051.79	0.1658
15	33416	206.27	345.47	1410.22	0.2112	65	26784	184.67	332.26	1804.36	0.1034
16	4833	78.44	111.63	475.18	0.2690	66	8635	104.85	243.92	860.20	0.1467
17	2294	54.05	85.75	294.38	0.3328	67	18037	151.54	286.39	1529.79	0.0969
18	13617	131.67	226.99	906.21	0.2084	68	65718	289.27	479.85	2489.06	0.1333
19	25002	178.42	288.97	2141.10	0.0685	69	5420	83.07	129.81	613.50	0.1810
20	19007	155.57	237.96	1667.31	0.0859	70	4512	75.79	133.02	587.03	0.1646
21	16331	144.20	260.88	1000.26	0.2052	71	6045	87.73	110.73	608.91	0.2049
22	20399	161.16	324.70	1310.81	0.1492	72	13627	131.72	193.17	1242.98	0.1108
23	6317	89.69	123.67	452.02	0.3886	73	5070	80.35	127.04	491.60	0.2637
24	8837	106.08	156.90	590.01	0.3190	74	21943	167.15	280.08	1333.01	0.1552
25	21653	166.04	233.87	1613.17	0.1046	75	20541	161.72	312.97	1891.56	0.0722
26	8278	102.67	148.73	658.67	0.2398	76	28534	190.60	283.50	2039.98	0.0862
27	11216	119.50	226.88	1159.74	0.1048	77	32350	202.95	358.82	2329.04	0.0750
28	26140	182.43	261.05	1535.48	0.1393	78	22084	167.68	279.89	1488.62	0.1252
29	14570	136.20	245.05	1193.74	0.1285	79	10319	114.62	191.80	891.40	0.1632
30	3487	66.63	90.67	424.06	0.2437	80	25294	179.46	335.94	1565.02	0.1298
31	4673	77.13	101.30	611.09	0.1573	81	10547	115.88	188.83	768.84	0.2242
32	11547	121.25	252.03	998.62	0.1455	82	15786	141.77	294.78	1524.12	0.0854
33	4284	73.85	111.52	398.49	0.3391	83	16655	145.62	191.20	951.84	0.2310
34	8904	106.48	173.72	825.78	0.1641	84	24328	176.00	363.54	2245.70	0.0606
35	8500	104.03	162.93	697.71	0.2194	85	16883	146.62	232.05	1119.18	0.1694
36	37552	218.66	418.10	2103.99	0.1066	86	14781	137.18	266.13	1340.29	0.1034
37	19826	158.88	214.52	1242.99	0.1613	87	9471	109.81	203.72	676.54	0.2601
38	14235	134.63	221.67	1001.13	0.1785	88	39417	224.03	336.70	2423.03	0.0844
39	12370	125.50	166.89	743.49	0.2813	89	18025	151.49	255.81	1267.26	0.1411
40	8612	104.72	146.62	755.43	0.1897	90	15806	141.86	216.49	934.92	0.2273
41	6968	94.19	136.98	649.05	0.2079	91	5747	85.54	155.50	502.92	0.2856
42	2839	60.12	79.19	254.28	0.5517	92	17427	148.96	293.52	1811.48	0.0667
43	94963	347.72	609.28	5408.43	0.0408	93	9583	110.46	140.34	791.52	0.1922
44	20556	161.78	286.17	1319.52	0.1484	94	11076	118.76	181.45	986.13	0.1432
45	17113	147.61	253.16	1288.36	0.1296	95	30745	197.85	265.22	2048.18	0.0921
46	30598	197.38	471.87	2493.71	0.0618	96	10431	115.24	244.66	1075.36	0.1134
47	43994	236.67	479.42	3157.39	0.0555	97	14925	137.85	177.52	866.77	0.2497
48	10295	114.49	163.91	739.03	0.2369	98	12180	124.53	253.65	1057.36	0.1369
49	23287	172.19	256.55	1671.60	0.1047	99	14327	135.06	225.38	1680.05	0.0638
50	3460	66.38	91.74	328.33	0.4034	100	49448	250.92	448.11	2465.73	0.1022

Table B.14. Size Distribution Data, 10 minutes, Time Response Test (cont'd)

Floc #	Floc Area (μm²)	Equivalent Diameter (μm)	Longest Dimension (μm)	Perimeter (μm)	Shape Factor	Floc #	Floc Area (μm²)	Equivalent Diameter (μm)	Longest Dimension (μm)	Perimeter (μm)	Shape Factor
101	61732	280.36	407.24	3264.32	0.0728	151	13731	132.22	183.74	904.59	0.2109
102	76942	313.00	498.92	2507.91	0.1538	152	18783	154.65	260.36	1633.69	0.0884
103	8395	103.38	194.45	694.72	0.2186	153	21985	167.31	301.18	1416.18	0.1378
104	3716	68.78	106.84	473.08	0.2087	154	23984	174.75	220.90	1364.68	0.1618
105	9368	109.22	214.92	750.56	0.2090	155	10884	117.72	156.39	637.15	0.3370
106	35547	212.74	271.82	1428.06	0.2191	156	22850	170.57	246.47	1269.88	0.1781
107	19783	158.71	302.22	1595.37	0.0977	157	6102	88.14	160.74	695.48	0.1585
108	7541	97.99	153.14	701.88	0.1924	158	17062	147.39	233.30	1264.53	0.1341
109	18304	152.66	233.18	1061.28	0.2042	159	16203	143.63	229.40	1013.52	0.1982
110	26204	182.66	271.50	1300.94	0.1946	160	6958	94.13	123.78	555.56	0.2834
111	24090	175.14	267.01	1564.40	0.1237	161	3229	64.12	137.51	583.56	0.1192
112	14899	137.73	218.88	978.51	0.1956	162	101029	358.66	580.93	3801.67	0.0879
113	6803	93.07	121.37	499.52	0.3426	163	25128	178.87	317.40	1521.21	0.1365
114	40119	226.01	333.61	1314.12	0.2920	164	6975	94.24	147.30	808.64	0.1341
115	9372	109.24	190.37	679.14	0.2554	165	33020	205.04	268.37	2327.17	0.0766
116	8829	106.02	171.06	639.04	0.2717	166	13010	128.70	179.21	662.83	0.3722
117	108849	372.28	1003.63	5859.53	0.0398	167	9566	110.36	217.52	1030.33	0.1133
118	80049	319.25	503.10	2083.34	0.2318	168	5918	86.80	123.55	595.64	0.2096
119	8196	102.15	135.82	680.64	0.2223	169	16176	143.51	229.34	1269.48	0.1262
120	4869	78.73	112.70	434.62	0.3239	170	26281	182.93	258.93	1304.55	0.1941
121	12704	127.18	170.85	926.30	0.1861	171	10393	115.03	177.96	623.76	0.3357
122	5646	84.78	130.26	734.75	0.1314	172	24778	177.62	209.60	1459.26	0.1462
123	31876	201.46	362.75	2077.40	0.0928	173	14818	137.36	225.38	1087.74	0.1574
124	6338	89.84	138.91	622.40	0.2057	174	7454	97.42	175.31	822.58	0.1385
125	14141	134.18	201.82	1451.58	0.0843	175	16851	146.48	232.72	1040.56	0.1956
126	65544	288.88	473.69	3899.90	0.0542	176	28625	190.91	300.60	1814.34	0.1093
127	71061	300.80	499.75	2767.35	0.1166	177	29246	192.97	345.62	1418.10	0.1828
128	37215	217.68	442.03	2153.90	0.1008	178	18888	155.08	247.16	1403.80	0.1205
129	8626	104.80	176.45	813.24	0.1639	179	5312	82.24	131.27	460.95	0.3142
130	7669	98.82	133.30	532.63	0.3398	180	4842	78.52	106.95	505.87	0.2378
131	11754	122.33	203.86	821.51	0.2189	181	31807	201.24	255.57	1345.21	0.2209
132	4257	73.63	98.03	400.21	0.3341	182	49146	250.15	425.10	1919.57	0.1676
133	29754	194.64	393.99	2652.26	0.0532	183	6294	89.52	145.95	667.88	0.1773
134	19409	157.20	274.08	1544.82	0.1022	184	40187	226.20	469.46	2625.88	0.0733
135	35230	211.79	314.96	1518.45	0.1920	185	47297	245.40	353.12	2087.45	0.1364
136	10042	113.07	218.03	993.31	0.1279	186	54295	262.93	461.95	2882.89	0.0821
137	24330	176.01	265.64	1531.26	0.1304	187	15239	139.29	233.49	1160.99	0.1421
138	6737	92.61	134.94	632.74	0.2115	188	14288	134.88	252.28	1554.16	0.0743
139	63104	283.46	551.21	3986.28	0.0499	189	12741	127.37	241.24	1196.85	0.1118
140	22753	170.20	294.83	1384.61	0.1492	190	5773	85.74	115.70	392.85	0.4702
141	22454	169.08	222.14	1534.27	0.1199	191	6291	89.50	140.81	623.75	0.2032
142	32102	202.17	382.44	2280.55	0.0776	192	6194	88.80	148.36	748.90	0.1388
143	17874	150.86	251.31	1662.64	0.0813	193	19398	157.16	253.58	1187.55	0.1729
144	39929	225.48	312.82	1950.64	0.1319	194	20112	160.02	209.53	1310.84	0.1471
145	20325	160.87	273.54	1120.23	0.2036	195	12582	126.57	186.58	1038.82	0.1465
146	17502	149.28	231.36	1305.47	0.1291	196	6414	90.37	134.10	653.91	0.1885
147	12107	124.16	175.63	791.27	0.2430	197	76934	312.98	469.18	3632.65	0.0733
148	54964	264.54	377.53	2046.01	0.1650	198	13622	131.70	163.14	774.49	0.2854
149	43315	234.84	366.88	2616.00	0.0795	199	7773	99.48	173.59	826.88	0.1429
150	61084	278.88	499.37	2533.78	0.1196	200	11450	120.74	234.91	904.62	0.1758

Table B.15 Size Distribution Data, 15 minutes, Time Response Test

Floc #	Floc Area (µm²)	Equivalent Diameter (µm)	Longest Dimension (µm)	Perimeter (µm)	Shape Factor	Floc #	Floc Area (µm²)	Equivalent Diameter (µm)	Longest Dimension (µm)	Perimeter (µm)	Shape Factor
1	9718	111.24	148.40	859.63	0.1653	51	18175	152.12	374.00	1716.58	0.0775
2	14848	137.50	250.57	1154.55	0.1400	52	15914	142.35	215.62	996.14	0.2016
3	7861	100.04	144.53	714.73	0.1934	53	10871	117.65	170.02	939.78	0.1547
4	27188	186.06	262.15	1709.48	0.1169	54	6976	94.25	162.21	889.64	0.1108
5	10839	117.48	252.07	1205.11	0.0938	55	22925	170.85	351.16	1561.08	0.1182
6	24028	174.91	221.16	1333.65	0.1698	56	20259	160.61	266.75	1635.53	0.0952
7	9660	110.90	149.40	877.15	0.1578	57	38919	222.60	378.19	1957.44	0.1277
8	7970	100.74	168.66	771.16	0.1685	58	25483	180.13	269.67	1694.00	0.1116
9	39814	225.15	281.02	1874.12	0.1425	59	9967	112.65	182.49	684.68	0.2672
10	82531	324.16	682.43	4218.01	0.0583	60	4374	74.63	138.93	528.36	0.1969
11	82290	323.69	944.95	4369.42	0.0542	61	37681	219.04	400.60	2358.42	0.0851
12	72051	302.88	642.15	4630.43	0.0422	62	6478	90.82	106.34	460.28	0.3843
13	10539	115.84	168.83	693.79	0.2752	63	62417	281.91	500.32	2394.59	0.1368
14	8737	105.47	193.60	822.26	0.1624	64	28897	191.81	300.46	1446.43	0.1736
15	24163	175.40	391.27	1571.78	0.1229	65	8549	104.33	221.30	961.22	0.1163
16	10191	113.91	164.71	598.47	0.3577	66	8807	105.90	210.69	997.18	0.1113
17	5630	84.67	185.52	629.68	0.1785	67	15332	139.72	295.61	1527.23	0.0826
18	11951	123.35	220.36	1276.83	0.0921	68	26709	184.41	407.86	1768.04	0.1074
19	19388	157.12	198.35	1166.75	0.1790	69	18126	151.92	226.99	1028.17	0.2155
20	59257	274.68	393.77	2815.09	0.0940	70	8477	103.89	120.40	599.87	0.2961
21	10095	113.37	176.72	740.16	0.2316	71	7288	96.33	161.92	755.42	0.1605
22	11365	120.29	225.78	1113.71	0.1152	72	18391	153.02	252.84	1057.37	0.2068
23	9138	107.87	165.08	714.93	0.2247	73	42967	233.90	300.59	1352.92	0.2950
24	33557	206.70	360.50	1394.08	0.2170	74	7719	99.14	181.91	774.53	0.1617
25	23439	172.75	278.45	1466.32	0.1370	75	15577	140.83	212.56	969.41	0.2083
26	8319	102.92	198.59	882.27	0.1343	76	19157	156.18	224.26	915.40	0.2873
27	13370	130.47	257.43	1001.56	0.1675	77	14159	134.27	227.95	1208.31	0.1219
28	11233	119.59	224.76	834.15	0.2029	78	7103	95.10	131.59	638.97	0.2187
29	11137	119.08	160.58	764.70	0.2394	79	18375	152.96	251.32	1046.03	0.2111
30	13007	128.69	205.07	867.64	0.2171	80	17484	149.20	211.94	1132.04	0.1715
31	12922	128.27	160.12	744.20	0.2932	81	30878	198.28	367.17	2364.24	0.0694
32	33209	205.63	343.11	2203.53	0.0860	82	68281	294.85	471.57	2236.78	0.1715
33	17790	150.50	244.37	1101.04	0.1844	83	9784	111.61	127.75	777.73	0.2033
34	32942	204.80	333.63	1881.48	0.1170	84	29453	193.65	345.64	1795.96	0.1148
35	54509	263.44	590.16	3373.05	0.0602	85	39924	225.46	297.97	2097.91	0.1140
36	31282	199.57	319.68	1258.91	0.2481	86	4999	79.78	112.32	599.38	0.1749
37	9590	110.50	150.68	739.63	0.2203	87	12348	125.39	311.60	1323.61	0.0886
38	36496	215.56	363.89	1874.71	0.1305	88	11843	122.80	235.37	981.01	0.1547
39	38618	221.74	421.45	2639.22	0.0697	89	15282	139.49	188.92	912.25	0.2308
40	32393	203.09	326.10	1928.96	0.1094	90	5109	80.65	133.02	562.97	0.2026
41	43886	236.38	372.73	1838.58	0.1632	91	16045	142.93	260.87	1323.03	0.1152
42	34141	208.49	292.19	1837.42	0.1271	92	4867	78.72	115.22	388.53	0.4052
43	27467	187.01	279.52	1233.20	0.2270	93	10559	115.95	162.38	791.09	0.2120
44	5768	85.70	178.60	717.83	0.1407	94	7772	99.48	175.57	765.70	0.1666
45	29858	194.98	254.61	1760.92	0.1210	95	9314	108.90	199.44	783.08	0.1909
46	17246	148.18	159.53	889.39	0.2740	96	28779	191.42	311.26	1684.87	0.1274
47	33837	207.56	261.61	1413.08	0.2130	97	4756	77.82	121.01	733.82	0.1110
48	6962	94.15	160.89	759.11	0.1518	98	25499	180.19	291.81	2009.27	0.0794
49	3911	70.57	115.03	470.16	0.2224	99	6049	87.76	137.34	652.65	0.1785
50	21358	164.91	236.69	870.55	0.3542	100	4739	77.68	133.08	427.05	0.3266

Table B.15. Size Distribution Data, 15 minutes, Time Response Test (cont'd)

Floc #	Floc Area (μm²)	Equivalent Diameter (μm)	Longest Dimension (μm)	Perimeter (μm)	Shape Factor	Floc #	Floc Area (μm²)	Equivalent Diameter (μm)	Longest Dimension (μm)	Perimeter (μm)	Shape Factor
101	11269	119.78	153.51	699.46	0.2895	151	6482	90.85	162.78	833.60	0.1172
102	15315	139.64	251.42	1099.47	0.1592	152	88466	335.62	633.93	5590.18	0.0356
103	24442	176.41	225.15	1296.41	0.1828	153	25901	181.60	232.46	1396.20	0.1670
104	7706	99.05	154.46	696.61	0.1996	154	37885	219.63	319.60	2101.24	0.1078
105	57872	271.45	790.72	4380.20	0.0379	155	16629	145.51	228.92	1072.64	0.1817
106	16248	143.83	225.76	1376.56	0.1078	156	12863	127.97	147.42	631.69	0.4051
107	11547	121.25	238.54	1197.64	0.1012	157	36534	215.68	393.77	2303.92	0.0865
108	10703	116.74	198.85	858.77	0.1824	158	10882	117.71	196.04	979.81	0.1425
109	19978	159.49	265.74	1565.52	0.1024	159	6802	93.06	148.63	706.31	0.1714
110	56351	267.86	413.66	2591.19	0.1055	160	34432	209.38	288.65	1900.55	0.1198
111	15138	138.83	243.31	1335.17	0.1067	161	17018	147.20	198.95	1417.46	0.1065
112	11718	122.15	205.40	1099.54	0.1218	162	22025	167.46	232.17	855.02	0.3786
113	14929	137.87	194.25	1000.85	0.1873	163	25924	181.68	277.51	1243.16	0.2108
114	19837	158.93	369.50	1869.43	0.0713	164	15676	141.28	192.41	1025.33	0.1874
115	13119	129.24	200.63	757.51	0.2873	165	22085	167.69	239.94	1101.14	0.2289
116	9299	108.81	149.90	664.74	0.2645	166	8302	102.81	167.55	751.23	0.1849
117	30087	195.72	269.12	1617.22	0.1446	167	18684	154.24	325.10	1544.21	0.0985
118	7755	99.37	118.61	643.59	0.2353	168	16049	142.95	250.35	1014.95	0.1958
119	25477	180.11	271.88	1494.79	0.1433	169	28304	189.84	361.42	2024.49	0.0868
120	8166	101.97	171.24	817.04	0.1538	170	15468	140.33	223.58	1005.02	0.1925
121	11243	119.65	176.06	728.52	0.2662	171	17329	148.54	290.76	1246.73	0.1401
122	8040	101.18	157.48	630.57	0.2541	172	15768	141.69	217.61	1158.11	0.1477
123	10547	115.88	166.13	815.79	0.1992	173	22210	168.16	246.50	1356.48	0.1517
124	9903	112.29	179.77	757.27	0.2170	174	45310	240.19	350.83	1648.57	0.2095
125	11731	122.22	166.72	731.63	0.2754	175	14935	137.90	201.32	1185.82	0.1335
126	26451	183.52	267.46	1369.48	0.1773	176	40348	226.66	336.34	2123.19	0.1125
127	6668	92.14	189.09	595.17	0.2366	177	29438	193.60	341.53	1791.62	0.1153
128	20018	159.65	222.61	1295.20	0.1500	178	7894	100.25	165.95	719.92	0.1914
129	9856	112.02	157.29	602.51	0.3412	179	38713	222.02	344.58	1981.05	0.1240
130	29447	193.63	399.29	1885.03	0.1041	180	20470	161.44	272.15	1498.75	0.1145
131	21833	166.73	261.08	1650.07	0.1008	181	12968	128.50	222.39	824.45	0.2398
132	3268	64.51	86.20	433.43	0.2187	182	36276	214.91	281.89	1560.32	0.1873
133	23833	174.20	263.64	1737.54	0.0992	183	93994	345.94	579.93	3836.32	0.0803
134	79745	318.64	563.48	4974.35	0.0405	184	11517	121.09	238.30	1026.73	0.1373
135	21785	166.54	207.10	1257.12	0.1733	185	38730	222.07	552.91	2175.35	0.1029
136	13610	131.64	266.82	1024.09	0.1631	186	30007	195.46	452.23	1936.52	0.1006
137	61270	279.31	575.57	3310.46	0.0703	187	11268	119.78	161.50	715.68	0.2765
138	4881	78.83	118.68	509.54	0.2363	188	61687	280.25	501.15	2540.89	0.1201
139	4739	77.68	112.68	420.05	0.3376	189	25364	179.71	326.07	1491.18	0.1434
140	14422	135.51	209.99	1036.37	0.1687	190	6151	88.50	131.70	414.23	0.4505
141	22306	168.53	287.45	1347.61	0.1544	191	33119	205.35	340.49	1935.93	0.1111
142	17012	147.17	217.41	1252.96	0.1362	192	65928	289.73	413.13	2022.82	0.2025
143	30138	195.89	364.69	1455.36	0.1788	193	11609	121.58	172.52	842.89	0.2054
144	52625	258.85	381.50	2441.47	0.1110	194	18747	154.50	216.56	848.07	0.3276
145	15064	138.49	227.48	951.19	0.2092	195	10536	115.82	218.86	966.21	0.1418
146	12880	128.06	172.56	805.12	0.2497	196	27337	186.57	319.07	1260.17	0.2164
147	7581	98.25	138.00	760.30	0.1648	197	19636	158.12	231.83	989.12	0.2523
148	15163	138.95	227.40	1087.23	0.1612	198	13571	131.45	178.86	691.26	0.3569
149	4998	79.77	115.08	706.70	0.1258	199	24928	178.16	265.22	1785.41	0.0983
150	4612	76.63	121.70	640.73	0.1412	200	56997	269.39	477.78	3873.26	0.0478

Table B.16 Size Distribution Data, 30 minutes, Time Response Test

Floc #	Floc Area (μm²)	Equivalent Diameter (μm)	Longest Dimension (μm)	Perimeter (μm)	Shape Factor	Floc #	Floc Area (μm²)	Equivalent Diameter (μm)	Longest Dimension (μm)	Perimeter (μm)	Shape Factor
1	15348	139.79	262.96	993.70	0.1953	51	14374	135.29	205.77	1047.15	0.1648
2	32281	202.73	304.77	1583.39	0.1618	52	6948	94.05	199.40	866.70	0.1163
3	5740	85.49	134.45	678.67	0.1566	53	8556	104.38	172.88	816.85	0.1612
4	9328	108.98	173.91	602.79	0.3227	54	8845	106.12	149.56	767.30	0.1888
5	6819	93.18	138.10	454.60	0.4147	55	21993	167.34	488.08	2144.38	0.0601
6	9710	111.19	176.84	662.80	0.2778	56	18849	154.92	212.01	1139.06	0.1826
7	8143	101.83	160.70	660.48	0.2346	57	12833	127.83	181.31	673.51	0.3556
8	17353	148.64	271.05	1176.06	0.1577	58	59632	275.55	369.54	2228.97	0.1509
9	18579	153.80	196.47	1016.15	0.2262	59	18184	152.16	230.01	958.34	0.2489
10	15360	139.85	228.89	846.68	0.2693	60	10289	114.46	221.88	1013.25	0.1260
11	18942	155.30	250.79	1374.77	0.1260	61	40896	228.19	367.62	2033.75	0.1243
12	8687	105.17	248.31	1000.58	0.1091	62	7795	99.62	138.18	706.89	0.1961
13	32364	202.99	279.70	2094.26	0.0927	63	34165	208.57	289.23	1778.81	0.1357
14	34189	208.64	313.45	2051.84	0.1021	64	241735	554.78	731.35	5558.57	0.0983
15	20387	161.11	249.36	1347.81	0.1410	65	173775	470.38	969.47	5351.12	0.0763
16	17124	147.66	218.00	862.92	0.2891	66	20758	162.57	216.22	1180.15	0.1873
17	36309	215.01	312.85	1817.93	0.1381	67	9050	107.34	190.39	830.40	0.1650
18	28619	190.89	383.53	1906.83	0.0989	68	52954	259.66	399.85	2520.52	0.1048
19	8447	103.71	191.44	969.25	0.1130	69	37944	219.80	435.32	2031.40	0.1156
20	101179	358.92	501.34	3293.02	0.1173	70	5784	85.81	103.75	369.45	0.5325
21	15936	142.44	215.76	1387.49	0.1040	71	17145	147.75	210.99	992.89	0.2186
22	17245	148.18	254.44	1192.98	0.1523	72	24274	175.80	303.32	1452.07	0.1447
23	5741	85.50	127.76	687.28	0.1528	73	36244	214.82	678.30	2829.81	0.0569
24	18337	152.80	335.03	1311.43	0.1340	74	12606	126.69	153.79	765.18	0.2706
25	29954	195.29	216.66	1341.55	0.2092	75	7694	98.98	164.47	569.44	0.2982
26	15916	142.35	197.99	799.98	0.3126	76	9856	112.02	134.87	550.46	0.4088
27	11591	121.48	195.33	729.58	0.2737	77	21908	167.02	238.67	1408.64	0.1388
28	22895	170.74	249.73	1553.93	0.1192	78	10705	116.75	139.77	666.80	0.3026
29	35051	211.25	469.77	3055.14	0.0472	79	11424	120.60	190.68	734.27	0.2663
30	10991	118.30	228.45	1188.44	0.0978	80	19153	156.16	279.99	1314.73	0.1393
31	25449	180.01	283.82	1429.56	0.1565	81	16653	145.61	263.89	1126.67	0.1649
32	13087	129.08	177.53	892.14	0.2067	82	24494	176.60	234.87	1310.94	0.1791
33	5093	80.52	115.77	546.27	0.2145	83	32314	202.84	301.30	1639.62	0.1511
34	27972	188.72	247.74	1530.61	0.1501	84	30053	195.61	299.26	1860.26	0.1091
35	20794	162.71	216.71	1055.97	0.2344	85	36471	215.49	303.48	2270.92	0.0889
36	51221	255.38	611.33	3767.13	0.0454	86	10916	117.89	176.82	751.86	0.2427
37	10470	115.46	160.05	794.97	0.2082	87	22390	168.84	274.32	1138.36	0.2171
38	17701	150.12	219.51	1445.94	0.1064	88	16189	143.57	189.05	950.35	0.2253
39	15801	141.84	225.60	966.73	0.2125	89	8116	101.65	157.56	1213.75	0.0692
40	43740	235.99	401.00	2451.96	0.0914	90	14227	134.59	211.91	1049.55	0.1623
41	12300	125.14	199.59	986.41	0.1589	91	40182	226.19	308.94	1796.22	0.1565
42	18955	155.35	222.46	997.02	0.2397	92	12164	124.45	193.03	842.63	0.2153
43	12934	128.33	181.27	807.75	0.2491	93	44267	237.41	477.17	2108.85	0.1251
44	52922	259.58	347.17	2560.87	0.1014	94	15248	139.34	196.53	1052.65	0.1730
45	10812	117.33	241.13	971.89	0.1439	95	12205	124.66	180.31	1070.44	0.1339
46	25645	180.70	273.19	1622.03	0.1225	96	11963	123.42	206.54	868.70	0.1992
47	12348	125.39	213.61	1062.35	0.1375	97	14067	133.83	205.16	1194.46	0.1239
48	17307	148.45	268.07	1350.05	0.1193	98	8892	106.41	192.92	1013.76	0.1088
49	9781	111.59	171.13	939.34	0.1393	99	43045	234.11	343.58	1913.46	0.1478
50	13750	132.32	202.42	1086.65	0.1464	100	39655	224.70	451.80	2795.58	0.0638

Table B.16. Size Distribution Data, 30 minutes, Time Response Test (cont'd)

Floc #	Floc Area (µm²)	Equivalent Diameter (µm)	Longest Dimension (µm)	Perimeter (µm)	Shape Factor	Floc #	Floc Area (µm²)	Equivalent Diameter (µm)	Longest Dimension (µm)	Perimeter (µm)	Shape Factor
101	55129	264.94	391.30	2318.13	0.1289	151	21494	165.43	218.21	1239.32	0.1759
102	9470	109.81	168.72	858.72	0.1614	152	12114	124.20	258.77	1245.44	0.0982
103	7816	99.76	190.10	892.81	0.1232	153	41340	229.42	330.55	1699.85	0.1798
104	31460	200.14	427.60	1944.76	0.1045	154	37920	219.73	308.65	1362.80	0.2566
105	23639	173.49	240.07	1068.06	0.2605	155	109607	373.57	626.65	3863.45	0.0923
106	5708	85.25	139.85	551.16	0.2361	156	48271	247.91	328.72	2082.09	0.1400
107	11044	118.58	190.43	814.97	0.2090	157	17440	149.02	251.32	1108.14	0.1785
108	28603	190.84	251.59	1822.61	0.1082	158	9358	109.16	213.39	743.67	0.2127
109	11830	122.73	184.53	878.74	0.1925	159	8387	103.34	164.13	811.62	0.1600
110	30192	196.06	315.19	2314.45	0.0708	160	18071	151.69	269.73	1166.39	0.1669
111	27312	186.48	284.71	1489.74	0.1547	161	49236	250.38	329.31	2171.63	0.1312
112	9452	109.70	150.80	620.46	0.3086	162	44197	237.22	322.88	2153.72	0.1198
113	12996	128.63	207.39	825.16	0.2399	163	25085	178.72	362.78	1686.42	0.1109
114	20494	161.53	249.24	1171.57	0.1877	164	9622	110.68	172.06	634.54	0.3004
115	8752	105.56	142.52	499.43	0.4410	165	16457	144.75	249.27	1145.99	0.1575
116	37237	217.74	359.09	2081.58	0.1080	166	48090	247.45	474.72	2896.25	0.0721
117	22955	170.96	324.00	1776.00	0.0915	167	30396	196.73	332.76	2174.42	0.0808
118	15099	138.65	205.36	1205.05	0.1307	168	14110	134.04	244.80	1349.15	0.0974
119	31014	198.72	289.93	2001.18	0.0973	169	14027	133.64	170.43	804.72	0.2722
120	25861	181.46	283.35	1714.47	0.1106	170	12532	126.32	159.38	810.95	0.2395
121	22160	167.97	291.20	1327.21	0.1581	171	27120	185.82	303.60	1354.46	0.1858
122	5802	85.95	192.20	707.67	0.1456	172	34550	209.74	319.82	1776.17	0.1377
123	34671	210.11	300.74	1684.84	0.1535	173	16586	145.32	229.65	1577.91	0.0837
124	19670	158.25	179.51	877.38	0.3211	174	22802	170.39	339.62	1157.59	0.2139
125	63205	283.68	553.65	2795.61	0.1016	175	34264	208.87	431.71	2426.13	0.0732
126	12941	128.36	217.99	1066.31	0.1431	176	12559	126.45	247.82	1171.35	0.1151
127	7573	98.19	147.56	643.29	0.2300	177	4962	79.49	141.30	554.11	0.2031
128	28386	190.11	268.88	2334.99	0.0654	178	15774	141.72	209.34	1077.04	0.1709
129	11364	120.29	211.42	990.25	0.1457	179	15748	141.60	209.34	1076.98	0.1707
130	16771	146.13	267.06	1346.98	0.1162	180	36450	215.43	301.21	1698.28	0.1588
131	20398	161.16	303.54	1873.85	0.0730	181	15290	139.53	222.61	998.68	0.1927
132	48581	248.71	343.18	2091.97	0.1395	182	11345	120.19	189.33	943.81	0.1601
133	31131	199.09	303.78	1643.27	0.1449	183	16584	145.31	255.77	1719.84	0.0705
134	17293	148.39	200.09	987.97	0.2227	184	39960	225.56	313.40	2274.68	0.0971
135	7184	95.64	141.03	461.53	0.4239	185	20904	163.15	286.25	1241.15	0.1706
136	8054	101.26	153.90	651.76	0.2383	186	11433	120.65	191.51	942.21	0.1619
137	10319	114.62	178.69	760.72	0.2241	187	12611	126.72	250.84	1267.09	0.0987
138	9481	109.87	171.93	781.85	0.1949	188	16930	146.82	268.66	1380.02	0.1117
139	35592	212.88	309.27	1764.12	0.1437	189	25691	180.86	279.63	1455.61	0.1524
140	17017	147.20	276.04	1121.38	0.1701	190	43667	235.79	368.04	2017.56	0.1348
141	6664	92.11	160.71	765.75	0.1428	191	43273	234.73	292.63	1982.33	0.1384
142	16813	146.31	268.37	971.20	0.2240	192	22684	169.95	287.03	2240.73	0.0568
143	18919	155.20	193.77	990.41	0.2424	193	6504	91.00	152.97	739.91	0.1493
144	24390	176.22	308.66	1700.33	0.1060	194	6042	87.71	159.89	778.81	0.1252
145	13268	129.98	179.65	718.41	0.3231	195	37695	219.08	300.63	2132.92	0.1041
146	23677	173.63	309.07	1550.41	0.1238	196	8275	102.64	163.75	645.67	0.2494
147	21687	166.17	263.04	1504.69	0.1204	197	23072	171.40	282.25	1409.89	0.1459
148	16953	146.92	282.82	1443.01	0.1023	198	17151	147.77	212.44	1074.33	0.1868
149	27654	187.65	324.93	2202.44	0.0717	199	38659	221.86	323.91	2083.87	0.1119
150	180090	478.85	583.10	2966.72	0.2572	200	49043	249.89	542.45	2665.51	0.0868

Table B.17. Size Distribution Data, Ca²⁺:Na⁺ Ratio = 0.0, Calcium Test

Floc #	Floc Area (μm ²)	Equivalent Diameter (μm)	Longest Dimension (μm)	Perimeter (μm)	Shape Factor	Floc #	Floc Area (μm ²)	Equivalent Diameter (μm)	Longest Dimension (μm)	Perimeter (μm)	Shape Factor
1	18046	151.58	315.02	1871.62	0.0648	51	26472	183.59	287.81	1497.73	0.1483
2	10787	117.19	168.38	766.79	0.2307	52	26139	182.43	374.19	1733.46	0.1093
3	14704	136.83	229.98	1069.97	0.1615	53	21990	167.33	232.76	1434.27	0.1344
4	10454	115.37	165.32	817.50	0.1967	54	26117	182.36	254.09	1315.89	0.1896
5	26017	182.00	267.07	1620.25	0.1246	55	21955	167.19	323.22	1402.17	0.1403
6	27349	186.60	311.62	2242.46	0.0684	56	21966	167.24	267.04	1408.27	0.1392
7	11439	120.68	218.71	1465.38	0.0670	57	25699	180.89	361.29	2428.56	0.0548
8	21411	165.11	307.75	1628.71	0.1015	58	33499	206.52	293.84	1650.58	0.1545
9	45574	240.89	390.24	2348.87	0.1039	59	19011	155.58	274.91	1144.99	0.1822
10	14948	137.96	232.37	1626.40	0.0711	60	16635	145.53	212.91	1010.47	0.2048
11	32656	203.91	297.74	1990.15	0.1037	61	12987	128.59	288.05	1210.33	0.1114
12	21759	166.45	241.91	1274.07	0.1685	62	21635	165.97	227.73	1202.01	0.1882
13	49244	250.40	585.70	3454.48	0.0519	63	15038	138.37	202.82	846.77	0.2636
14	33700	207.14	275.55	1717.72	0.1436	64	38503	221.41	364.82	1941.07	0.1284
15	9542	110.23	175.47	759.54	0.2079	65	24644	177.14	261.37	1396.01	0.1589
16	23080	171.43	279.78	1336.74	0.1623	66	21138	164.05	240.83	1334.84	0.1491
17	11866	122.92	174.41	931.71	0.1718	67	23433	172.73	261.77	1602.47	0.1147
18	62556	282.22	493.05	2473.57	0.1285	68	40238	226.35	447.10	1820.17	0.1526
19	21960	167.21	298.30	1597.39	0.1082	69	56328	267.80	426.15	3109.44	0.0732
20	10875	117.67	203.11	1001.05	0.1364	70	18448	153.26	268.78	1339.99	0.1291
21	27687	187.76	240.35	1762.51	0.1120	71	27120	185.82	306.78	1212.41	0.2319
22	36844	216.59	405.45	1731.11	0.1545	72	11883	123.01	229.07	1100.80	0.1233
23	23860	174.30	352.00	1563.61	0.1226	73	23457	172.82	324.11	1352.23	0.1612
24	18197	152.21	261.03	1302.33	0.1348	74	25647	180.71	356.99	1569.65	0.1308
25	11119	118.98	152.08	1019.20	0.1345	75	30398	196.73	263.41	1263.89	0.2392
26	17565	149.55	261.26	1345.85	0.1219	76	64493	286.56	425.18	2053.24	0.1923
27	15567	140.79	205.04	1076.21	0.1689	77	20599	161.95	221.86	1396.24	0.1328
28	24102	175.18	260.38	1290.77	0.1818	78	47769	246.62	368.69	1815.17	0.1822
29	13648	131.82	203.08	1238.32	0.1119	79	24564	176.85	267.70	1672.85	0.1103
30	52612	258.82	407.38	2523.96	0.1038	80	26666	184.26	251.93	1789.37	0.1047
31	28969	192.05	266.56	1488.93	0.1642	81	27551	187.29	313.10	1676.17	0.1233
32	13895	133.01	249.85	1128.18	0.1372	82	21600	165.84	262.35	1320.63	0.1557
33	13524	131.22	210.79	1186.47	0.1208	83	37479	218.45	371.50	1931.66	0.1262
34	23903	174.46	271.94	1785.58	0.0942	84	27044	185.56	322.35	1530.01	0.1452
35	21407	165.09	276.58	1843.78	0.0791	85	26062	182.16	353.23	1485.61	0.1484
36	33621	206.90	293.31	2276.11	0.0816	86	44078	236.90	369.75	1626.95	0.2093
37	13585	131.52	229.31	1112.12	0.1381	87	15775	141.72	225.59	893.11	0.2486
38	21247	164.48	290.99	1783.30	0.0840	88	18842	154.89	235.66	1049.28	0.2151
39	13905	133.06	202.71	984.74	0.1802	89	41177	228.97	329.54	1796.15	0.1604
40	10182	113.86	147.11	772.97	0.2142	90	51687	256.53	433.42	2136.83	0.1423
41	23239	172.01	250.63	1323.49	0.1667	91	29946	195.27	237.86	1580.02	0.1508
42	15445	140.23	235.43	1129.66	0.1521	92	13946	133.26	186.36	896.48	0.2181
43	44987	239.33	391.31	2511.84	0.0896	93	23783	174.02	266.25	1370.90	0.1591
44	26114	182.35	354.61	1780.31	0.1036	94	27136	185.88	255.38	1524.45	0.1468
45	11195	119.39	189.59	993.06	0.1427	95	26196	182.63	293.83	1626.60	0.1244
46	12908	128.20	163.07	983.77	0.1676	96	19006	155.56	249.94	1315.49	0.1380
47	15672	141.26	213.61	1147.18	0.1497	97	37395	218.20	320.84	2009.86	0.1163
48	12142	124.34	189.66	883.20	0.1956	98	39546	224.39	345.24	2044.99	0.1188
49	5771	85.72	155.13	712.32	0.1430	99	11449	120.74	185.46	682.06	0.3093
50	31142	199.13	331.84	2100.01	0.0888	100	44398	237.76	338.51	2126.58	0.1234

Table B.17. Size Distribution Data, Ca²⁺:Na⁺ Ratio = 0.0, Calcium Test (cont'd)

Floc #	Floc Area (μm ²)	Equivalent Diameter (μm)	Longest Dimension (μm)	Perimeter (μm)	Shape Factor	Floc #	Floc Area (μm ²)	Equivalent Diameter (μm)	Longest Dimension (μm)	Perimeter (μm)	Shape Factor
101	41454	229.74	356.63	2206.82	0.1070	151	17379	148.75	273.03	1177.60	0.1575
102	10381	114.97	261.38	1054.48	0.1173	152	7165	95.51	148.11	661.80	0.2056
103	11509	121.05	226.20	1062.13	0.1282	153	4548	76.09	117.50	392.99	0.3701
104	11236	119.61	176.90	1108.17	0.1150	154	13028	128.79	208.76	1070.81	0.1428
105	65799	289.44	525.17	4513.63	0.0406	155	8220	102.30	150.36	571.38	0.3164
106	9016	107.14	150.68	854.04	0.1554	156	13085	129.08	184.63	909.44	0.1989
107	15604	140.95	204.96	904.90	0.2395	157	7380	96.94	180.62	709.69	0.1842
108	8894	106.41	193.43	874.13	0.1463	158	20036	159.72	362.70	1315.98	0.1454
109	17084	147.48	265.37	1227.34	0.1425	159	14334	135.10	187.90	902.08	0.2214
110	12535	126.33	198.38	847.40	0.2194	160	5818	86.07	135.94	628.43	0.1852
111	7384	96.96	120.83	600.30	0.2575	161	68610	295.56	404.03	2167.38	0.1836
112	9983	112.74	172.57	761.96	0.2161	162	24780	177.62	305.81	1621.49	0.1185
113	20784	162.67	234.99	1324.70	0.1489	163	9620	110.67	144.54	686.33	0.2567
114	15377	139.92	239.55	1211.60	0.1317	164	4228	73.37	114.69	489.46	0.2218
115	17825	150.65	242.03	1090.16	0.1885	165	11957	123.39	240.11	1059.15	0.1340
116	9783	111.61	182.51	862.54	0.1653	166	107524	370.01	494.45	3036.36	0.1466
117	9563	110.34	170.67	730.04	0.2255	167	13927	133.16	169.30	952.19	0.1931
118	23370	172.50	397.47	2394.79	0.0512	168	11827	122.71	282.38	1389.48	0.0770
119	8506	104.07	208.82	885.06	0.1365	169	19925	159.28	240.45	1147.76	0.1901
120	10242	114.20	176.17	714.44	0.2522	170	16885	146.62	323.17	1285.14	0.1285
121	28940	191.96	349.96	1779.27	0.1149	171	10610	116.23	182.41	862.18	0.1794
122	15218	139.20	273.64	1487.11	0.0865	172	8079	101.42	134.10	618.44	0.2655
123	13502	131.12	189.39	1080.55	0.1453	173	14851	137.51	202.03	1195.90	0.1305
124	12351	125.40	172.86	947.55	0.1729	174	9632	110.74	158.58	677.35	0.2639
125	10184	113.87	191.30	901.45	0.1575	175	11795	122.55	206.88	1100.21	0.1225
126	26512	183.73	265.83	1132.00	0.2600	176	33758	207.32	339.02	1817.80	0.1284
127	14421	135.51	235.09	1070.92	0.1580	177	15380	139.94	240.19	1626.56	0.0731
128	10913	117.88	198.16	794.20	0.2175	178	13809	132.60	218.89	784.84	0.2818
129	32502	203.43	276.82	1342.06	0.2268	179	20783	162.67	251.49	1080.27	0.2238
130	17818	150.62	216.95	1048.91	0.2036	180	15769	141.69	243.14	1079.48	0.1701
131	9723	111.26	231.30	970.46	0.1298	181	17766	150.40	272.31	1317.19	0.1287
132	19850	158.98	255.34	1302.83	0.1470	182	40940	228.31	409.48	2152.60	0.1110
133	15732	141.53	182.35	1327.54	0.1122	183	20520	161.64	229.58	1405.91	0.1305
134	7103	95.10	145.62	769.15	0.1509	184	6754	92.74	163.58	755.50	0.1487
135	16038	142.90	267.08	1319.71	0.1157	185	12387	125.58	182.42	819.70	0.2317
136	19713	158.43	260.57	1178.18	0.1785	186	8527	104.20	140.08	743.27	0.1940
137	11366	120.30	191.15	985.48	0.1471	187	9754	111.44	160.75	842.99	0.1725
138	9182	108.13	155.82	731.58	0.2156	188	11100	118.88	208.54	941.09	0.1575
139	12193	124.60	241.68	1305.88	0.0899	189	19532	157.70	238.75	1118.66	0.1962
140	11122	119.00	146.59	823.14	0.2063	190	10820	117.38	161.75	785.98	0.2201
141	16443	144.69	216.10	1149.55	0.1564	191	7827	99.83	160.41	567.32	0.3057
142	16841	146.43	187.82	1090.44	0.1780	192	12950	128.41	199.48	1043.04	0.1496
143	27531	187.23	312.35	1590.12	0.1368	193	9801	111.71	245.18	1187.52	0.0873
144	10711	116.78	247.33	893.90	0.1685	194	11198	119.41	188.41	816.44	0.2112
145	7239	96.01	140.56	584.27	0.2665	195	12625	126.79	191.77	1033.90	0.1485
146	8066	101.34	168.98	679.86	0.2193	196	10180	113.85	171.82	759.35	0.2219
147	14509	135.92	240.11	1058.67	0.1627	197	29824	194.87	385.90	1781.46	0.1181
148	9012	107.12	146.24	561.19	0.3596	198	28038	188.94	264.02	1516.08	0.1533
149	16053	142.97	239.79	1028.01	0.1909	199	17256	148.22	235.31	1082.24	0.1852
150	20500	161.56	361.85	1706.53	0.0885	200	15041	138.39	194.76	1078.32	0.1626

Table B.18. Size Distribution Data, Ca²⁺:Na⁺ Ratio = 0.5, Calcium Test

Floc #	Floc Area (μm ²)	Equivalent Diameter (μm)	Longest Dimension (μm)	Perimeter (μm)	Shape Factor	Floc #	Floc Area (μm ²)	Equivalent Diameter (μm)	Longest Dimension (μm)	Perimeter (μm)	Shape Factor
1	10530	115.79	218.59	809.73	0.2018	51	9284	108.73	145.94	731.41	0.2181
2	16487	144.89	275.14	1343.56	0.1148	52	11486	120.93	168.60	730.32	0.2706
3	6154	88.52	172.81	625.64	0.1976	53	6682	92.24	118.58	596.55	0.2360
4	5730	85.41	130.88	609.52	0.1938	54	7862	100.05	139.85	586.53	0.2873
5	12525	126.28	202.70	1156.73	0.1177	55	7504	97.75	164.95	594.36	0.2670
6	13584	131.51	193.40	1176.48	0.1233	56	10858	117.58	227.41	753.72	0.2402
7	5504	83.72	165.59	767.31	0.1175	57	7552	98.06	179.39	652.45	0.2230
8	12187	124.57	171.77	706.55	0.3068	58	25426	179.93	356.14	1587.60	0.1268
9	12673	127.03	187.01	899.11	0.1970	59	12837	127.84	235.28	974.10	0.1700
10	6445	90.59	155.60	682.05	0.1741	60	34558	209.76	322.31	1457.48	0.2045
11	27857	188.33	340.01	1450.90	0.1663	61	18202	152.23	289.41	1334.64	0.1284
12	14146	134.21	153.68	888.07	0.2254	62	15180	139.02	171.73	947.07	0.2127
13	18488	153.43	281.52	1349.43	0.1276	63	9596	110.53	148.19	689.77	0.2535
14	10300	114.52	204.17	1100.44	0.1069	64	10868	117.63	170.68	708.12	0.2724
15	14110	134.03	244.67	916.50	0.2111	65	9428	109.56	163.63	614.92	0.3134
16	6808	93.10	167.15	606.19	0.2329	66	6550	91.32	166.43	551.02	0.2711
17	10094	113.37	147.88	912.20	0.1524	67	12140	124.33	159.37	715.64	0.2979
18	23211	171.91	291.81	1855.98	0.0847	68	24673	177.24	306.01	1580.12	0.1242
19	10587	116.10	175.63	918.43	0.1577	69	29369	193.37	315.24	1373.87	0.1956
20	46024	242.07	341.72	2028.89	0.1405	70	16888	146.64	237.11	1160.89	0.1575
21	25133	178.89	217.34	1069.43	0.2762	71	25570	180.43	270.33	1061.76	0.2851
22	6691	92.30	179.18	774.27	0.1403	72	6970	94.21	147.56	631.80	0.2195
23	5352	82.55	109.62	502.07	0.2669	73	5760	85.64	139.16	595.78	0.2040
24	8237	102.41	146.46	631.99	0.2592	74	19660	158.22	210.10	844.22	0.3467
25	16482	144.87	196.37	1037.61	0.1924	75	9674	110.99	165.82	617.63	0.3188
26	15672	141.26	245.08	1127.93	0.1548	76	16186	143.56	179.29	700.07	0.4151
27	10238	114.17	170.03	888.71	0.1629	77	7464	97.49	126.73	563.63	0.2953
28	8011	101.00	208.01	866.28	0.1342	78	21991	167.33	208.10	990.71	0.2816
29	4726	77.58	127.72	594.34	0.1682	79	21552	165.65	249.72	1101.13	0.2234
30	5843	86.25	122.91	485.20	0.3119	80	8457	103.77	173.18	668.42	0.2379
31	10244	114.21	157.16	798.57	0.2019	81	19349	156.96	253.81	1276.63	0.1492
32	7967	100.71	151.07	637.76	0.2462	82	5992	87.35	127.28	532.42	0.2657
33	24097	175.16	332.99	1535.77	0.1284	83	5398	82.90	183.65	680.30	0.1466
34	6360	89.99	114.71	583.97	0.2344	84	7040	94.67	155.05	751.66	0.1566
35	27037	185.54	393.83	1782.52	0.1069	85	8600	104.64	149.97	558.11	0.3470
36	15491	140.44	193.30	926.40	0.2269	86	28266	189.71	358.41	1319.27	0.2041
37	9103	107.66	174.45	826.43	0.1675	87	24876	177.97	259.71	1246.91	0.2011
38	6412	90.35	132.14	593.59	0.2287	88	11034	118.53	182.24	826.83	0.2028
39	2635	57.92	89.36	346.67	0.2756	89	80823	320.79	642.13	3040.41	0.1099
40	9651	110.85	172.32	752.90	0.2140	90	30131	195.87	325.55	1583.13	0.1511
41	13334	130.30	189.93	807.67	0.2569	91	15205	139.14	212.28	1192.43	0.1344
42	7578	98.23	134.26	588.13	0.2754	92	31360	199.82	274.98	1828.27	0.1179
43	8933	106.65	132.31	850.61	0.1552	93	25460	180.05	237.49	1394.90	0.1645
44	5354	82.56	125.68	621.11	0.1744	94	8844	106.12	161.36	646.83	0.2657
45	9328	108.98	155.41	715.30	0.2291	95	19566	157.84	227.50	1312.59	0.1427
46	6420	90.41	110.21	486.97	0.3402	96	10719	116.82	219.85	1048.41	0.1226
47	18805	154.73	248.56	1145.63	0.1801	97	19097	155.93	256.77	1027.16	0.2275
48	15546	140.69	195.83	818.94	0.2913	98	17471	149.15	251.43	1289.59	0.1320
49	10799	117.26	180.85	864.59	0.1816	99	13588	131.53	228.23	1161.51	0.1266
50	21444	165.24	280.35	1414.17	0.1348	100	72498	303.82	444.79	2419.96	0.1556

Table B.18. Size Distribution Data, Ca²⁺:Na⁺ Ratio = 0.5, Calcium Test (cont'd)

Floc #	Floc Area (μm ²)	Equivalent Diameter (μm)	Longest Dimension (μm)	Perimeter (μm)	Shape Factor	Floc #	Floc Area (μm ²)	Equivalent Diameter (μm)	Longest Dimension (μm)	Perimeter (μm)	Shape Factor
101	26699	184.38	274.96	1408.93	0.1690	151	60417	277.35	631.54	3674.81	0.0562
102	42818	233.49	307.89	2226.79	0.1085	152	17819	150.62	278.21	1350.30	0.1228
103	13473	130.98	187.74	932.05	0.1949	153	8817	105.95	127.95	656.13	0.2574
104	17283	148.34	263.33	1175.78	0.1571	154	8224	102.33	194.39	878.60	0.1339
105	20000	159.58	272.94	1355.82	0.1367	155	19036	155.68	283.87	1318.10	0.1377
106	12858	127.95	204.71	1078.41	0.1390	156	9487	109.90	146.67	762.43	0.2051
107	71817	302.39	487.17	2654.50	0.1281	157	52044	257.42	553.70	3649.84	0.0491
108	21605	165.86	347.72	2093.47	0.0620	158	25417	179.89	215.44	1179.43	0.2297
109	30714	197.75	275.59	1264.78	0.2413	159	24986	178.36	341.49	1676.43	0.1117
110	40611	227.39	352.83	2242.00	0.1015	160	20730	162.46	305.12	1578.16	0.1046
111	18827	154.83	261.85	1298.41	0.1403	161	24298	175.89	245.09	1243.36	0.1975
112	15291	139.53	281.46	1530.47	0.0821	162	132108	410.13	1087.38	4779.66	0.0727
113	46400	243.06	348.19	1772.21	0.1857	163	12490	126.11	200.80	961.27	0.1699
114	15273	139.45	212.19	929.81	0.2220	164	22125	167.84	295.61	1208.73	0.1903
115	19720	158.46	318.71	1095.03	0.2067	165	42212	231.83	340.26	2404.92	0.0917
116	20707	162.37	271.09	1361.76	0.1403	166	25964	181.82	319.94	1740.81	0.1077
117	16938	146.85	212.10	1071.56	0.1854	167	7560	98.11	190.28	691.12	0.1989
118	16925	146.80	200.06	974.70	0.2239	168	17661	149.96	228.08	1261.12	0.1396
119	19842	158.95	243.92	1334.90	0.1399	169	8162	101.94	175.13	910.69	0.1237
120	33280	205.85	256.55	1928.47	0.1125	170	10392	115.03	178.82	856.54	0.1780
121	16027	142.85	223.23	1223.89	0.1345	171	29982	195.38	289.32	1871.75	0.1076
122	18075	151.70	232.75	1035.05	0.2120	172	44274	237.43	371.08	1873.01	0.1586
123	43145	234.38	382.48	2241.98	0.1079	173	18441	153.23	200.32	1016.31	0.2244
124	8113	101.64	159.22	826.13	0.1494	174	32309	202.82	300.99	1748.90	0.1328
125	16262	143.89	189.73	1076.13	0.1765	175	18872	155.01	356.18	1646.22	0.0875
126	13654	131.85	225.96	1088.44	0.1448	176	17067	147.41	262.95	1487.73	0.0969
127	12785	127.59	215.18	927.57	0.1868	177	12426	125.78	225.89	1127.00	0.1230
128	19976	159.48	249.64	1538.92	0.1060	178	55372	265.52	395.20	2920.61	0.0816
129	11483	120.92	171.04	759.31	0.2503	179	16108	143.21	205.10	909.06	0.2450
130	26475	183.60	456.26	2053.28	0.0789	180	28834	191.61	324.75	1775.31	0.1150
131	48026	247.28	420.76	1758.15	0.1953	181	13080	129.05	224.23	1188.41	0.1164
132	21811	166.64	276.70	1247.16	0.1763	182	58331	272.52	471.62	2934.88	0.0851
133	9659	110.90	210.42	892.79	0.1523	183	6525	91.15	136.92	499.33	0.3289
134	40680	227.59	485.66	2428.80	0.0867	184	9103	107.66	143.58	737.13	0.2106
135	17835	150.69	185.95	1014.24	0.2179	185	22176	168.03	272.19	1183.11	0.1991
136	24373	176.16	258.27	1328.87	0.1735	186	8104	101.58	167.04	1003.09	0.1012
137	30204	196.10	286.38	1705.67	0.1305	187	5033	80.05	135.06	569.40	0.1951
138	12190	124.58	261.06	839.89	0.2172	188	19755	158.60	276.82	1282.90	0.1509
139	22726	170.10	300.47	1430.02	0.1397	189	17750	150.33	197.55	1291.47	0.1338
140	24223	175.62	282.51	1476.92	0.1396	190	41371	229.51	416.93	1995.36	0.1306
141	11759	122.36	163.90	718.00	0.2867	191	12388	125.59	264.94	1204.78	0.1073
142	38971	222.75	513.06	2249.98	0.0967	192	21544	165.62	270.79	1588.53	0.1073
143	51398	255.82	380.32	2229.29	0.1300	193	15301	139.58	249.88	1531.35	0.0820
144	9086	107.56	183.73	727.42	0.2158	194	36516	215.62	343.87	2109.95	0.1031
145	14810	137.32	203.44	1107.58	0.1517	195	35408	212.33	360.22	2451.32	0.0741
146	7073	94.90	185.72	719.62	0.1717	196	14002	133.52	163.99	759.65	0.3050
147	14433	135.56	201.69	766.31	0.3089	197	17103	147.57	268.00	1418.63	0.1068
148	51376	255.76	343.69	1924.03	0.1744	198	18217	152.30	220.45	1411.55	0.1149
149	15797	141.82	227.93	1236.04	0.1299	199	15539	140.66	250.47	927.23	0.2272
150	16064	143.01	197.18	936.16	0.2304	200	21521	165.53	242.36	1752.69	0.0880

Table B.19. Size Distribution Data, Ca²⁺:Na⁺ Ratio = 1.0, Calcium Test

Floc #	Floc Area (μm ²)	Equivalent Diameter (μm)	Longest Dimension (μm)	Perimeter (μm)	Shape Factor	Floc #	Floc Area (μm ²)	Equivalent Diameter (μm)	Longest Dimension (μm)	Perimeter (μm)	Shape Factor
1	12688	127.10	230.29	1049.72	0.1447	51	11003	118.36	180.96	829.89	0.2008
2	17003	147.14	217.20	1008.31	0.2102	52	12257	124.92	190.27	1042.27	0.1418
3	25992	181.92	329.23	1901.92	0.0903	53	12413	125.72	206.33	995.11	0.1575
4	41395	229.58	356.99	1907.70	0.1430	54	6714	92.46	123.18	546.10	0.2829
5	22487	169.21	321.04	1718.96	0.0957	55	4844	78.53	140.14	672.82	0.1345
6	17574	149.58	205.11	1265.27	0.1380	56	19193	156.33	278.13	1537.29	0.1021
7	9960	112.61	171.25	845.81	0.1750	57	18344	152.83	179.94	1351.96	0.1261
8	6221	89.00	141.60	596.31	0.2199	58	68076	294.41	634.76	4593.15	0.0406
9	14122	134.09	193.53	1226.49	0.1180	59	37710	219.12	384.62	2414.96	0.0813
10	11200	119.42	178.70	892.35	0.1768	60	12063	123.93	197.84	879.48	0.1960
11	6770	92.84	153.92	591.24	0.2434	61	6329	89.76	151.93	623.65	0.2045
12	11059	118.66	217.37	981.84	0.1442	62	69693	297.89	336.11	1762.07	0.2821
13	13629	131.73	225.74	1018.01	0.1653	63	25680	180.82	309.08	1286.07	0.1952
14	26471	183.59	252.96	1055.60	0.2986	64	11434	120.65	172.60	645.70	0.3447
15	21542	165.61	276.04	1302.61	0.1596	65	30489	197.03	259.17	1289.02	0.2306
16	15700	141.38	177.94	867.98	0.2619	66	26738	184.51	232.16	1142.91	0.2573
17	11018	118.44	160.96	840.44	0.1960	67	13376	130.50	248.55	946.93	0.1875
18	15730	141.52	238.58	1203.08	0.1366	68	9842	111.94	221.59	890.85	0.1559
19	12670	127.01	193.53	706.67	0.3189	69	11393	120.44	211.30	934.33	0.1640
20	9113	107.72	173.34	707.22	0.2290	70	22675	169.91	324.56	1393.58	0.1467
21	25082	178.71	270.39	1334.96	0.1769	71	14521	135.97	204.56	875.79	0.2379
22	10013	112.91	188.28	747.72	0.2251	72	18552	153.69	201.19	1161.27	0.1729
23	6977	94.25	186.39	768.52	0.1485	73	11915	123.17	172.17	966.53	0.1603
24	6572	91.47	118.38	569.53	0.2546	74	8637	104.87	169.30	867.66	0.1442
25	36867	216.66	370.89	1890.56	0.1296	75	32513	203.46	379.82	1969.24	0.1054
26	15288	139.52	265.71	1240.74	0.1248	76	21797	166.59	310.65	1412.44	0.1373
27	4928	79.21	108.71	496.01	0.2517	77	5578	84.27	141.08	606.53	0.1906
28	34368	209.19	347.75	2302.73	0.0815	78	8956	106.79	204.28	902.42	0.1382
29	15155	138.91	285.30	1213.08	0.1294	79	17001	147.13	239.34	1017.73	0.2063
30	22882	170.69	302.71	1512.84	0.1256	80	30543	197.20	297.68	1413.86	0.1920
31	66100	290.11	418.67	2843.52	0.1028	81	20090	159.94	279.65	1380.99	0.1324
32	18856	154.94	234.54	1542.27	0.0996	82	29068	192.38	396.29	1734.87	0.1214
33	6200	88.85	128.12	692.60	0.1624	83	4836	78.47	105.26	473.57	0.2710
34	5820	86.08	121.58	592.16	0.2086	84	20184	160.31	255.55	1171.62	0.1848
35	18875	155.03	244.16	996.95	0.2387	85	8373	103.25	149.43	686.22	0.2235
36	4558	76.18	111.41	496.76	0.2322	86	6212	88.94	134.66	587.63	0.2261
37	15411	140.08	262.40	1493.76	0.0868	87	5745	85.52	135.27	621.53	0.1869
38	8937	106.67	155.18	828.85	0.1635	88	49832	251.89	551.94	2574.21	0.0945
39	12524	126.28	169.69	706.06	0.3157	89	10963	118.15	230.68	796.52	0.2172
40	18870	155.00	243.99	1562.26	0.0972	90	65649	289.11	503.84	3057.06	0.0883
41	10835	117.45	171.82	821.72	0.2017	91	88096	334.91	785.92	5681.64	0.0343
42	10305	114.55	157.29	714.01	0.2541	92	8371	103.24	190.07	641.08	0.2560
43	6382	90.14	147.22	748.98	0.1430	93	6740	92.64	133.39	751.02	0.1502
44	15093	138.63	225.80	994.68	0.1917	94	5162	81.07	128.26	566.89	0.2019
45	12728	127.30	174.12	1049.92	0.1451	95	4671	77.12	110.45	507.15	0.2282
46	26039	182.08	333.67	1440.81	0.1576	96	15586	140.87	222.40	1346.04	0.1081
47	8038	101.16	177.01	840.44	0.1430	97	7760	99.40	128.30	660.90	0.2233
48	16425	144.61	386.24	1909.82	0.0566	98	8901	106.46	176.18	677.68	0.2436
49	21887	166.94	325.61	1363.06	0.1481	99	18107	151.84	272.26	1413.42	0.1139
50	4996	79.76	138.30	710.81	0.1243	100	11794	122.54	165.34	961.38	0.1604

Table B.19. Size Distribution Data, Ca²⁺:Na⁺ Ratio = 1.0, Calcium Test (cont'd)

Floc #	Floc Area (μm ²)	Equivalent Diameter (μm)	Longest Dimension (μm)	Perimeter (μm)	Shape Factor	Floc #	Floc Area (μm ²)	Equivalent Diameter (μm)	Longest Dimension (μm)	Perimeter (μm)	Shape Factor
101	7849	99.97	155.34	830.12	0.1431	151	14136	134.16	312.29	1438.88	0.0858
102	10261	114.30	174.22	740.86	0.2350	152	37052	217.20	393.14	1943.90	0.1232
103	6259	89.27	156.72	534.19	0.2757	153	7577	98.22	202.03	732.31	0.1776
104	21065	163.77	224.58	1238.08	0.1727	154	9658	110.89	163.76	726.13	0.2302
105	6894	93.69	164.58	867.03	0.1153	155	8303	102.82	181.35	891.61	0.1313
106	28160	189.35	331.46	1488.43	0.1598	156	10583	116.08	196.11	1003.47	0.1321
107	67194	292.50	450.98	2314.54	0.1577	157	41600	230.14	410.81	2527.61	0.0818
108	25708	180.92	226.70	1264.81	0.2020	158	9917	112.37	155.65	751.49	0.2207
109	10747	116.98	218.80	1170.74	0.0986	159	18995	155.52	285.02	1007.37	0.2353
110	10377	114.95	188.20	926.79	0.1518	160	12717	127.25	219.18	1031.29	0.1503
111	34062	208.25	321.20	1750.48	0.1397	161	8381	103.30	178.83	886.85	0.1339
112	18620	153.97	258.63	1511.84	0.1024	162	16359	144.32	186.21	952.97	0.2264
113	26993	185.39	288.73	1279.18	0.2073	163	5344	82.49	133.33	641.29	0.1633
114	48259	247.88	453.35	2931.97	0.0706	164	7842	99.92	158.04	773.14	0.1649
115	21792	166.57	257.49	1288.10	0.1651	165	17036	147.28	214.97	1290.76	0.1285
116	4273	73.76	138.73	477.09	0.2360	166	5526	83.88	143.44	641.28	0.1689
117	28183	189.43	294.12	1697.81	0.1229	167	42148	231.65	325.77	2655.69	0.0751
118	15793	141.80	208.18	1031.88	0.1864	168	8328	102.98	135.91	681.84	0.2252
119	18844	154.90	258.40	1441.34	0.1140	169	11277	119.82	197.32	881.41	0.1824
120	10867	117.63	188.85	894.70	0.1706	170	20422	161.25	243.12	1168.46	0.1880
121	23524	173.06	299.13	1576.28	0.1190	171	6787	92.96	124.95	591.92	0.2434
122	7249	96.07	153.31	593.61	0.2586	172	12146	124.36	160.15	848.57	0.2120
123	7025	94.58	167.68	689.92	0.1855	173	38055	220.12	312.59	1798.76	0.1478
124	37964	219.86	505.10	2238.64	0.0952	174	30894	198.33	405.51	1973.38	0.0997
125	6847	93.37	195.22	863.29	0.1155	175	21577	165.75	268.46	1125.00	0.2143
126	19172	156.24	251.74	1222.28	0.1613	176	8330	102.98	171.57	747.46	0.1874
127	10198	113.95	183.25	1368.10	0.0685	177	23952	174.63	290.29	2044.34	0.0720
128	6068	87.89	131.74	669.96	0.1699	178	10651	116.45	201.93	924.34	0.1567
129	60139	276.72	338.41	2221.63	0.1531	179	6881	93.60	135.17	710.21	0.1715
130	6431	90.49	132.80	785.91	0.1309	180	19591	157.94	225.70	1501.20	0.1093
131	5462	83.39	111.67	557.54	0.2208	181	14339	135.12	226.05	1031.55	0.1694
132	17286	148.36	295.28	1655.33	0.0793	182	15310	139.62	241.86	1331.98	0.1085
133	6795	93.01	154.18	609.53	0.2298	183	11381	120.38	188.28	703.99	0.2886
134	23578	173.26	292.03	1323.25	0.1692	184	12010	123.66	223.79	1052.70	0.1362
135	17699	150.12	204.70	983.96	0.2297	185	15269	139.43	221.87	1320.92	0.1100
136	13062	128.96	243.27	1224.29	0.1095	186	15235	139.28	248.70	1240.03	0.1245
137	6265	89.31	154.23	535.87	0.2742	187	8574	104.48	174.22	842.65	0.1518
138	79794	318.74	632.45	3663.45	0.0747	188	7390	97.00	161.19	729.64	0.1745
139	22575	169.54	319.38	1664.58	0.1024	189	53252	260.39	532.03	2617.90	0.0977
140	22923	170.84	219.19	1002.25	0.2868	190	42442	232.46	519.28	2027.33	0.1298
141	32386	203.07	451.75	2253.76	0.0801	191	10354	114.82	191.96	881.10	0.1676
142	21772	166.49	229.32	1291.66	0.1640	192	11993	123.57	184.27	945.28	0.1687
143	16251	143.84	239.95	1297.95	0.1212	193	30556	197.25	252.49	1547.92	0.1603
144	10348	114.78	170.29	814.73	0.1959	194	24026	174.90	251.85	1355.49	0.1643
145	7645	98.66	161.77	638.09	0.2360	195	7879	100.16	178.24	620.49	0.2572
146	47708	246.46	408.58	2105.93	0.1352	196	16550	145.16	201.12	1219.59	0.1398
147	20649	162.15	321.15	1732.83	0.0864	197	14067	133.83	206.90	825.64	0.2594
148	16315	144.13	238.65	1094.90	0.1710	198	21209	164.33	288.61	1465.26	0.1242
149	7475	97.56	128.69	724.91	0.1788	199	44645	238.42	341.94	2319.44	0.1043
150	9637	110.77	158.18	964.61	0.1302	200	5890	86.60	110.90	474.00	0.3295

Table B.20. Size Distribution Data, Ca²⁺:Na⁺ Ratio = 1.5, Calcium Test

Floc #	Floc Area (μm ²)	Equivalent Diameter (μm)	Longest Dimension (μm)	Perimeter (μm)	Shape Factor	Floc #	Floc Area (μm ²)	Equivalent Diameter (μm)	Longest Dimension (μm)	Perimeter (μm)	Shape Factor
1	6303	89.59	106.46	439.51	0.4101	51	21744	166.39	256.91	1669.88	0.0980
2	17833	150.68	221.01	1304.94	0.1316	52	9362	109.18	198.77	1308.37	0.0687
3	28673	191.07	356.28	1594.90	0.1417	53	29963	195.32	269.33	1790.03	0.1175
4	65487	288.76	498.50	2737.27	0.1099	54	25113	178.82	354.92	2029.65	0.0766
5	3395	65.75	118.77	652.31	0.1003	55	5389	82.83	143.60	678.22	0.1472
6	7744	99.30	165.78	787.12	0.1571	56	17434	148.99	235.55	981.53	0.2274
7	11843	122.79	196.42	928.52	0.1726	57	57758	271.18	399.02	2069.13	0.1695
8	10893	117.77	163.72	690.30	0.2873	58	20010	159.62	330.17	1156.43	0.1881
9	50793	254.31	406.78	2177.37	0.1346	59	35138	211.52	323.52	1735.58	0.1466
10	18462	153.32	325.88	1166.82	0.1704	60	15024	138.31	181.90	1035.57	0.1761
11	7066	94.85	140.97	671.05	0.1972	61	13799	132.55	236.61	1152.01	0.1307
12	51722	256.62	348.99	2478.08	0.1059	62	27374	186.69	266.44	1307.18	0.2013
13	18059	151.63	279.15	1281.60	0.1382	63	7649	98.69	163.78	847.81	0.1338
14	10140	113.63	238.58	1134.66	0.0990	64	19608	158.01	222.54	1132.94	0.1920
15	7277	96.26	161.10	787.45	0.1475	65	16108	143.21	173.48	1010.58	0.1982
16	13015	128.73	257.63	1102.82	0.1345	66	8206	102.22	153.31	797.69	0.1621
17	13204	129.66	184.69	874.99	0.2168	67	27740	187.94	401.10	2259.69	0.0683
18	25674	180.80	340.76	1887.82	0.0905	68	6620	91.81	127.85	575.53	0.2512
19	49553	251.18	379.08	2326.10	0.1151	69	8996	107.02	140.32	767.80	0.1918
20	21580	165.76	243.39	1142.47	0.2078	70	9283	108.72	186.26	810.12	0.1778
21	11764	122.39	230.67	1299.12	0.0876	71	31999	201.85	382.82	1801.73	0.1239
22	11458	120.78	188.20	1031.28	0.1354	72	14161	134.28	243.84	1121.58	0.1415
23	18467	153.34	242.56	1192.92	0.1631	73	19174	156.25	284.10	1318.24	0.1387
24	35019	211.16	476.67	2545.44	0.0679	74	24184	175.48	328.73	1631.90	0.1141
25	5062	80.28	143.08	515.72	0.2392	75	11450	120.74	226.27	1163.24	0.1063
26	7734	99.24	123.36	463.57	0.4523	76	13836	132.73	231.24	1068.91	0.1522
27	34357	209.15	273.71	1286.24	0.2610	77	26466	183.57	289.76	1541.02	0.1401
28	40627	227.44	390.31	1886.11	0.1435	78	21105	163.92	208.26	1219.06	0.1785
29	18691	154.27	229.37	1550.84	0.0977	79	22102	167.75	306.34	1434.86	0.1349
30	11914	123.17	188.06	743.19	0.2711	80	8090	101.49	222.66	1071.09	0.0886
31	9277	108.68	199.83	853.21	0.1602	81	24673	177.24	218.18	1297.74	0.1841
32	33195	205.58	308.05	1579.71	0.1672	82	34955	210.96	352.78	2092.18	0.1004
33	11429	120.63	254.25	826.90	0.2101	83	7947	100.59	150.10	715.55	0.1951
34	21455	165.28	278.60	1358.05	0.1462	84	19290	156.72	251.09	1000.72	0.2421
35	10808	117.31	196.65	967.66	0.1451	85	50172	252.75	361.27	2130.03	0.1390
36	6494	90.93	114.05	690.33	0.1713	86	84874	328.73	544.29	3855.16	0.0718
37	27173	186.01	293.88	1654.68	0.1247	87	55064	264.78	383.54	2215.16	0.1410
38	97288	351.95	540.06	4073.33	0.0737	88	58443	272.79	363.04	2377.11	0.1300
39	15203	139.13	303.84	1187.01	0.1356	89	6607	91.72	159.67	656.21	0.1928
40	7676	98.86	149.87	548.62	0.3205	90	4372	74.61	92.37	484.30	0.2343
41	36157	214.56	377.13	1883.34	0.1281	91	56760	268.83	365.10	2398.17	0.1240
42	16876	146.59	204.25	1315.71	0.1225	92	8921	106.58	154.82	768.84	0.1897
43	6371	90.07	111.53	560.50	0.2549	93	17347	148.62	189.66	951.03	0.2411
44	12402	125.66	183.47	801.93	0.2424	94	6785	92.94	141.61	718.64	0.1651
45	8211	102.25	126.95	698.91	0.2113	95	11620	121.63	180.96	1186.10	0.1038
46	12562	126.47	154.44	1131.50	0.1233	96	20678	162.26	276.45	1409.55	0.1308
47	25459	180.04	283.18	1075.85	0.2765	97	13483	131.02	217.62	978.47	0.1770
48	20884	163.06	257.34	1379.30	0.1380	98	35838	213.61	296.76	1909.57	0.1235
49	35281	211.94	348.64	1774.41	0.1408	99	42751	233.31	286.84	1913.11	0.1468
50	21933	167.11	284.31	1628.70	0.1039	100	57785	271.25	381.56	2492.71	0.1169

Table B.20. Size Distribution Data, Ca²⁺:Na⁺ Ratio = 1.5, Calcium Test (cont'd)

Floc #	Floc Area (μm ²)	Equivalent Diameter (μm)	Longest Dimension (μm)	Perimeter (μm)	Shape Factor	Floc #	Floc Area (μm ²)	Equivalent Diameter (μm)	Longest Dimension (μm)	Perimeter (μm)	Shape Factor
101	14085	133.92	231.96	926.80	0.2061	151	12594	126.63	224.19	1016.15	0.1533
102	16245	143.82	287.11	1409.52	0.1028	152	32068	202.06	417.77	2007.60	0.1000
103	26484	183.63	284.83	1623.95	0.1262	153	17446	149.04	182.85	1349.34	0.1204
104	29790	194.75	324.79	1278.52	0.2291	154	13011	128.71	242.38	1281.91	0.0995
105	6087	88.04	152.16	699.82	0.1562	155	16187	143.56	267.01	1270.16	0.1261
106	14128	134.12	180.74	926.34	0.2069	156	25889	181.56	318.26	1838.83	0.0962
107	16312	144.11	221.65	1186.83	0.1456	157	39714	224.87	415.59	2066.50	0.1169
108	13572	131.45	169.80	990.55	0.1739	158	26996	185.40	270.80	1464.92	0.1581
109	6265	89.32	143.90	629.19	0.1989	159	25022	178.49	329.71	1376.81	0.1659
110	35714	213.24	283.64	1101.06	0.3702	160	30496	197.05	307.08	1315.15	0.2216
111	22544	169.42	264.04	1664.50	0.1023	161	23675	173.62	336.57	1292.09	0.1782
112	40459	226.97	444.86	2043.06	0.1218	162	13662	131.89	183.27	1052.75	0.1549
113	36030	214.18	347.40	2217.67	0.0921	163	4649	76.94	101.73	444.55	0.2957
114	16849	146.47	193.58	908.48	0.2566	164	11979	123.50	243.41	1157.58	0.1123
115	16624	145.49	216.99	980.39	0.2174	165	77975	315.09	385.12	2082.42	0.2260
116	87966	334.67	454.75	3159.09	0.1108	166	24263	175.76	248.38	1451.21	0.1448
117	37614	218.84	329.77	2035.91	0.1140	167	14778	137.17	223.12	1117.31	0.1488
118	16738	145.99	221.86	1212.54	0.1431	168	9957	112.60	190.52	962.69	0.1350
119	44054	236.84	368.86	1846.87	0.1623	169	91221	340.80	633.51	4095.65	0.0684
120	18183	152.16	233.03	1273.26	0.1410	170	7352	96.75	141.44	728.89	0.1739
121	8085	101.46	163.39	791.63	0.1622	171	21842	166.76	259.05	1294.80	0.1637
122	9092	107.59	127.26	560.66	0.3635	172	9748	111.41	172.64	691.67	0.2561
123	10023	112.97	232.46	998.53	0.1263	173	31702	200.91	317.42	1339.70	0.2220
124	25573	180.45	253.36	1436.80	0.1557	174	11634	121.71	197.47	920.25	0.1727
125	16548	145.15	228.42	1026.57	0.1974	175	14982	138.12	250.19	1281.78	0.1146
126	8746	105.53	192.63	793.67	0.1745	176	20604	161.97	240.60	1369.63	0.1381
127	11863	122.90	164.68	834.91	0.2139	177	18581	153.81	215.14	1013.01	0.2276
128	39288	223.66	314.53	1581.20	0.1975	178	15081	138.57	225.18	966.94	0.2027
129	29118	192.55	301.29	1767.73	0.1171	179	24293	175.87	266.64	1701.00	0.1055
130	29573	194.04	386.61	1957.41	0.0970	180	31245	199.45	340.01	1882.14	0.1109
131	24241	175.68	241.72	1068.49	0.2669	181	29774	194.70	263.59	1497.07	0.1670
132	8125	101.71	170.55	655.77	0.2375	182	44722	238.62	334.62	2119.74	0.1251
133	28444	190.31	229.13	1343.92	0.1979	183	18624	153.99	176.50	959.12	0.2545
134	10770	117.10	183.98	689.10	0.2850	184	13526	131.23	221.23	1177.67	0.1226
135	11268	119.78	186.86	1221.44	0.0949	185	80142	319.44	761.23	4645.81	0.0467
136	11042	118.57	190.51	779.44	0.2285	186	51928	257.13	459.96	2097.95	0.1483
137	11963	123.42	153.17	920.59	0.1774	187	13671	131.93	210.38	1040.76	0.1586
138	8430	103.61	159.13	791.47	0.1691	188	4031	71.64	97.97	428.79	0.2756
139	14088	133.93	224.27	899.43	0.2189	189	10311	114.58	150.08	771.22	0.2179
140	74045	307.04	434.52	2125.99	0.2059	190	18481	153.40	328.75	1587.57	0.0922
141	21498	165.45	277.92	1532.03	0.1151	191	17192	147.95	287.60	1082.06	0.1845
142	34778	210.43	349.56	2545.92	0.0674	192	7384	96.96	155.15	720.31	0.1789
143	16676	145.71	236.85	1082.58	0.1788	193	21751	166.42	293.35	1888.27	0.0767
144	32630	203.83	382.97	2134.76	0.0900	194	19653	158.19	238.83	1526.52	0.1060
145	32601	203.74	312.64	1861.72	0.1182	195	11504	121.03	191.16	801.90	0.2248
146	14326	135.06	248.70	1200.75	0.1249	196	9277	108.68	197.68	1069.39	0.1019
147	19143	156.12	233.79	1424.48	0.1186	197	12545	126.38	214.24	1039.16	0.1460
148	8731	105.44	167.10	570.58	0.3371	198	57749	271.16	410.19	2985.71	0.0814
149	15196	139.10	206.86	946.32	0.2133	199	13203	129.66	253.36	1128.92	0.1302
150	61528	279.89	416.42	3102.16	0.0804	200	14634	136.50	220.49	908.59	0.2228

Table B.21. Size Distribution Data, Ca²⁺:Na⁺ Ratio = 2.0, Calcium Test

Floc #	Floc Area (μm ²)	Equivalent Diameter (μm)	Longest Dimension (μm)	Perimeter (μm)	Shape Factor	Floc #	Floc Area (μm ²)	Equivalent Diameter (μm)	Longest Dimension (μm)	Perimeter (μm)	Shape Factor
1	11543	121.23	180.78	903.55	0.1777	51	6744	92.67	113.94	620.35	0.2202
2	17435	148.99	177.24	874.56	0.2865	52	25431	179.95	222.19	1152.30	0.2407
3	68352	295.01	560.96	2638.72	0.1234	53	7499	97.71	157.41	906.84	0.1146
4	32786	204.32	400.84	2098.75	0.0936	54	27450	186.95	295.24	1327.32	0.1958
5	19384	157.10	381.09	1674.08	0.0869	55	4441	75.20	92.36	518.37	0.2078
6	15781	141.75	265.65	1125.40	0.1566	56	12667	127.00	172.21	719.07	0.3079
7	22690	169.97	256.07	1424.67	0.1405	57	66120	290.15	440.56	2812.92	0.1050
8	71825	302.41	429.27	2708.81	0.1230	58	51312	255.60	467.71	2581.90	0.0968
9	42459	232.51	506.54	2859.12	0.0653	59	27478	187.05	274.59	1485.52	0.1565
10	25794	181.22	309.59	1859.73	0.0937	60	6052	87.78	130.96	599.29	0.2118
11	36073	214.31	308.70	1831.52	0.1352	61	6429	90.48	150.15	688.44	0.1705
12	17094	147.53	215.44	834.71	0.3084	62	15290	139.53	189.10	1160.04	0.1428
13	10794	117.23	191.18	744.13	0.2450	63	22479	169.18	226.45	1396.16	0.1449
14	12974	128.53	233.53	939.39	0.1848	64	36895	216.74	301.65	1607.74	0.1794
15	36982	216.99	372.49	1759.17	0.1502	65	23383	172.55	301.76	1680.57	0.1041
16	7437	97.31	138.35	551.51	0.3073	66	11902	123.10	199.48	1030.90	0.1408
17	21160	164.14	266.02	1535.03	0.1129	67	25098	178.76	305.28	1190.39	0.2226
18	12932	128.32	202.45	1012.10	0.1587	68	5406	82.97	140.76	696.17	0.1402
19	41567	230.05	372.37	1660.22	0.1895	69	63011	283.25	426.39	2113.57	0.1773
20	37978	219.90	278.62	1283.87	0.2896	70	24668	177.22	224.97	1686.11	0.1090
21	10063	113.19	179.53	882.33	0.1625	71	5988	87.32	138.44	491.95	0.3110
22	5663	84.92	141.80	520.74	0.2625	72	29044	192.30	260.78	1381.15	0.1914
23	12306	125.17	230.33	918.39	0.1834	73	7347	96.72	120.88	685.79	0.1963
24	44074	236.89	363.84	2162.17	0.1185	74	11069	118.72	198.49	890.20	0.1756
25	20996	163.50	292.64	1289.75	0.1586	75	10881	117.70	178.63	907.63	0.1660
26	15684	141.31	242.59	1346.50	0.1087	76	7768	99.45	203.35	1030.72	0.0919
27	19024	155.63	234.44	1090.35	0.2011	77	27475	187.04	327.27	1284.00	0.2094
28	23247	172.04	296.93	1334.86	0.1640	78	55253	265.24	398.81	2201.77	0.1432
29	36179	214.63	333.99	1326.47	0.2584	79	8342	103.06	147.66	706.44	0.2101
30	28759	191.36	439.61	1979.99	0.0922	80	24167	175.41	318.17	1427.98	0.1489
31	31377	199.88	326.30	1793.88	0.1225	81	36104	214.41	354.63	1786.45	0.1422
32	20713	162.39	350.08	1828.53	0.0779	82	7014	94.50	184.57	715.71	0.1721
33	7424	97.22	140.06	667.47	0.2094	83	13790	132.50	189.43	1011.91	0.1693
34	6794	93.01	126.28	441.86	0.4374	84	66745	291.52	523.91	2558.76	0.1281
35	7378	96.92	132.57	682.89	0.1988	85	25848	181.41	275.87	1402.67	0.1651
36	18057	151.63	231.07	1079.81	0.1946	86	51561	256.22	374.23	2175.03	0.1370
37	9614	110.64	168.01	733.56	0.2245	87	59772	275.87	520.72	1925.04	0.2027
38	11615	121.61	191.08	955.23	0.1600	88	6314	89.66	139.84	583.91	0.2327
39	31845	201.36	431.49	2229.97	0.0805	89	9200	108.23	135.58	469.05	0.5256
40	25676	180.81	243.93	1591.26	0.1274	90	50664	253.98	332.42	2142.36	0.1387
41	8415	103.51	176.95	885.77	0.1348	91	37411	218.25	351.81	2238.49	0.0938
42	101950	360.29	489.40	3576.05	0.1002	92	22986	171.07	237.87	1296.50	0.1719
43	43663	235.78	445.97	1803.71	0.1687	93	20392	161.13	274.57	1034.14	0.2397
44	92364	342.93	520.93	3121.13	0.1192	94	11257	119.72	190.41	898.53	0.1752
45	15767	141.69	196.41	1106.99	0.1617	95	32340	202.92	385.43	1831.72	0.1211
46	8489	103.96	170.68	1086.49	0.0904	96	16480	144.85	280.20	1316.42	0.1195
47	13605	131.61	271.35	1068.56	0.1498	97	48099	247.47	335.59	1937.52	0.1610
48	26490	183.65	292.39	1498.51	0.1483	98	15648	141.15	210.72	1179.94	0.1412
49	65137	287.98	457.02	2181.49	0.1720	99	45713	241.25	340.27	1558.36	0.2366
50	32345	202.94	338.69	1663.29	0.1469	100	10895	117.78	202.70	1198.57	0.0953

Table B.21. Size Distribution Data, Ca²⁺:Na⁺ Ratio = 2.0, Calcium Test (cont'd)

Floc #	Floc Area (µm²)	Equivalent Diameter (µm)	Longest Dimension (µm)	Perimeter (µm)	Shape Factor	Floc #	Floc Area (µm²)	Equivalent Diameter (µm)	Longest Dimension (µm)	Perimeter (µm)	Shape Factor
101	28075	189.07	334.42	1268.65	0.2192	151	13975	133.39	227.25	1132.11	0.1371
102	16882	146.61	293.37	1387.23	0.1103	152	37913	219.71	277.71	1363.05	0.2565
103	108490	371.66	605.18	3507.87	0.1108	153	30243	196.23	297.96	1586.36	0.1510
104	45688	241.19	341.46	1877.34	0.1629	154	35100	211.40	258.95	1592.71	0.1739
105	8325	102.96	209.67	694.19	0.2171	155	16589	145.33	230.82	968.58	0.2222
106	30446	196.89	239.60	1307.15	0.2240	156	10914	117.88	174.26	960.71	0.1486
107	30862	198.23	386.01	1805.92	0.1189	157	31869	201.44	289.20	2098.62	0.0910
108	8836	106.07	190.95	738.33	0.2037	158	6088	88.04	158.68	687.23	0.1620
109	27914	188.52	337.74	1496.42	0.1567	159	19560	157.81	205.29	1013.65	0.2393
110	31158	199.18	400.64	1773.62	0.1245	160	18286	152.59	236.92	1198.48	0.1600
111	15140	138.84	287.11	1340.41	0.1059	161	30592	197.36	325.44	1346.62	0.2120
112	10879	117.69	199.68	723.58	0.2611	162	13801	132.56	178.30	901.53	0.2134
113	207558	514.07	756.20	3991.30	0.1638	163	12903	128.17	218.68	974.36	0.1708
114	12315	125.22	172.14	749.45	0.2756	164	14284	134.86	185.62	888.24	0.2276
115	22820	170.46	265.86	1057.75	0.2564	165	47569	246.10	431.58	2454.73	0.0992
116	42937	233.81	423.63	2281.93	0.1036	166	50499	253.57	405.29	2752.36	0.0838
117	12607	126.70	155.40	849.22	0.2197	167	17176	147.88	194.08	1038.97	0.2000
118	30068	195.66	384.44	1639.70	0.1406	168	17869	150.84	188.70	875.44	0.2930
119	11291	119.90	193.50	1035.29	0.1324	169	32231	202.58	288.32	1605.94	0.1571
120	7222	95.89	154.09	789.35	0.1457	170	7298	96.40	169.01	679.24	0.1988
121	166628	460.60	719.26	5157.38	0.0787	171	6040	87.70	116.20	455.88	0.3652
122	30570	197.29	317.17	1481.03	0.1752	172	8124	101.70	221.43	795.98	0.1612
123	157457	447.75	891.50	4114.11	0.1169	173	33339	206.03	271.02	1701.42	0.1448
124	11529	121.16	219.01	1174.41	0.1051	174	12189	124.58	206.05	1094.52	0.1279
125	11653	121.81	208.55	879.36	0.1894	175	6232	89.08	135.33	673.53	0.1727
126	13599	131.58	293.78	1269.49	0.1061	176	75269	309.57	528.51	2891.86	0.1131
127	15944	142.48	231.98	1050.96	0.1814	177	8574	104.48	177.50	926.94	0.1254
128	48320	248.04	368.72	2141.92	0.1324	178	23396	172.59	238.26	1223.16	0.1965
129	25144	178.93	329.46	1401.30	0.1609	179	18696	154.29	204.50	1124.40	0.1859
130	27105	185.77	291.28	1525.00	0.1465	180	13969	133.36	264.60	1333.12	0.0988
131	48553	248.64	377.32	2272.83	0.1181	181	24482	176.55	238.57	1430.32	0.1504
132	15626	141.05	207.97	1114.02	0.1583	182	13234	129.81	259.59	1172.59	0.1210
133	35038	211.21	304.96	1742.07	0.1451	183	4672	77.13	107.91	427.39	0.3214
134	64556	286.70	390.70	3446.36	0.0683	184	92185	342.60	419.03	2545.15	0.1789
135	22145	167.92	358.23	1556.89	0.1148	185	45700	241.22	323.32	1659.17	0.2087
136	74702	308.40	418.08	2400.23	0.1630	186	94522	346.91	518.85	3501.28	0.0969
137	19081	155.87	208.18	1049.90	0.2176	187	18891	155.09	199.88	937.88	0.2699
138	5072	80.36	133.17	557.03	0.2055	188	64045	285.56	385.89	2460.78	0.1329
139	18896	155.11	213.68	988.10	0.2432	189	7506	97.76	157.03	575.35	0.2850
140	14161	134.28	287.85	954.70	0.1953	190	13269	129.98	222.31	977.33	0.1746
141	18443	153.24	228.52	958.25	0.2524	191	16387	144.45	168.16	682.96	0.4416
142	8601	104.65	156.22	609.90	0.2906	192	19995	159.56	239.49	1372.77	0.1334
143	35203	211.71	286.21	1821.85	0.1333	193	36160	214.57	270.23	1434.26	0.2209
144	7479	97.58	135.17	634.44	0.2335	194	13308	130.17	216.45	1151.02	0.1263
145	9705	111.16	152.83	734.93	0.2258	195	18961	155.38	259.83	1067.70	0.2090
146	89757	338.06	515.04	3261.10	0.1061	196	20999	163.51	284.83	1223.64	0.1763
147	14447	135.63	372.83	1360.21	0.0981	197	15462	140.31	174.59	963.90	0.2091
148	13636	131.76	190.00	983.57	0.1771	198	43338	234.90	380.19	1951.93	0.1430
149	18110	151.85	242.18	1187.38	0.1614	199	13272	129.99	215.60	761.55	0.2876
150	84942	328.86	439.17	2177.59	0.2251	200	16364	144.34	195.97	1073.52	0.1785

Table B.22. Size Distribution Data, Ca²⁺:Na⁺ Ratio = 2.5, Calcium Test

Floc #	Floc Area (μm ²)	Equivalent Diameter (μm)	Longest Dimension (μm)	Perimeter (μm)	Shape Factor	Floc #	Floc Area (μm ²)	Equivalent Diameter (μm)	Longest Dimension (μm)	Perimeter (μm)	Shape Factor
1	111976	377.59	554.16	4403.24	0.0726	51	28747	191.32	258.44	1364.22	0.1941
2	33146	205.43	304.64	1668.26	0.1497	52	27443	186.93	268.47	1551.74	0.1432
3	8880	106.33	173.28	617.84	0.2924	53	19104	155.96	239.54	1111.27	0.1944
4	20585	161.90	207.15	1063.67	0.2287	54	58763	273.53	401.51	1902.85	0.2040
5	10754	117.01	196.36	668.02	0.3029	55	63050	283.33	403.04	2471.42	0.1297
6	16172	143.49	238.06	1222.86	0.1359	56	9598	110.55	151.58	807.90	0.1848
7	45343	240.27	348.76	1912.66	0.1558	57	76041	311.16	484.96	2837.14	0.1187
8	14445	135.62	175.92	775.79	0.3017	58	15256	139.37	200.86	1121.60	0.1524
9	78010	315.16	578.22	3523.10	0.0790	59	3659	68.26	84.26	407.50	0.2769
10	9878	112.15	187.47	665.41	0.2804	60	26385	183.29	283.03	1567.37	0.1350
11	9329	108.99	181.63	641.67	0.2848	61	46873	244.30	480.63	1811.10	0.1796
12	9656	110.88	189.65	832.82	0.1750	62	34059	208.24	293.58	1530.68	0.1827
13	32998	204.97	288.17	1755.48	0.1346	63	12906	128.19	204.43	938.90	0.1840
14	12062	123.93	219.26	760.64	0.2620	64	12470	126.01	213.99	1019.78	0.1507
15	20265	160.63	252.28	1201.20	0.1765	65	5591	84.37	143.13	586.58	0.2042
16	15400	140.03	261.14	1127.81	0.1522	66	18573	153.78	326.29	1194.68	0.1635
17	19865	159.04	267.61	1313.62	0.1447	67	53702	261.49	365.57	1696.66	0.2345
18	9510	110.04	141.09	661.85	0.2729	68	26890	185.03	321.92	1317.81	0.1946
19	7420	97.20	125.20	655.61	0.2170	69	65345	288.44	428.53	2891.59	0.0982
20	33254	205.77	322.48	1813.14	0.1271	70	11902	123.10	155.89	889.43	0.1891
21	11122	119.00	186.28	840.88	0.1977	71	17243	148.17	246.38	1375.55	0.1145
22	23365	172.48	232.64	1727.48	0.0984	72	3975	71.14	95.85	416.29	0.2883
23	81855	322.83	481.72	2643.11	0.1473	73	11911	123.15	190.67	1000.35	0.1496
24	29701	194.46	265.30	2001.81	0.0932	74	10151	113.69	175.48	962.24	0.1378
25	18651	154.10	233.04	1682.61	0.0828	75	19480	157.49	233.06	1180.39	0.1757
26	48808	249.29	359.81	2503.87	0.0978	76	15024	138.31	199.39	1093.34	0.1580
27	11020	118.46	198.38	890.86	0.1745	77	19921	159.26	210.77	1368.69	0.1336
28	78762	316.68	464.31	3695.42	0.0725	78	12639	126.86	176.15	710.93	0.3143
29	57087	269.60	429.68	2870.82	0.0871	79	6524	91.14	136.66	723.40	0.1567
30	13931	133.18	185.89	1217.07	0.1182	80	10644	116.41	180.31	993.06	0.1356
31	14401	135.41	227.09	1117.48	0.1449	81	41231	229.12	322.56	1525.27	0.2228
32	16213	143.68	225.46	919.77	0.2409	82	5495	83.64	144.74	611.28	0.1848
33	16080	143.09	169.82	815.01	0.3042	83	11163	119.22	272.82	1175.87	0.1015
34	11296	119.93	173.68	722.51	0.2720	84	17025	147.23	283.39	1164.67	0.1577
35	11103	118.90	190.97	849.17	0.1935	85	6183	88.73	208.64	654.09	0.1816
36	18481	153.40	238.76	1286.94	0.1402	86	6928	93.92	151.56	524.13	0.3170
37	9805	111.73	204.42	592.29	0.3513	87	15581	140.85	227.17	1060.93	0.1740
38	20814	162.79	305.87	1440.51	0.1261	88	5366	82.66	158.35	542.18	0.2294
39	8736	105.46	144.08	682.45	0.2357	89	13268	129.97	186.11	746.52	0.2992
40	13730	132.22	187.17	869.56	0.2282	90	9094	107.61	207.62	881.20	0.1472
41	75075	309.17	554.47	3149.82	0.0951	91	9097	107.62	216.23	1020.72	0.1097
42	87380	333.55	551.79	3344.81	0.0982	92	7069	94.87	133.31	499.32	0.3564
43	41685	230.38	624.55	3091.02	0.0548	93	4277	73.79	124.14	465.79	0.2477
44	54154	262.59	385.70	2486.00	0.1101	94	18207	152.26	210.21	1058.54	0.2042
45	11036	118.54	200.34	944.59	0.1554	95	20026	159.68	284.74	1440.32	0.1213
46	24136	175.30	286.30	2117.68	0.0676	96	10880	117.70	187.15	692.02	0.2856
47	10919	117.91	170.59	690.26	0.2881	97	8069	101.36	160.47	772.50	0.1699
48	16863	146.53	209.12	915.79	0.2527	98	5089	80.49	115.77	396.33	0.4072
49	84615	328.23	619.72	3100.76	0.1106	99	9875	112.13	187.17	787.30	0.2002
50	14127	134.12	195.96	876.92	0.2309	100	26255	182.84	288.39	1874.01	0.0940

Table B.22. Size Distribution Data, Ca²⁺:Na⁺ Ratio = 2.5, Calcium Test (cont'd)

Floc #	Floc Area (μm ²)	Equivalent Diameter (μm)	Longest Dimension (μm)	Perimeter (μm)	Shape Factor	Floc #	Floc Area (μm ²)	Equivalent Diameter (μm)	Longest Dimension (μm)	Perimeter (μm)	Shape Factor
101	12991	128.61	170.38	860.01	0.2207	151	10959	118.13	217.87	979.48	0.1436
102	26326	183.08	263.11	2173.52	0.0700	152	9736	111.34	165.73	856.78	0.1667
103	14055	133.77	239.88	1293.68	0.1055	153	5397	82.89	145.61	685.71	0.1443
104	11949	123.35	196.51	873.59	0.1968	154	4968	79.53	106.47	531.39	0.2211
105	13842	132.76	238.01	1000.27	0.1739	155	11790	122.52	172.95	754.59	0.2603
106	4778	78.00	126.37	562.29	0.1899	156	19470	157.45	243.61	1245.09	0.1578
107	32780	204.30	397.97	2346.10	0.0749	157	12753	127.43	181.07	957.23	0.1749
108	27789	188.10	326.98	1776.63	0.1107	158	16456	144.75	250.01	1671.30	0.0740
109	8061	101.31	159.73	658.03	0.2340	159	13838	132.73	234.50	1004.45	0.1724
110	10643	116.41	168.51	708.60	0.2664	160	8391	103.36	206.76	973.99	0.1112
111	8776	105.71	154.73	631.85	0.2763	161	11187	119.35	222.04	916.51	0.1674
112	18182	152.15	252.31	1360.15	0.1235	162	14287	134.87	210.20	1232.23	0.1183
113	17101	147.56	261.85	1218.07	0.1449	163	10396	115.05	150.35	650.08	0.3092
114	7184	95.64	182.04	852.10	0.1243	164	6297	89.54	120.29	526.77	0.2852
115	4990	79.71	129.58	576.00	0.1890	165	9872	112.12	215.33	973.67	0.1309
116	4652	76.96	122.14	598.11	0.1634	166	5370	82.69	147.71	510.49	0.2590
117	16018	142.81	271.56	1334.32	0.1131	167	31290	199.60	308.72	1880.56	0.1112
118	9031	107.23	186.31	870.77	0.1497	168	23198	171.86	320.67	1764.38	0.0937
119	23954	174.64	290.53	1241.82	0.1952	169	17757	150.36	263.02	1410.09	0.1122
120	13973	133.38	244.47	1273.50	0.1083	170	25127	178.86	238.99	1385.72	0.1645
121	8949	106.75	141.20	801.69	0.1750	171	26447	183.50	268.55	1683.50	0.1173
122	21268	164.56	388.77	2251.36	0.0527	172	46567	243.50	357.89	2219.70	0.1188
123	15746	141.59	356.39	1245.48	0.1276	173	15609	140.97	223.23	1040.08	0.1814
124	5544	84.01	126.53	714.83	0.1363	174	11897	123.08	191.99	924.28	0.1750
125	17358	148.66	315.23	1338.49	0.1218	175	8851	106.16	189.77	921.51	0.1310
126	6239	89.13	162.67	848.76	0.1088	176	16403	144.52	195.11	914.83	0.2463
127	6632	91.89	181.77	1056.77	0.0746	177	14385	135.33	350.86	1433.10	0.0880
128	32126	202.25	322.58	2240.20	0.0805	178	14742	137.00	258.36	1167.24	0.1360
129	12118	124.21	198.84	941.81	0.1717	179	33194	205.58	277.98	1495.79	0.1865
130	127633	403.12	601.68	3958.08	0.1024	180	60190	276.83	722.35	3527.67	0.0608
131	155171	444.49	941.73	6138.35	0.0518	181	8324	102.95	187.83	778.09	0.1728
132	11652	121.80	178.14	750.47	0.2600	182	7523	97.87	148.21	739.69	0.1728
133	13334	130.29	172.68	904.94	0.2046	183	29011	192.19	332.48	1702.90	0.1257
134	25106	178.79	273.81	1543.75	0.1324	184	22749	170.19	240.47	1406.31	0.1446
135	28060	189.02	274.87	1760.54	0.1138	185	13183	129.56	168.55	1047.87	0.1509
136	7080	94.94	171.30	655.71	0.2070	186	36480	215.52	371.40	1891.22	0.1282
137	35270	211.91	368.45	1944.31	0.1173	187	10669	116.55	209.83	1059.37	0.1195
138	21108	163.94	266.19	1441.17	0.1277	188	11418	120.57	163.23	932.66	0.1650
139	9633	110.75	148.12	688.77	0.2552	189	10492	115.58	163.63	837.83	0.1879
140	7229	95.94	140.50	714.77	0.1778	190	8798	105.84	155.68	793.78	0.1755
141	13438	130.80	235.87	1379.18	0.0888	191	16641	145.56	215.95	1269.01	0.1299
142	35892	213.77	317.20	1988.01	0.1141	192	8642	104.90	153.98	791.58	0.1734
143	15113	138.72	174.33	993.44	0.1925	193	13003	128.67	234.42	1213.81	0.1109
144	12652	126.92	181.05	829.46	0.2311	194	9041	107.29	186.35	955.16	0.1245
145	19877	159.08	291.23	1837.75	0.0740	195	28883	191.77	306.80	1603.16	0.1412
146	3369	65.50	92.65	460.20	0.2000	196	10788	117.20	145.70	771.83	0.2276
147	4171	72.87	130.77	470.07	0.2372	197	8811	105.92	222.72	763.27	0.1901
148	29986	195.40	333.83	2463.27	0.0621	198	10903	117.82	166.03	985.64	0.1410
149	18442	153.24	307.33	1512.28	0.1013	199	10962	118.14	240.22	1153.47	0.1035
150	24258	175.75	312.13	1748.47	0.0997	200	19500	157.57	245.12	1772.86	0.0780

Table B.23. Floc Area Size Distribution Statistics, Salinity Tests

NaCl Concentration (g/L)	Test #	Sample Size	Arithmetic Mean	Standard Deviation	Variance	Maximum	Minimum	Logarithmic Mean	Median	Mode
0	1	200	15878	15826	2.5E+08	96319	261	9703	10800	10463
10	1	200	11776	9564	9.1E+07	78035	1584	9458	9078	8889
20	1	200	17230	22402	5.0E+08	222743	1294	12432	12729	21965
30	1	200	16797	13737	1.9E+08	94420	2039	12975	12865	4015
45	1	200	21345	15840	2.5E+08	144466	1590	16947	17656	17534
0	2	200	10758	8197	6.7E+07	52547	1543	8643	8585	13963
10	2	200	14324	10960	1.2E+08	71528	2385	11314	10909	10902
20	2	200	20265	14747	2.2E+08	94358	2675	15615	16377	15853
30	2	200	19628	14422	2.1E+08	97765	1895	15870	14305	14072
45	2	200	30192	25542	6.5E+08	157207	2983	21885	21965	44265

Table B.24. Equivalent Diameter Size Distribution Statistics, Salinity Tests

NaCl Concentration (g/L)	Test #	Sample Size	Arithmetic Mean	Standard Deviation	Variance	Maximum	Minimum	Logarithmic Mean	Median	Mode
0	1	200	127.08	63.92	4086.4	350.20	18.21	111.15	117.26	115.42
10	1	200	115.65	40.34	1627.1	315.21	44.91	109.74	107.51	106.39
20	1	200	135.67	59.58	3550.1	532.55	40.58	125.82	127.31	167.23
30	1	200	137.09	51.05	2605.7	346.73	50.95	128.53	127.99	71.50
45	1	200	155.85	53.86	2901.0	428.88	44.99	146.89	149.94	149.42
0	2	200	110.70	38.10	1451.3	258.66	44.33	104.90	104.55	133.34
10	2	200	127.30	45.20	2043.3	301.78	55.11	120.02	117.86	117.82
20	2	200	150.88	55.27	3054.3	346.61	58.37	141.00	144.40	142.07
30	2	200	149.83	50.54	2554.4	352.81	49.12	142.15	134.96	133.86
45	2	200	181.31	74.80	5594.5	447.39	61.63	166.93	167.23	237.40

Table B.25. Longest Dimension Size Distribution Statistics, Salinity Tests

NaCl Concentration (g/L)	Test #	Sample Size	Arithmetic Mean	Standard Deviation	Variance	Maximum	Minimum	Logarithmic Mean	Median	Mode
0	1	200	205.32	133.32	17773.6	1441.34	36.28	176.06	183.36	181.02
10	1	200	193.71	91.18	8313.4	688.19	63.63	179.01	171.71	171.18
20	1	200	212.30	85.97	7390.2	605.29	76.58	196.99	197.98	204.83
30	1	200	220.95	95.32	9086.9	637.42	68.00	203.31	198.67	107.69
45	1	200	248.42	94.94	9014.4	627.65	66.84	231.04	237.19	234.63
0	2	200	174.23	65.73	4321.0	493.14	80.55	163.73	159.92	234.47
10	2	200	207.57	83.28	6936.2	494.10	78.11	192.15	188.72	185.17
20	2	200	246.04	102.18	10440.8	628.76	78.75	226.66	227.35	226.13
30	2	200	245.85	99.05	9810.2	851.69	101.39	229.62	225.43	223.46
45	2	200	287.73	131.41	17267.4	769.19	101.21	261.27	262.15	303.54

Table B.26. Perimeter Size Distribution Statistics, Salinity Tests

NaCl Concentration (g/L)	Test #	Sample Size	Arithmetic Mean	Standard Deviation	Variance	Maximum	Minimum	Logarithmic Mean	Median	Mode
0	1	200	947.24	647.98	419883	4116.52	84.31	759.57	813.41	806.90
10	1	200	926.05	570.73	325737	4823.81	268.43	813.31	766.99	755.34
20	1	200	1036.74	493.04	243091	2809.81	274.52	929.86	925.35	1086.93
30	1	200	1082.56	565.23	319482	3280.98	258.92	960.37	925.79	562.58
45	1	200	1258.48	618.75	382854	4275.75	242.74	1125.27	1112.75	1106.53
0	2	200	820.61	416.26	173271	2738.43	233.95	735.28	690.18	1214.15
10	2	200	992.83	499.08	249085	2897.37	279.74	882.06	871.54	861.90
20	2	200	1247.19	703.49	494904	4458.34	297.73	1080.18	1072.71	1054.03
30	2	200	1276.25	717.82	515263	6688.71	359.08	1130.33	1099.17	1083.04
45	2	200	1564.37	926.04	857547	5347.56	381.92	1329.86	1341.93	2395.69

Table B.27. Shape Factor Size Distribution Statistics, Salinity Tests

NaCl Concentration (g/L)	Test #	Sample Size	Arithmetic Mean	Standard Deviation	Variance	Maximum	Minimum	Logarithmic Mean	Median	Mode
0	1	200	0.2379	0.1226	0.0150	0.8602	0.0278	0.2114	0.2059	0.2046
10	1	200	0.2006	0.0926	0.0086	0.5436	0.0421	0.1797	0.1834	0.1813
20	1	200	0.1965	0.0861	0.0074	0.7886	0.0547	0.1807	0.1879	0.2337
30	1	200	0.1930	0.0828	0.0069	0.5225	0.0557	0.1768	0.1788	0.1594
45	1	200	0.1827	0.0724	0.0052	0.4574	0.0408	0.1682	0.1747	0.1701
0	2	200	0.2177	0.0867	0.0075	0.5393	0.0705	0.2009	0.2074	0.2579
10	2	200	0.1983	0.0813	0.0066	0.5027	0.0660	0.1828	0.1866	0.1846
20	2	200	0.1859	0.0831	0.0069	0.4092	0.0533	0.1682	0.1654	0.1632
30	2	200	0.1739	0.0806	0.0065	0.4529	0.0261	0.1561	0.1573	0.1557
45	2	200	0.1730	0.0808	0.0065	0.4709	0.0519	0.1555	0.1573	0.0969

Table B.28. Floc Area Size Distribution Statistics, Time Response Test

Sampling Time (minutes)	Sample Size	Arithmetic Mean	Standard Deviation	Variance	Maximum	Minimum	Logarithmic Mean	Median	Mode
0	200	9012	6331	4.0E+07	53691	2058	7583	7548	7511
1	200	7372	5971	3.6E+07	43669	1140	5965	5612	5455
5	200	14812	10953	1.2E+08	49994	1816	11607	11152	10986
10	200	21174	18949	3.6E+08	108849	2294	15490	14799	14598
15	200	22046	17527	3.0E+08	93994	3268	16957	16047	15914
30	200	24778	26556	7.1E+08	241735	4962	18867	17330	17293

Table B.29. Equivalent Diameter Size Distribution Statistics, Time Response Test

Sampling Time (minutes)	Sample Size	Arithmetic Mean	Standard Deviation	Variance	Maximum	Minimum	Logarithmic Mean	Median	Mode
0	200	102.46	31.34	982.2	261.46	51.19	98.26	98.03	97.79
1	200	91.65	31.48	990.8	235.80	38.10	87.15	84.53	83.34
5	200	129.29	46.42	2154.5	252.30	48.09	121.57	119.16	118.27
10	200	151.78	62.79	3943.0	372.28	54.05	140.44	137.27	136.33
15	200	156.89	58.93	3472.6	345.94	64.51	146.93	142.94	142.35
30	200	164.95	66.04	4361.2	554.78	79.49	154.99	148.54	148.39

Table B.30. Longest Dimension Size Distribution Statistics, Time Response Test

Sampling Time (minutes)	Sample Size	Arithmetic Mean	Standard Deviation	Variance	Maximum	Minimum	Logarithmic Mean	Median	Mode
0	200	166.82	64.90	4212.4	499.27	74.21	156.75	153.48	152.50
1	200	149.86	54.78	3001.3	387.02	67.21	141.38	139.20	138.64
5	200	211.58	91.25	8327.1	602.46	63.90	195.08	188.37	186.30
10	200	250.93	121.45	14750.0	1003.60	79.19	227.02	229.37	227.00
15	200	261.10	127.40	16232.0	944.95	86.20	237.43	227.71	227.40
30	200	265.75	115.87	13426.2	969.48	103.75	246.99	247.78	244.80

Table B.31. Perimeter Size Distribution Statistics, Time Response Test

Sampling Time (minutes)	Sample Size	Arithmetic Mean	Standard Deviation	Variance	Maximum	Minimum	Logarithmic Mean	Median	Mode
0	200	755.56	395.43	156363	3045.40	255.27	681.45	666.45	663.85
1	200	658.58	314.64	99000	2051.40	239.92	596.91	566.15	563.59
5	200	1047.43	568.61	323315	3505.65	200.25	920.27	877.90	873.22
10	200	1331.70	852.51	726774	5859.50	254.28	1126.55	1088.03	1083.73
15	200	1360.20	859.66	739014	5590.20	388.53	1173.03	1101.09	1099.54
30	200	1408.84	768.92	591231	5558.57	369.45	1248.51	1184.29	1176.06

Table B.32. Shape Factor Size Distribution Statistics, Time Response Test

Sampling Time (minutes)	Sample Size	Arithmetic Mean	Standard Deviation	Variance	Maximum	Minimum	Logarithmic Mean	Median	Mode
0	200	0.2262	0.1004	0.0101	0.5818	0.0501	0.2052	0.2070	0.2055
1	200	0.2274	0.0904	0.0082	0.5715	0.0540	0.2104	0.2147	0.2130
5	200	0.1904	0.0863	0.0075	0.5693	0.0493	0.1723	0.1753	0.1739
10	200	0.1718	0.0842	0.0071	0.5517	0.0399	0.1534	0.1562	0.1538
15	200	0.1715	0.0772	0.0060	0.4506	0.0356	0.1549	0.1621	0.1612
30	200	0.1676	0.0777	0.0060	0.5325	0.0454	0.1521	0.1510	0.1501

Table B.33. Floc Area Size Distribution Statistics, Calcium Test

Ca ²⁺ :Na ⁺ Ratio (meq/L/meq/L)	Sample Size	Arithmetic Mean	Standard Deviation	Variance	Maximum	Minimum	Logarithmic Mean	Median	Mode
0.0	200	20879	13661	1.9E+08	107524	4228	17721	16984	16841
0.5	200	19669	15639	2.5E+08	132108	2635	15767	15912	15672
1.0	200	18463	14823	2.2E+08	88096	4273	14515	14095	13629
1.5	200	23076	17695	3.1E+08	97288	3395	18183	17440	17347
2.0	200	28510	27758	7.7E+08	207558	4441	20746	19232	19024
2.5	200	21461	21666	4.7E+08	155171	3369	15756	14091	13973

Table B.34. Equivalent Diameter Size Distribution Statistics, Calcium Test

Ca ²⁺ :Na ⁺ Ratio (meq/L/meq/L)	Sample Size	Arithmetic Mean	Standard Deviation	Variance	Maximum	Minimum	Logarithmic Mean	Median	Mode
0.0	200	156.33	46.41	2154.1	370.01	73.37	150.21	147.05	146.43
0.5	200	149.49	52.06	2710.6	410.13	57.92	141.69	142.34	141.26
1.0	200	144.12	52.46	2752.4	334.91	73.76	135.94	133.96	131.73
1.5	200	161.42	57.81	3342.6	351.95	65.75	152.16	149.01	148.62
2.0	200	175.57	74.19	5504.1	514.07	75.20	162.53	156.48	155.63
2.5	200	152.28	64.47	4156.8	444.49	65.50	141.64	133.95	133.38

Table B.35. Longest Dimension Size Distribution Statistics, Calcium Test

Ca ²⁺ :Na ⁺ Ratio (meq/L/meq/L)	Sample Size	Arithmetic Mean	Standard Deviation	Variance	Maximum	Minimum	Logarithmic Mean	Median	Mode
0.0	200	253.70	82.74	6845.4	585.70	114.69	241.40	240.40	240.19
0.5	200	244.11	111.48	12428.6	1087.38	89.36	226.02	220.15	218.59
1.0	200	238.38	105.96	11228.1	785.92	105.26	220.08	213.14	208.18
1.5	200	258.94	100.73	10146.6	761.23	92.37	241.44	239.71	238.58
2.0	200	279.17	122.83	15088.3	891.50	92.36	256.35	257.51	243.93
2.5	200	248.24	118.74	14098.9	941.73	84.26	227.47	216.09	215.33

Table B.36. Perimeter Size Distribution Statistics, Calcium Test

Ca ²⁺ :Na ⁺ Ratio (meq/L/meq/L)	Sample Size	Arithmetic Mean	Standard Deviation	Variance	Maximum	Minimum	Logarithmic Mean	Median	Mode
0.0	200	1320.45	560.77	314468	4513.63	392.99	1221.03	1206.17	1195.90
0.5	200	1216.84	634.70	402843	4779.66	346.67	1090.97	1077.27	1071.56
1.0	200	1214.36	691.19	477746	5681.64	473.57	1079.80	1013.02	1007.37
1.5	200	1363.89	683.06	466565	4645.81	428.79	1226.68	1189.96	1186.83
2.0	200	1427.21	760.69	578652	5157.38	427.39	1264.16	1246.15	1223.16
2.5	200	1303.25	800.50	640794	6138.35	396.33	1132.54	1057.66	1047.87

Table B.37. Shape Factor Size Distribution Statistics, Calcium Test

Ca ²⁺ :Na ⁺ Ratio (meq/L/meq/L)	Sample Size	Arithmetic Mean	Standard Deviation	Variance	Maximum	Minimum	Logarithmic Mean	Median	Mode
0.0	200	0.1591	0.0561	0.0031	0.3701	0.0406	0.1494	0.1493	0.1489
0.5	200	0.1793	0.0681	0.0046	0.4151	0.0491	0.1665	0.1695	0.1682
1.0	200	0.1677	0.0601	0.0036	0.3447	0.0343	0.1565	0.1608	0.1603
1.5	200	0.1633	0.0648	0.0042	0.4523	0.0467	0.1519	0.1474	0.1468
2.0	200	0.1745	0.0681	0.0046	0.5256	0.0653	0.1632	0.1622	0.1617
2.5	200	0.1676	0.0677	0.0046	0.4072	0.0518	0.1544	0.1562	0.1554

APPENDIX C

**Porosity Data
and
Floc Characteristics**

Appendix C:

Here, the calculated porosities for each of the individual sections, along with the floc characteristics which were measured for the size distributions, are presented in Tables C.1 through C.5 for Salinity Test #1, C.6 through C.10 for Salinity Test #2, C.11 through C.16 for the Time Response Test, and C.17 through C.22 for the Calcium Test. The individual pore areas and ROI box areas are not given, but examples of the pore area distributions within a floc section are given in Appendix D with the Sierpinski fractal dimension calculations. The porosity was simply calculated by summing up all the individual pore space areas and dividing the sum by the ROI box area, within which all of the measured pore spaces were located.

Table C.1. Summary of Characteristics of Flocs used in Porosity Determinations, 0 g/L, Test #1

Floc #	Floc Area (μm^2)	Equivalent Diameter (μm)	Longest Dimension (μm)	Perimeter (μm)	Shape Factor	Porosity (%)
1	4357.1	74.48	140.68	1030.9	0.0515	34.42
2	2548.7	56.97	97.89	579.3	0.0954	34.57
3	3141.2	63.24	111.51	475.0	0.1750	40.21
4	2133.6	52.12	91.42	475.4	0.1187	23.51
5	10983.9	118.26	200.94	2253.5	0.0272	23.34
6	5836.4	86.20	136.74	1227.6	0.0487	28.03
7	3574.0	67.46	108.27	632.3	0.1124	25.25
8	8749.0	105.54	182.21	1601.5	0.0429	33.81
9	3547.4	67.21	107.85	492.9	0.1835	44.64
10	6761.8	92.79	174.23	970.7	0.0902	21.31
11	5722.8	85.36	210.02	1204.8	0.0495	31.01
12	6771.2	92.85	143.13	1133.6	0.0662	32.32
13	8514.4	104.12	166.28	1566.1	0.0436	37.28
14	5478.2	83.52	130.31	933.2	0.0790	16.68
15	4449.1	75.26	120.39	1118.1	0.0447	38.03
16	5218.0	81.51	128.55	865.9	0.0875	29.93
17	9075.2	107.49	153.55	826.6	0.1669	18.56
18	1915.9	49.39	90.32	527.3	0.0866	10.82
19	2845.7	60.19	89.80	533.8	0.1255	44.59
20	5527.1	83.89	122.47	787.9	0.1119	33.04
21	2903.8	60.81	88.02	367.6	0.2701	44.40
22	4812.1	78.28	135.21	707.8	0.1207	21.82
23	789.9	31.71	48.16	242.4	0.1689	35.28
24	1816.1	48.09	70.71	343.2	0.1938	33.95
25	1031.4	36.24	86.29	453.0	0.0632	48.17
26	1568.1	44.68	76.33	417.5	0.1131	14.40
27	973.9	35.21	57.23	439.0	0.0635	17.22
28	1833.3	48.31	72.71	650.2	0.0545	29.70
29	3277.9	64.60	97.81	1092.5	0.0345	31.98
30	572.6	27.00	38.56	242.3	0.1226	13.32
Mean =						29.71

Table C.2. Summary of Characteristics of Floccs used in Porosity Determinations, 10 g/L, Test #1

Floc #	Floc Area (μm^2)	Equivalent Diameter (μm)	Longest Dimension (μm)	Perimeter (μm)	Shape Factor	Porosity (%)
1	1513.5	43.90	98.30	637.0	0.0469	31.07
2	2395.4	55.23	111.43	919.0	0.0357	23.57
3	2239.6	53.40	100.77	891.6	0.0354	48.46
4	4349.0	74.41	131.37	964.9	0.0587	16.59
5	10543.1	115.86	193.49	2214.1	0.0270	35.11
6	2214.8	53.10	114.22	1376.1	0.0147	28.00
7	963.4	35.02	60.77	484.6	0.0516	11.83
8	6844.2	93.35	200.18	2032.4	0.0208	29.85
9	6426.6	90.46	177.62	1577.9	0.0324	44.41
10	2101.4	51.73	79.93	523.3	0.0965	40.57
11	6480.2	90.83	220.95	1900.5	0.0225	38.85
12	4824.0	78.37	111.28	681.7	0.1304	41.05
13	11637.8	121.73	300.48	2771.0	0.0190	52.40
14	6971.9	94.22	163.70	806.7	0.1347	36.36
15	12029.3	123.76	194.29	1099.6	0.1250	71.37
16	25432.9	179.95	221.95	3105.5	0.0331	33.68
17	8533.4	104.24	170.99	1653.1	0.0392	38.14
18	3375.5	65.56	127.43	772.0	0.0712	47.29
19	9178.1	108.10	203.40	1955.7	0.0302	30.76
20	12173.7	124.50	225.41	2568.9	0.0232	32.70
21	9608.6	110.61	222.21	2586.4	0.0181	25.93
22	4772.6	77.95	138.11	1221.8	0.0402	49.86
23	5185.4	81.25	194.53	1188.3	0.0462	37.33
24	5120.9	80.75	176.55	1583.4	0.0257	47.78
25	7997.2	100.91	161.69	1413.9	0.0503	37.34
26	10798.7	117.26	206.99	1957.9	0.0354	38.38
27	12473.3	126.02	319.85	2972.8	0.0177	31.43
28	7251.1	96.09	143.51	1403.7	0.0463	43.20
29	4828.7	78.41	148.54	1386.8	0.0316	44.65
30	2798.1	59.69	114.20	705.7	0.0706	49.71
Mean =						37.93

Table C.3. Summary of Characteristics of Flocs used in Porosity Determinations, 20 g/L, Test #1

Floc #	Floc Area (μm^2)	Equivalent Diameter (μm)	Longest Dimension (μm)	Perimeter (μm)	Shape Factor	Porosity (%)
1	7176.9	95.59	190.17	1290.2	0.0542	29.47
2	3528.6	67.03	150.03	1196.3	0.0310	53.61
3	6611.7	91.75	166.03	1195.1	0.0582	43.17
4	10058.3	113.17	204.11	2347.8	0.0229	43.30
5	7677.5	98.87	149.46	1708.5	0.0331	24.09
6	8844.9	106.12	154.63	1230.8	0.0734	33.57
7	3805.9	69.61	129.29	911.4	0.0576	24.98
8	6130.9	88.35	128.98	735.9	0.1423	28.59
9	5244.8	81.72	144.51	966.4	0.0706	26.27
10	5244.5	81.72	128.91	936.5	0.0752	34.49
11	5350.1	82.53	143.84	1728.7	0.0225	51.34
12	7346.0	96.71	142.08	907.9	0.1120	33.11
13	5725.5	85.38	122.55	783.5	0.1172	29.87
14	6315.5	89.67	177.69	1727.8	0.0266	41.94
15	4324.3	74.20	136.39	1112.1	0.0439	49.29
16	2093.7	51.63	74.52	687.4	0.0557	45.27
17	3017.1	61.98	87.51	552.2	0.1244	18.86
18	5250.3	81.76	142.80	1100.0	0.0545	45.18
19	5916.2	86.79	199.50	2237.5	0.0149	50.37
20	2933.4	61.11	124.27	625.0	0.0944	33.80
21	4782.0	78.03	110.14	615.9	0.1585	27.06
22	7182.3	95.63	202.44	1950.1	0.0237	56.94
23	6406.8	90.32	179.88	1991.3	0.0203	47.24
24	6590.1	91.60	122.98	1246.0	0.0533	37.64
25	6986.0	94.31	157.23	1571.5	0.0356	37.24
26	5114.5	80.70	131.12	1439.6	0.0310	42.15
27	5612.0	84.53	127.80	1040.1	0.0652	35.03
28	7563.2	98.13	148.11	1745.6	0.0312	37.92
29	8918.0	106.56	205.11	1647.7	0.0413	40.16
30	13680.9	131.98	215.97	2401.5	0.0298	40.49
Mean =						38.08

Table C.4. Summary of Characteristics of Flocs used in Porosity Determinations, 30 g/L, Test #1

Floc #	Floc Area (μm^2)	Equivalent Diameter (μm)	Longest Dimension (μm)	Perimeter (μm)	Shape Factor	Porosity (%)
1	4596.8	76.50	107.63	623.8	0.1485	17.70
2	6651.3	92.03	150.81	1230.4	0.0552	52.85
3	2633.7	57.91	103.31	667.2	0.0744	43.12
4	4484.7	75.57	188.31	1356.5	0.0306	54.87
5	20093.9	159.95	242.74	2099.7	0.0573	63.48
6	6116.0	88.24	143.54	1062.3	0.0681	48.24
7	22743.5	170.17	318.68	1370.8	0.1521	49.01
8	8203.8	102.20	219.80	1856.8	0.0299	38.91
9	13500.6	131.11	201.53	1169.1	0.1242	46.56
10	15904.0	142.30	257.95	2140.5	0.0436	36.82
11	18858.4	154.96	306.24	2391.8	0.0414	46.03
12	9388.5	109.33	224.40	1833.8	0.0351	43.74
13	4271.0	73.74	172.66	1033.9	0.0502	29.02
14	6368.5	90.05	127.99	818.2	0.1196	66.49
15	6223.4	89.02	140.31	1019.8	0.0752	49.40
16	4519.0	75.85	142.54	845.5	0.0795	50.87
17	7284.0	96.30	159.52	1200.4	0.0635	31.55
18	5001.8	79.80	119.34	1275.2	0.0387	23.67
19	10072.2	113.24	172.39	1115.8	0.1017	44.24
20	8335.9	103.02	157.34	912.7	0.1257	32.12
21	9133.0	107.84	193.11	1720.4	0.0388	55.80
22	7027.0	94.59	145.23	1290.1	0.0531	32.77
23	10103.2	113.42	181.95	1710.1	0.0434	52.14
24	13868.5	132.88	304.09	2575.2	0.0263	19.89
25	11367.0	120.30	252.95	2133.9	0.0314	26.71
26	10733.4	116.90	283.29	3144.3	0.0136	40.11
27	6940.2	94.00	128.32	1266.8	0.0544	45.77
28	8770.1	105.67	223.50	2107.1	0.0248	27.04
29	26432.3	183.45	263.66	2419.8	0.0567	41.31
30	5395.2	82.88	165.66	1118.0	0.0542	28.71
Mean =						41.30

Table C.5. Summary of Characteristics of Flocs used in Porosity Determinations, 45 g/L, Test #1

Floc #	Floc Area (μm^2)	Equivalent Diameter (μm)	Longest Dimension (μm)	Perimeter (μm)	Shape Factor	Porosity (%)
1	5068.2	80.33	159.66	2346.8	0.0116	53.57
2	5689.5	85.11	184.99	1788.3	0.0224	45.82
3	11367.7	120.31	193.10	1260.8	0.0899	35.63
4	7082.4	94.96	287.93	1890.8	0.0249	51.42
5	8903.4	106.47	227.39	1452.9	0.0530	43.71
6	14112.8	134.05	180.87	1493.6	0.0795	41.52
7	4034.6	71.67	114.41	768.8	0.0858	41.14
8	4112.4	72.36	93.48	810.1	0.0788	55.54
9	12325.4	125.27	206.20	2093.0	0.0354	52.36
10	11969.3	123.45	229.85	2196.0	0.0312	48.62
11	4695.5	77.32	150.89	1197.6	0.0412	34.81
12	11355.2	120.24	176.99	1899.3	0.0396	44.00
13	8552.1	104.35	188.69	1453.0	0.0509	55.33
14	9137.0	107.86	204.96	2123.4	0.0255	48.49
15	10275.1	114.38	237.65	2005.7	0.0321	59.15
16	7118.9	95.21	173.27	1270.3	0.0554	25.92
17	9380.6	109.29	186.86	1375.2	0.0623	54.31
18	3763.5	69.22	112.74	1050.7	0.0429	68.93
19	41273.1	229.24	401.40	4174.2	0.0298	45.04
20	6861.1	93.47	226.12	1868.6	0.0247	42.21
21	9671.7	110.97	205.76	1867.3	0.0349	36.78
22	8428.5	103.59	182.25	1148.8	0.0803	26.08
23	3891.6	70.39	139.23	763.5	0.0839	47.04
24	8665.1	105.04	171.03	2054.9	0.0258	49.21
25	4076.6	72.04	146.42	1805.8	0.0157	58.76
26	6755.2	92.74	150.03	1514.5	0.0370	32.53
27	14575.1	136.23	236.59	1969.7	0.0472	34.96
28	2917.8	60.95	77.74	461.8	0.1720	18.89
29	9294.4	108.78	268.14	2610.4	0.0171	39.13
30	12193.8	124.60	235.04	1630.5	0.0576	27.29
Mean =						43.94

Table C.6. Summary of Characteristics of Flocs used in Porosity Determinations, 0 g/L, Test #2

Floc #	Floc Area (μm^2)	Equivalent Diameter (μm)	Longest Dimension (μm)	Perimeter (μm)	Shape Factor	Porosity (%)
1	137293.4	418.10	717.00	6661.5	0.0389	20.42
2	34691.6	210.17	273.84	3036.5	0.0473	14.91
3	8069.5	101.36	117.16	1054.0	0.0913	51.36
4	3855.7	70.07	114.46	754.4	0.0851	55.85
5	8884.4	106.36	215.93	1335.9	0.0626	48.24
6	6309.0	89.63	194.51	1096.1	0.0660	56.71
7	30161.3	195.97	333.68	2911.6	0.0448	45.48
8	8503.1	104.05	240.49	1552.3	0.0444	49.75
9	8153.6	101.89	185.67	1308.3	0.0599	33.27
10	10547.1	115.88	186.77	839.9	0.1879	72.27
11	12780.8	127.57	198.92	2624.2	0.0233	34.70
12	37797.1	219.37	298.27	1822.9	0.1430	72.83
13	25889.6	181.56	258.81	2654.0	0.0462	24.24
14	41697.0	230.41	460.53	5365.1	0.0182	42.83
15	84920.8	328.82	417.85	2633.2	0.1540	57.21
16	32146.6	202.31	494.27	3580.7	0.0315	19.89
17	15870.0	142.15	210.33	2113.9	0.0447	25.49
18	24390.1	176.22	293.46	2991.7	0.0343	36.23
19	10295.7	114.49	161.19	945.9	0.1446	50.44
20	8600.0	104.64	180.34	1106.9	0.0882	42.33
21	6793.2	93.00	186.24	731.2	0.1597	36.77
22	4564.0	76.23	167.53	814.2	0.0865	34.53
23	5917.9	86.80	165.34	935.3	0.0850	45.64
24	39206.9	223.43	311.67	4523.1	0.0241	26.67
25	24616.7	177.04	306.45	1841.1	0.0913	57.11
26	7513.7	97.81	163.29	1274.3	0.0582	74.63
27	10201.1	113.97	180.89	1670.8	0.0459	58.71
28	21687.0	166.17	254.14	1882.1	0.0770	52.83
29	14260.6	134.75	219.00	2211.6	0.0366	36.14
30	4596.5	76.50	117.21	1004.3	0.0573	34.69
Mean =						43.74

Table C.7. Summary of Characteristics of Flocs used in Porosity Determinations, 10 g/L, Test #2

Floc #	Floc Area (μm^2)	Equivalent Diameter (μm)	Longest Dimension (μm)	Perimeter (μm)	Shape Factor	Porosity (%)
1	48131.0	247.55	330.10	2825.1	0.0758	56.75
2	47412.7	245.70	334.04	2807.4	0.0757	35.40
3	22868.5	170.64	296.78	2125.1	0.0637	49.32
4	6591.1	91.61	155.62	1031.6	0.0778	44.70
5	17703.0	150.13	234.44	2111.9	0.0499	67.45
6	3585.1	67.56	116.82	982.4	0.0467	21.86
7	4979.3	79.62	140.58	1160.5	0.0465	37.17
8	6386.2	90.17	188.04	991.1	0.0817	56.18
9	4085.2	72.12	132.79	1190.0	0.0363	33.40
10	20803.0	162.75	246.37	2362.9	0.0468	51.32
11	4576.6	76.34	132.69	892.5	0.0722	31.91
12	9981.5	112.73	170.53	982.6	0.1299	41.32
13	13232.5	129.80	188.55	947.2	0.1854	31.98
14	16055.4	142.98	267.86	2948.1	0.0232	49.31
15	4276.6	73.79	130.30	1134.7	0.0417	31.88
16	9659.7	110.90	186.41	1874.5	0.0345	54.81
17	5525.3	83.87	116.87	675.4	0.1522	44.81
18	23975.1	174.72	300.02	1946.9	0.0795	40.82
19	28417.3	190.22	383.25	2280.5	0.0687	60.31
20	70075.0	298.70	548.55	3569.0	0.0692	41.98
21	34607.5	209.91	401.22	2011.6	0.1076	36.97
22	19220.3	156.44	324.23	2829.9	0.0302	35.09
23	22911.1	170.80	246.97	1522.4	0.1243	56.58
24	21306.2	164.71	242.87	2831.4	0.0334	37.70
25	14990.4	138.15	192.54	1482.0	0.0859	14.59
26	5853.2	86.33	117.31	668.7	0.1645	36.37
27	3964.9	71.05	116.88	565.8	0.1557	29.20
28	5776.4	85.76	154.21	1101.5	0.0598	47.06
29	9686.4	111.05	187.18	1257.9	0.0769	43.66
30	8386.2	103.33	183.85	1280.4	0.0643	47.13
Mean =						42.23

Table C.8. Summary of Characteristics of Floccs used in Porosity Determinations, 20 g/L, Test #2

Floc #	Floc Area (μm^2)	Equivalent Diameter (μm)	Longest Dimension (μm)	Perimeter (μm)	Shape Factor	Porosity (%)
1	11500.8	121.01	245.16	1407.6	0.0730	49.24
2	16914.5	146.75	316.11	2894.5	0.0254	56.28
3	10886.7	117.73	197.09	1527.4	0.0586	50.29
4	8452.2	103.74	176.88	1430.0	0.0519	34.31
5	6759.8	92.77	150.73	1031.8	0.0798	34.70
6	17036.9	147.28	203.02	1719.7	0.0724	60.08
7	14729.7	136.95	228.39	1528.0	0.0793	47.01
8	6968.2	94.19	121.78	831.0	0.1268	36.50
9	13819.8	132.65	167.63	1327.8	0.0985	41.51
10	7853.2	99.99	142.18	1377.6	0.0520	24.59
11	11972.8	123.47	185.15	1371.3	0.0800	38.35
12	11544.1	121.24	201.06	1283.4	0.0881	19.84
13	13724.4	132.19	212.53	1600.6	0.0673	34.78
14	13387.4	130.56	213.06	1639.5	0.0626	29.36
15	11535.5	121.19	171.79	1217.9	0.0978	42.99
16	11306.0	119.98	197.67	1518.7	0.0616	32.52
17	22856.3	170.59	258.96	1580.5	0.1150	52.78
18	12553.7	126.43	204.39	1583.4	0.0629	36.58
19	16486.4	144.88	261.64	1799.5	0.0640	47.17
20	24041.4	174.96	263.06	1242.8	0.1957	65.23
21	12346.6	125.38	196.24	1096.4	0.1291	45.93
22	5214.2	81.48	148.01	672.3	0.1450	34.94
23	8872.7	106.29	175.70	741.9	0.2026	59.24
24	15109.3	138.70	211.48	1193.0	0.1334	64.27
25	4733.8	77.64	114.99	735.9	0.1099	43.14
26	9097.7	107.63	163.76	956.6	0.1250	56.30
27	7813.3	99.74	166.75	1073.7	0.0852	40.23
28	10926.0	117.95	179.85	1247.2	0.0883	62.58
29	12870.9	128.01	164.06	1076.5	0.1396	60.48
30	78351.0	315.85	485.79	2894.9	0.1176	60.69
Mean =						45.40

Table C.9. Summary of Characteristics of Flocs used in Porosity Determinations, 30 g/L, Test #2

Floc #	Floc Area (μm^2)	Equivalent Diameter (μm)	Longest Dimension (μm)	Perimeter (μm)	Shape Factor	Porosity (%)
1	11960.6	123.40	153.54	1073.5	0.1304	41.36
2	10358.2	114.84	187.55	764.1	0.2230	25.48
3	12576.6	126.54	254.48	1366.1	0.0847	31.78
4	5530.2	83.91	151.06	620.2	0.1808	30.51
5	63219.9	283.71	442.43	2545.7	0.1227	57.35
6	28799.7	191.49	275.66	1294.1	0.2163	51.98
7	21734.5	166.35	262.54	1364.3	0.1467	42.68
8	13181.0	129.55	192.34	1206.6	0.1138	45.82
9	64895.4	287.45	414.31	3613.5	0.0625	40.60
10	40771.8	227.84	318.32	2006.3	0.1274	78.04
11	18135.9	151.96	244.42	1728.6	0.0763	49.05
12	8204.4	102.21	176.76	1153.6	0.0775	45.38
13	9319.9	108.93	180.28	844.1	0.1644	44.65
14	5295.5	82.11	119.56	659.7	0.1529	39.12
15	14297.3	134.92	181.04	1172.3	0.1308	57.37
16	4757.0	77.83	124.77	884.7	0.0764	14.99
17	13666.2	131.91	244.84	1576.0	0.0691	48.25
18	3491.3	66.67	108.58	624.8	0.1124	21.64
19	11110.8	118.94	206.20	1054.3	0.1256	49.33
20	12831.6	127.82	225.18	1444.4	0.0773	32.52
21	7715.7	99.12	149.56	737.9	0.1781	48.11
22	7333.0	96.63	166.93	1044.7	0.0844	43.38
23	10044.3	113.09	235.12	1474.2	0.0581	56.02
24	10302.7	114.53	174.20	818.6	0.1933	37.11
25	6192.2	88.79	144.40	818.6	0.1161	41.79
26	10063.7	113.20	168.50	1005.6	0.1251	49.70
27	6843.6	93.35	174.71	1018.7	0.0829	34.37
28	44712.8	238.60	353.16	1798.8	0.1738	74.97
29	12890.1	128.11	243.73	1324.4	0.0924	49.58
30	5192.9	81.31	168.17	852.4	0.0898	50.41
Mean =						44.44

Table C.10. Summary of Characteristics of Flocs used in Porosity Determinations, 45 g/L, Test #2

Floc #	Floc Area (μm^2)	Equivalent Diameter (μm)	Longest Dimension (μm)	Perimeter (μm)	Shape Factor	Porosity (%)
1	11717.8	122.15	178.27	964.0	0.1585	26.69
2	24162.9	175.40	237.97	1505.8	0.1339	48.32
3	20054.8	159.80	231.61	1339.7	0.1404	30.96
4	16109.4	143.22	180.73	1232.3	0.1333	49.56
5	8047.1	101.22	178.93	1091.3	0.0849	34.82
6	7427.8	97.25	146.83	822.2	0.1381	34.80
7	24002.2	174.82	385.42	2484.7	0.0489	42.74
8	6253.0	89.23	180.98	1260.2	0.0495	47.61
9	7482.5	97.61	175.48	920.9	0.1109	43.18
10	6772.4	92.86	141.25	735.2	0.1575	40.24
11	47025.1	244.69	400.11	1955.2	0.1547	46.06
12	10731.7	116.89	167.43	1196.6	0.0942	51.43
13	8851.5	106.16	157.98	1338.4	0.0621	52.72
14	6300.2	89.56	125.11	579.4	0.2359	46.19
15	31388.0	199.91	295.62	1616.3	0.1510	46.60
16	54308.4	262.96	462.60	3039.9	0.0739	53.33
17	65226.2	288.18	469.97	2658.7	0.1160	39.98
18	22603.4	169.65	258.22	2306.0	0.0535	36.66
19	22616.5	169.69	248.94	1807.2	0.0870	42.28
20	7418.0	97.18	161.79	968.0	0.0995	30.56
21	13153.9	129.41	193.32	1886.7	0.0464	43.53
22	10454.7	115.37	157.73	1352.3	0.0719	37.32
23	5347.6	82.51	143.24	786.8	0.1086	31.61
24	8536.3	104.25	173.37	1155.9	0.0803	41.23
25	7915.2	100.39	144.09	875.7	0.1297	52.02
26	5136.1	80.87	133.48	909.6	0.0780	27.87
27	7116.4	95.19	150.68	962.8	0.0965	37.35
28	20468.0	161.43	257.29	1596.4	0.1009	53.19
29	22571.3	169.52	284.65	1756.7	0.0919	64.78
30	22892.9	170.73	273.39	1450.0	0.1369	57.02
Mean =						43.02

Table C.11. Summary of Characteristics of Flocs used in Porosity Determinations, 0 minutes, Time Response Test

Floc #	Floc Area (μm^2)	Equivalent Diameter (μm)	Longest Dimension (μm)	Perimeter (μm)	Shape Factor	Porosity (%)
1	4607.9	76.60	131.93	597.3	0.1623	29.74
2	17021.3	147.21	214.87	1264.5	0.1338	53.76
3	1851.4	48.55	65.45	210.1	0.5273	47.65
4	2994.8	61.75	82.20	443.9	0.1910	36.16
5	4860.4	78.67	113.91	534.2	0.2141	65.19
6	7436.8	97.31	145.85	821.8	0.1384	39.30
7	4546.8	76.09	147.03	980.2	0.0595	23.54
8	14640.7	136.53	205.42	1501.0	0.0817	43.07
9	2549.8	56.98	73.04	509.0	0.1237	28.40
10	7678.8	98.88	150.65	1070.2	0.0843	38.96
11	11150.6	119.15	154.06	1062.6	0.1241	35.16
12	6465.5	90.73	151.56	950.7	0.0899	27.95
13	12782.1	127.57	211.35	857.4	0.2185	44.94
14	4938.2	79.29	122.20	584.2	0.1819	37.62
15	14786.1	137.21	194.43	978.6	0.1940	34.24
16	8939.9	106.69	173.15	1052.3	0.1015	43.48
17	10116.5	113.49	241.42	1885.1	0.0358	29.04
18	13753.5	132.33	207.69	1007.5	0.1703	48.53
19	10726.0	116.86	206.00	1175.8	0.0975	35.79
20	12742.8	127.38	168.52	1046.6	0.1462	43.43
21	7297.9	96.39	155.85	946.4	0.1024	62.82
22	6154.9	88.52	107.07	478.5	0.3379	46.71
23	11414.0	120.55	155.59	1295.3	0.0855	42.07
24	12969.0	128.50	188.56	1030.8	0.1534	41.93
25	9231.9	108.42	198.96	1193.3	0.0815	54.97
26	55115.9	264.91	492.66	2652.7	0.0985	50.46
27	4178.9	72.94	117.35	832.8	0.0757	32.36
28	9652.5	110.86	163.67	892.5	0.1523	52.94
29	6136.0	88.39	139.92	1183.3	0.0551	41.99
30	12781.4	127.57	254.70	1770.1	0.0513	29.02
Mean =						41.37

Table C.12. Summary of Characteristics of Flocs used in Porosity Determinations, 1 minute, Time Time Response Test

Floc #	Floc Area (μm^2)	Equivalent Diameter (μm)	Longest Dimension (μm)	Perimeter (μm)	Shape Factor	Porosity (%)
1	8390.4	103.36	157.36	1079.6	0.0905	39.58
2	5745.9	85.53	113.59	498.9	0.2902	35.90
3	7681.9	98.90	192.72	848.7	0.1341	64.36
4	3960.2	71.01	136.16	602.1	0.1373	37.56
5	13288.6	130.08	189.54	921.6	0.1966	38.89
6	2781.1	59.51	81.38	409.5	0.2085	41.33
7	7425.0	97.23	151.61	861.3	0.1258	34.66
8	11446.3	120.72	210.20	1273.7	0.0887	47.95
9	4092.5	72.19	123.03	678.5	0.1117	39.19
10	2583.8	57.36	86.72	459.0	0.1542	43.35
11	17783.6	150.48	292.35	1273.3	0.1379	46.96
12	6053.0	87.79	159.82	733.5	0.1414	26.88
13	11859.8	122.88	175.63	1229.5	0.0986	46.06
14	4491.8	75.62	116.31	748.8	0.1007	57.40
15	4468.7	75.43	104.94	447.2	0.2808	42.22
16	3374.0	65.54	138.34	542.8	0.1439	38.89
17	7075.6	94.92	145.08	740.7	0.1621	47.32
18	9623.9	110.70	207.07	1086.6	0.1025	57.07
19	5986.0	87.30	127.04	516.7	0.2818	69.41
20	5259.2	81.83	128.06	1043.8	0.0607	53.60
21	12614.6	126.73	222.00	1279.0	0.0969	37.01
22	10651.0	116.45	237.08	925.8	0.1562	45.43
23	16193.8	143.59	223.19	1289.0	0.1225	53.74
24	5429.9	83.15	150.21	906.1	0.0831	26.28
25	10920.0	117.91	153.51	582.4	0.4046	58.60
26	13769.7	132.41	211.75	1226.4	0.1151	34.57
27	4276.2	73.79	141.00	531.7	0.1901	44.08
28	6747.7	92.69	146.50	856.6	0.1156	51.34
29	12212.3	124.70	223.72	1392.3	0.0792	41.53
30	19723.9	158.47	239.25	1327.4	0.1407	40.37
Mean =						44.72

Table C.13. Summary of Characteristics of Flocs used in Porosity Determinations, 5 minutes, Time Response Test

Floc #	Floc Area (μm^2)	Equivalent Diameter (μm)	Longest Dimension (μm)	Perimeter (μm)	Shape Factor	Porosity (%)
1	8775.6	105.70	219.85	960.5	0.1196	33.57
2	11138.8	119.09	201.92	1068.1	0.1227	54.56
3	9531.5	110.16	179.18	937.2	0.1364	42.75
4	23922.1	174.52	309.92	1632.9	0.1128	57.88
5	16770.2	146.12	250.97	1463.3	0.0984	38.75
6	18740.1	154.47	212.53	1299.2	0.1396	48.94
7	5080.0	80.42	144.81	711.3	0.1262	43.70
8	8523.3	104.17	182.17	969.7	0.1139	45.84
9	13531.3	131.26	183.65	929.6	0.1969	80.49
10	11985.4	123.53	188.49	1072.9	0.1309	41.92
11	10028.0	113.00	146.99	735.7	0.2329	57.92
12	20993.3	163.49	270.02	2074.3	0.0613	45.52
13	7036.9	94.66	135.27	519.1	0.3281	62.12
14	9269.4	108.64	169.19	1108.9	0.0947	30.61
15	10787.5	117.20	209.17	958.4	0.1476	54.28
16	12718.5	127.25	177.06	1143.6	0.1223	78.11
17	4606.2	76.58	93.23	576.0	0.1745	44.46
18	3880.6	70.29	127.99	537.3	0.1690	43.67
19	7432.3	97.28	124.30	544.1	0.3157	46.61
20	3086.6	62.69	74.81	315.0	0.3912	56.00
21	15213.5	139.18	290.32	1364.7	0.1027	51.32
22	36530.2	215.67	300.01	1995.7	0.1153	48.85
23	11835.1	122.76	202.67	1199.3	0.1034	38.94
24	8402.2	103.43	175.86	889.0	0.1336	62.71
25	15855.1	142.08	251.42	1211.8	0.1357	50.17
26	5065.7	80.31	99.50	472.6	0.2850	51.43
27	12278.5	125.03	167.29	972.4	0.1632	64.14
28	13166.8	129.48	209.31	945.0	0.1853	50.40
29	6791.3	92.99	128.93	648.5	0.2030	37.15
30	6505.3	91.01	136.82	570.4	0.2513	31.09
Mean =						49.80

Table C.14. Summary of Characteristics of Flocs used in Porosity Determinations, 10 minutes, Time Response Test

Floc #	Floc Area (μm^2)	Equivalent Diameter (μm)	Longest Dimension (μm)	Perimeter (μm)	Shape Factor	Porosity (%)
1	53344.2	260.61	378.58	2060.5	0.1580	53.00
2	21178.0	164.21	238.66	1603.6	0.1035	56.69
3	7253.6	96.10	129.69	666.5	0.2052	45.59
4	12075.9	124.00	266.02	1542.3	0.0638	50.26
5	12989.6	128.60	185.37	1133.0	0.1272	40.99
6	12096.1	124.10	183.50	1214.4	0.1031	33.77
7	15724.3	141.50	220.74	1109.1	0.1607	57.45
8	9406.5	109.44	250.12	1299.8	0.0700	35.54
9	14931.2	137.88	234.44	1619.1	0.0716	50.19
10	9852.9	112.00	219.36	953.8	0.1362	45.96
11	19884.7	159.12	297.75	2047.1	0.0596	50.19
12	6965.2	94.17	141.83	590.7	0.2509	38.33
13	11289.3	119.89	203.80	1385.5	0.0739	40.27
14	5729.7	85.41	188.58	1005.1	0.0713	39.35
15	7370.2	96.87	157.18	854.3	0.1269	43.38
16	3702.0	68.66	118.18	559.5	0.1487	20.35
17	8852.0	106.16	171.46	1151.2	0.0839	48.87
18	5549.4	84.06	127.01	1066.4	0.0613	44.00
19	11815.7	122.66	173.18	899.5	0.1836	36.42
20	26807.2	184.75	299.72	1987.2	0.0853	53.17
21	8372.9	103.25	153.36	750.2	0.1870	46.40
22	10238.2	114.17	155.60	805.2	0.1985	61.80
23	8102.2	101.57	144.22	936.0	0.1162	46.67
24	3071.1	62.53	106.76	468.1	0.1761	35.25
25	8027.9	101.10	114.90	839.8	0.1431	41.06
26	8433.5	103.62	146.45	958.5	0.1154	40.24
27	8837.5	106.08	174.83	996.1	0.1120	46.69
28	8260.2	102.55	211.49	1266.8	0.0647	31.35
29	7546.4	98.02	122.12	1034.2	0.0887	33.34
30	13917.2	133.12	185.61	1328.4	0.0991	46.05
Mean =						43.75

Table C.15. Summary of Characteristics of Flocs used in Porosity Determinations, 15 minutes, Time Response Test

Floc #	Floc Area (μm^2)	Equivalent Diameter (μm)	Longest Dimension (μm)	Perimeter (μm)	Shape Factor	Porosity (%)
1	14332.9	135.09	207.18	1241.6	0.1169	45.40
2	15324.6	139.68	242.09	1031.5	0.1810	64.56
3	12201.4	124.64	207.24	961.7	0.1658	39.44
4	6570.8	91.47	171.34	814.5	0.1245	41.43
5	5666.1	84.94	164.59	904.7	0.0870	30.03
6	9262.9	108.60	166.24	840.0	0.1650	48.10
7	14339.1	135.12	261.90	1454.5	0.0852	63.24
8	7266.5	96.19	152.20	591.9	0.2607	43.78
9	6151.2	88.50	127.36	873.2	0.1014	37.62
10	17721.8	150.21	239.58	1532.3	0.0949	60.23
11	14921.4	137.83	236.43	1331.4	0.1058	52.05
12	8793.7	105.81	194.25	968.0	0.1180	50.45
13	7871.3	100.11	131.32	717.7	0.1920	45.84
14	113675.3	380.44	523.03	3166.4	0.1425	69.76
15	30524.1	197.14	340.22	1536.6	0.1625	56.81
16	11099.3	118.88	183.65	838.2	0.1986	30.03
17	8881.2	106.34	165.96	1323.1	0.0638	39.81
18	6693.5	92.32	148.60	900.2	0.1038	59.98
19	14713.0	136.87	213.89	1590.9	0.0731	50.15
20	8527.9	104.20	162.94	781.9	0.1753	50.20
21	15980.9	142.64	211.78	1092.0	0.1684	53.34
22	13068.5	128.99	165.33	971.4	0.1741	42.70
23	11559.5	121.32	169.85	829.3	0.2112	55.67
24	5651.3	84.83	133.59	783.1	0.1158	32.05
25	10854.2	117.56	204.34	1261.0	0.0858	43.38
26	7060.6	94.81	159.26	780.6	0.1457	37.13
27	10085.4	113.32	190.39	1181.7	0.0908	49.52
28	10390.0	115.02	171.58	870.3	0.1724	44.53
29	5200.0	81.37	109.21	607.0	0.1774	32.82
30	20973.7	163.42	252.54	1666.4	0.0949	66.93
Mean =						47.90

Table C.16. Summary of Characteristics of Flocs used in Porosity Determinations, 30 minutes, Time Response Test

Floc #	Floc Area (μm^2)	Equivalent Diameter (μm)	Longest Dimension (μm)	Perimeter (μm)	Shape Factor	Porosity (%)
1	8739.0	105.48	156.54	1080.6	0.0941	64.58
2	27636.4	187.58	263.95	2721.9	0.0469	50.99
3	5514.7	83.79	154.65	591.1	0.1984	45.61
4	10678.5	116.60	319.68	1076.7	0.1158	50.64
5	7451.4	97.40	125.83	795.8	0.1480	31.67
6	7162.6	95.50	183.78	1104.0	0.0739	43.45
7	7891.5	100.24	214.86	1053.1	0.0894	52.40
8	11152.1	119.16	163.39	938.0	0.1593	60.46
9	7503.3	97.74	118.95	621.0	0.2445	54.86
10	23401.5	172.61	246.73	1422.0	0.1454	72.72
11	23611.6	173.39	282.71	1405.8	0.1502	57.91
12	32491.6	203.40	271.10	1561.0	0.1676	52.02
13	47802.0	246.71	389.38	2286.9	0.1149	49.65
14	142355.7	425.74	631.07	3881.2	0.1188	50.63
15	74206.1	307.38	416.90	1936.9	0.2487	28.28
16	6533.7	91.21	179.44	755.7	0.1438	33.62
17	9594.4	110.53	174.84	960.9	0.1306	52.72
18	13326.8	130.26	228.43	995.6	0.1690	51.59
19	5408.1	82.98	113.82	604.5	0.1860	43.05
20	22927.1	170.86	254.04	1617.9	0.1101	56.07
21	9570.4	110.39	153.25	758.1	0.2093	44.12
22	23686.2	173.66	250.38	1173.9	0.2160	43.61
23	10095.2	113.37	159.23	943.1	0.1427	45.10
24	17969.9	151.26	254.97	1584.3	0.0900	41.62
25	8129.0	101.74	169.29	747.2	0.1831	31.83
26	26945.1	185.22	343.21	2615.1	0.0495	52.98
27	8329.5	102.98	169.82	1005.1	0.1037	30.51
28	20035.6	159.72	266.13	2372.7	0.0447	41.30
29	6424.0	90.44	119.05	668.5	0.1808	29.26
30	17231.8	148.12	213.64	1331.9	0.1221	52.68
Mean =						47.20

Table C.17. Summary of Characteristics of Flocs used in Porosity Determinations, $\text{Ca}^{2+}:\text{Na}^{+}$ Ratio = 0.0, Calcium Test

Floc #	Floc Area (μm^2)	Equivalent Diameter (μm)	Longest Dimension (μm)	Perimeter (μm)	Shape Factor	Porosity (%)
1	30050.0	195.60	365.50	1720.0	0.1276	46.35
2	22000.0	167.37	323.70	1566.0	0.1128	54.55
3	66070.0	290.04	395.40	2395.0	0.1447	57.99
4	11950.0	123.35	222.00	716.4	0.2926	48.88
5	17170.0	147.86	231.40	871.0	0.2844	42.29
6	17420.0	148.93	207.90	1107.0	0.1787	58.58
7	11570.0	121.37	196.40	937.9	0.1653	56.17
8	5412.0	83.01	124.10	601.2	0.1882	54.84
9	13190.0	129.59	213.10	890.9	0.2089	48.60
10	5124.0	80.77	124.70	517.6	0.2403	62.53
11	17130.0	147.68	231.80	1434.0	0.1046	50.61
12	4627.0	76.75	119.00	633.0	0.1451	45.38
13	20840.0	162.89	203.10	858.7	0.3557	44.69
14	10120.0	113.51	177.30	845.4	0.1780	51.50
15	16430.0	144.64	209.10	1289.0	0.1242	60.51
16	10940.0	118.02	225.20	1247.0	0.0885	33.79
17	6533.0	91.20	147.40	675.9	0.1797	36.56
18	6822.0	93.20	172.90	909.4	0.1037	61.17
19	11440.0	120.69	199.50	1416.0	0.0717	58.91
20	15710.0	141.43	219.30	1124.0	0.1562	65.26
21	8592.0	104.59	168.50	861.1	0.1456	49.76
22	73760.0	306.45	404.60	1977.0	0.2370	59.95
23	13000.0	128.66	194.50	865.4	0.2182	59.34
24	13080.0	129.05	176.20	849.1	0.2280	52.19
25	6221.0	89.00	127.50	674.5	0.1718	39.09
26	4932.0	79.24	173.00	712.4	0.1221	36.64
27	8133.0	101.76	165.70	973.0	0.1008	43.78
28	8075.0	101.40	145.40	677.9	0.2208	47.45
29	9540.0	110.21	211.20	1047.0	0.1094	45.38
30	14760.0	137.09	200.70	1151.0	0.1400	53.67
Mean =						50.88

Table C.18. Summary of Characteristics of Flocs used in Porosity Determinations, $\text{Ca}^{2+}:\text{Na}^+$ Ratio = 0.5, Calcium Test

Floc #	Floc Area (μm^2)	Equivalent Diameter (μm)	Longest Dimension (μm)	Perimeter (μm)	Shape Factor	Porosity (%)
1	17130.0	147.68	224.50	1152.0	0.1623	37.75
2	15310.0	139.62	227.20	1186.0	0.1368	35.49
3	9121.0	107.76	168.50	734.4	0.2125	48.66
4	26780.0	184.65	245.30	1556.0	0.1390	51.31
5	16540.0	145.12	225.90	1324.0	0.1187	45.96
6	15940.0	142.46	226.40	1267.0	0.1248	42.39
7	12210.0	124.68	180.50	823.4	0.2264	38.79
8	11380.0	120.37	180.80	922.1	0.1681	46.68
9	6058.0	87.83	131.10	740.2	0.1390	31.79
10	13810.0	132.60	179.00	937.1	0.1976	51.89
11	19150.0	156.15	217.90	1193.0	0.1691	41.55
12	12720.0	127.26	198.60	1212.0	0.1088	44.61
13	9796.0	111.68	146.80	713.0	0.2421	45.16
14	9782.0	111.60	193.30	1182.0	0.0881	45.99
15	31880.0	201.47	288.50	1634.0	0.1500	32.09
16	20520.0	161.64	301.50	1370.0	0.1374	50.85
17	65030.0	287.75	504.70	2666.0	0.1150	46.70
18	37510.0	218.54	311.30	1638.0	0.1757	44.06
19	17440.0	149.01	228.50	1057.0	0.1961	49.60
20	7435.0	97.30	133.10	695.5	0.1931	31.49
21	17552.0	149.49	298.40	1570.4	0.1789	62.14
22	12266.0	124.97	242.20	1140.8	0.2369	31.74
23	13678.0	131.97	326.40	1554.0	0.1424	47.63
24	16938.0	146.85	287.80	1591.8	0.1680	53.60
25	18786.0	154.66	354.60	1720.6	0.1595	54.91
26	11906.0	123.12	290.40	1967.0	0.0773	47.60
27	33730.0	207.24	285.90	1639.0	0.1578	46.45
28	74970.0	308.96	475.70	2859.0	0.1153	58.69
29	27690.0	187.77	256.00	1483.0	0.1583	54.90
30	66940.0	291.94	472.80	2275.0	0.1625	49.30
Mean =						45.66

Table C.19. Summary of Characteristics of Flocs used in Porosity Determinations, Ca²⁺:Na⁺ Ratio = 1.0, Calcium Test

Floc #	Floc Area (μm ²)	Equivalent Diameter (μm)	Longest Dimension (μm)	Perimeter (μm)	Shape Factor	Porosity (%)
1	38610.0	221.72	351.90	2507.0	0.0772	57.52
2	12990.0	128.61	212.70	1184.0	0.1163	50.31
3	18010.0	151.43	224.10	1342.0	0.1256	39.34
4	14710.0	136.86	229.60	1285.0	0.1120	45.93
5	16290.0	144.02	211.30	1247.0	0.1317	40.06
6	15130.0	138.80	280.10	1234.0	0.1248	37.73
7	7883.0	100.18	162.50	663.9	0.2248	25.60
8	18170.0	152.10	234.60	1085.0	0.1938	51.32
9	35600.0	212.90	309.10	1494.0	0.2006	46.14
10	18310.0	152.69	255.80	1313.0	0.1335	61.97
11	18750.0	154.51	317.30	1820.0	0.0712	49.72
12	7315.0	96.51	133.30	708.0	0.1834	25.39
13	10610.0	116.23	167.60	1110.0	0.1082	37.94
14	3832.0	69.85	103.20	468.7	0.2192	39.31
15	16350.0	144.28	221.00	1250.0	0.1315	34.21
16	16000.0	142.73	222.60	1163.0	0.1488	45.49
17	13130.0	129.30	181.00	1188.0	0.1170	55.84
18	14610.0	136.39	229.90	1645.0	0.0679	40.56
19	18800.0	154.72	223.90	1424.0	0.1164	43.75
20	9062.0	107.42	157.50	923.0	0.1337	51.70
21	42690.0	233.14	389.40	1749.0	0.1754	47.46
22	44500.0	238.03	442.30	2261.0	0.1094	60.45
23	56940.0	269.26	469.40	2665.0	0.1008	37.68
24	13920.0	133.13	200.90	1082.0	0.1494	30.64
25	10980.0	118.24	204.10	1209.0	0.0944	48.52
26	13830.0	132.70	210.30	862.2	0.2338	30.96
27	15940.0	142.46	215.70	1149.0	0.1517	47.83
28	40590.0	227.33	305.10	1633.0	0.1913	43.10
29	68960.0	296.32	428.70	2871.0	0.1051	54.44
30	23210.0	171.91	343.80	1791.0	0.0909	56.07
Mean =						44.57

Table C.20. Summary of Characteristics of Flocs used in Porosity Determinations, $\text{Ca}^{2+}:\text{Na}^+$ Ratio = 1.5, Calcium Test

Floc #	Floc Area (μm^2)	Equivalent Diameter (μm)	Longest Dimension (μm)	Perimeter (μm)	Shape Factor	Porosity (%)
1	32480.0	203.36	364.10	1777.0	0.1292	69.38
2	12080.0	124.02	216.30	1016.0	0.1471	39.76
3	14400.0	135.41	174.50	912.4	0.2173	38.13
4	10530.0	115.79	156.10	664.2	0.2998	36.66
5	17050.0	147.34	254.80	1847.0	0.0628	31.14
6	25730.0	181.00	284.90	1481.0	0.1474	45.16
7	56310.0	267.76	413.90	2330.0	0.1304	35.65
8	39040.0	222.95	373.40	2239.0	0.0979	39.57
9	13990.0	133.46	210.20	1304.0	0.1033	42.59
10	21930.0	167.10	262.60	1413.0	0.1380	36.87
11	16370.0	144.37	199.40	1031.0	0.1936	30.43
12	14020.0	133.61	202.50	1166.0	0.1296	33.51
13	10230.0	114.13	205.90	1004.0	0.1274	24.93
14	10580.0	116.06	234.60	1092.0	0.1116	36.15
15	12300.0	125.14	183.00	712.0	0.3049	39.52
16	26700.0	184.38	298.40	1514.0	0.1463	47.68
17	12300.0	125.14	171.20	943.7	0.1736	27.75
18	7897.0	100.27	166.10	792.5	0.1580	46.93
19	58440.0	272.78	464.10	3264.0	0.0689	67.52
20	15730.0	141.52	349.00	1403.0	0.1004	40.13
21	10860.0	117.59	174.20	976.5	0.1431	38.42
22	7719.0	99.14	160.50	760.1	0.1679	33.23
23	4210.0	73.21	114.00	524.9	0.1921	31.51
24	29050.0	192.32	325.90	1985.0	0.0927	59.67
25	8392.0	103.37	214.60	908.7	0.1277	40.12
26	26160.0	182.50	319.80	1304.0	0.1934	29.85
27	22060.0	167.59	271.40	1320.0	0.1592	50.42
28	21010.0	163.56	254.40	1307.0	0.1546	50.92
29	13480.0	131.01	165.80	831.2	0.2453	40.90
30	10710.0	116.77	193.10	1148.0	0.1022	37.76
Mean =						40.74

Table C.21. Summary of Characteristics of Flocs used in Porosity Determinations, $\text{Ca}^{2+}:\text{Na}^{+}$ Ratio = 2.0, Calcium Test

Floc #	Floc Area (μm^2)	Equivalent Diameter (μm)	Longest Dimension (μm)	Perimeter (μm)	Shape Factor	Porosity (%)
1	5780.0	85.79	158.70	763.9	0.1245	41.65
2	13310.0	130.18	220.50	1723.0	0.0563	40.56
3	10320.0	114.63	169.10	1118.0	0.1038	34.69
4	7566.0	98.15	158.10	870.7	0.1254	35.03
5	50150.0	252.69	409.60	2556.0	0.0964	48.04
6	23320.0	172.31	315.30	1550.0	0.1220	51.83
7	14260.0	134.75	181.50	910.8	0.2160	28.89
8	23030.0	171.24	289.00	1659.0	0.1051	44.52
9	8825.0	106.00	159.30	1006.0	0.1095	41.99
10	14070.0	133.84	209.40	1387.0	0.0919	32.31
11	16930.0	146.82	219.20	1127.0	0.1674	36.30
12	11050.0	118.61	162.40	1061.0	0.1234	41.78
13	14110.0	134.04	198.90	1255.0	0.1126	39.63
14	24380.0	176.19	256.60	1401.0	0.1560	51.91
15	14610.0	136.39	223.20	909.3	0.2221	26.12
16	12860.0	127.96	207.40	1063.0	0.1430	43.54
17	21400.0	165.07	340.20	1689.0	0.0943	46.32
18	31290.0	199.60	340.50	1845.0	0.1155	38.21
19	18880.0	155.04	261.90	1410.0	0.1194	51.50
20	3684.0	68.49	108.50	525.5	0.1676	17.25
21	16680.0	145.73	193.60	1214.0	0.1422	56.75
22	5460.0	83.38	156.50	727.5	0.1296	29.34
23	7841.0	99.92	181.30	901.5	0.1212	24.72
24	11100.0	118.88	198.50	976.9	0.1462	38.23
25	14120.0	134.08	229.70	1383.0	0.0928	45.49
26	11090.0	118.83	235.10	1012.0	0.1360	36.16
27	16240.0	143.80	242.30	972.4	0.2159	48.14
28	29980.0	195.38	452.60	2104.0	0.0851	61.00
29	57950.0	271.63	485.00	4079.0	0.0438	64.41
30	49950.0	252.19	343.80	2192.0	0.1307	56.12
Mean =						41.75

Table C.22. Summary of Characteristics of Flocs used in Porosity Determinations, $\text{Ca}^{2+}:\text{Na}^+$ Ratio = 2.5, Calcium Test

Floc #	Floc Area (μm^2)	Equivalent Diameter (μm)	Longest Dimension (μm)	Perimeter (μm)	Shape Factor	Porosity (%)
1	19940.0	159.34	412.30	1739.0	0.0828	30.92
2	53940.0	262.07	521.50	2443.0	0.1136	46.42
3	17600.0	149.70	237.60	1080.0	0.1896	27.81
4	38320.0	220.89	338.00	1775.0	0.1529	50.93
5	48520.0	248.55	509.60	2226.0	0.1230	34.10
6	47470.0	245.85	327.70	1409.0	0.3005	20.92
7	41620.0	230.20	353.80	1483.0	0.2377	52.83
8	35110.0	211.43	313.50	1597.0	0.1730	44.75
9	21640.0	165.99	287.20	1770.0	0.8686	35.00
10	26580.0	183.96	231.10	1243.0	0.2161	47.96
11	16490.0	144.90	271.40	1319.0	0.1192	33.66
12	31980.0	201.79	307.80	1689.0	0.1409	29.70
13	82590.0	324.28	511.60	3313.0	0.0945	44.76
14	58030.0	271.82	444.30	3123.0	0.0748	48.18
15	29430.0	193.58	285.30	1525.0	0.1590	35.90
16	29240.0	192.95	310.50	1883.0	0.1036	35.76
17	30050.0	195.60	311.60	1797.0	0.1170	33.04
18	28510.0	190.53	347.90	1733.0	0.1192	37.88
19	62420.0	281.91	417.80	2258.0	0.1538	46.64
20	22930.0	170.87	237.30	1189.0	0.2038	33.28
21	31850.0	201.38	355.30	1547.0	0.1673	47.60
22	35200.0	211.70	320.60	2097.0	0.1006	39.22
23	12340.0	125.35	194.20	878.4	0.2010	25.83
24	27310.0	186.47	257.10	1357.0	0.1863	47.83
25	39830.0	225.20	406.00	2232.0	0.1005	50.14
26	21490.0	165.41	242.80	998.0	0.2712	42.36
27	41070.0	228.67	323.50	1427.0	0.2535	44.50
28	38410.0	221.15	402.00	2235.0	0.0967	54.44
29	27920.0	188.54	313.20	2333.0	0.0645	44.54
30	50760.0	254.22	476.90	2428.0	0.1082	53.84
Mean =						40.69

APPENDIX D

Boundary Fractal and Sierpinski Fractal Dimension Calculations

Appendix D : Part I

The boundary fractal dimension calculations, along with the respective Richardson's plots, are presented in Tables D.1.1 through D.1.25 for Salinity Test #1, D.2.1 through D.2.25 for Salinity Test #2, D.3.1 through D.3.30 for the Time Response Test, and D.4.1 through D.4.30 for the Calcium Test. A summary of the flocs measured for the boundary fractal dimension calculations is also given in Table D.5.1 through D.5.4 for the four tests.

Figure D.1 is an example of a floc viewed under the microscope, and shows some of the steps involved in the calculation of the boundary fractal dimension. The complete descriptions of each of the steps are given in section 3.6.7.1 and so the reader is directed to this section for further information. Figure D.1 should be used in conjunction with section 3.6.7.1. Briefly, the four steps shown in Figure D.1 are:

- ① define step length λ
- ② define starting point for structured walk technique
- ③ walk step length λ around perimeter of floc, alternating the steps, first clockwise then counterclockwise, a number of N times
- ④ measure last distance to starting point as " a ", perimeter = $N\lambda + a$
- ⑤ the remaining steps are listed in section 3.6.7.1.

Figure D.1. Visual representation of some of the steps involved in determining the boundary fractal dimension (Floc image from salinity test #2, 0 g NaCl/L)

**Table D.1.1. Calculation of Boundary Fractal Dimensions,
0 g/L, Test #1, Floc #1**

Step Length (μm)	Perimeter (μm)	Longest Dim. (μm)	Normalized Step Length	Normalized Perimeter	Log Norm Step Length	Log Norm Perimeter	
38.0	278.6	120.097	0.3164	2.3198	-0.4997	0.3654	Slope
32.9	329.0	120.097	0.2739	2.7395	-0.5623	0.4377	-0.41
27.4	336.5	120.097	0.2281	2.8019	-0.6418	0.4475	R ²
21.9	348.0	120.097	0.1824	2.8977	-0.7391	0.4620	0.94
18.3	413.7	120.097	0.1524	3.4447	-0.8171	0.5372	Fractal
11.0	476.7	120.097	0.0916	3.9693	-1.0381	0.5987	1.41

**Table D.1.2. Calculation of Boundary Fractal Dimensions,
0 g/L, Test #1, Floc #2**

Step Length (μm)	Perimeter (μm)	Longest Dim. (μm)	Normalized Step Length	Normalized Perimeter	Log Norm Step Length	Log Norm Perimeter	
39.1	273.7	131.46	0.2974	2.0820	-0.5266	0.3185	Slope
35.7	304.6	131.46	0.2716	2.3171	-0.5661	0.3649	-0.32
30.1	310.4	131.46	0.2290	2.3612	-0.6402	0.3731	R ²
24.4	356.6	131.46	0.1856	2.7126	-0.7314	0.4334	0.91
18.8	371.9	131.46	0.1430	2.8290	-0.8446	0.4516	Fractal
13.2	396.0	131.46	0.1004	3.0123	-0.9982	0.4789	1.32

**Table D.1.3. Calculation of Boundary Fractal Dimensions,
0 g/L, Test #1, Floc #3**

Step Length (μm)	Perimeter (μm)	Longest Dim. (μm)	Normalized Step Length	Normalized Perimeter	Log Norm Step Length	Log Norm Perimeter	
39.2	252.2	96.914	0.4045	2.6023	-0.3931	0.4154	Slope
31.7	273.7	96.914	0.3271	2.8242	-0.4853	0.4509	-0.40
28.0	326.2	96.914	0.2889	3.3659	-0.5392	0.5271	R ²
22.4	312.7	96.914	0.2311	3.2266	-0.6361	0.5087	0.98
16.8	363.4	96.914	0.1733	3.7497	-0.7611	0.5740	Fractal
11.2	425.6	96.914	0.1156	4.3915	-0.9372	0.6426	1.40

**Table D.1.4. Calculation of Boundary Fractal Dimensions,
0 g/L, Test #1, Floc #4**

Step Length (μm)	Perimeter (μm)	Longest Dim. (μm)	Normalized Step Length	Normalized Perimeter	Log Norm Step Length	Log Norm Perimeter	
36.6	246.9	108.022	0.3388	2.2856	-0.4700	0.3590	Slope
20.8	342.9	108.022	0.1926	3.1744	-0.7154	0.5017	-0.59
19.1	362.9	108.022	0.1768	3.3595	-0.7525	0.5263	R ²
17.3	395.7	108.022	0.1602	3.6631	-0.7955	0.5639	0.99
15.6	414.3	108.022	0.1444	3.8353	-0.8404	0.5838	Fractal
13.9	429.3	108.022	0.1287	3.9742	-0.8905	0.5992	1.59

**Table D.1.5. Calculation of Boundary Fractal Dimensions,
0 g/L, Test #1, Floc #5**

Step Length (μm)	Perimeter (μm)	Longest Dim. (μm)	Normalized Step Length	Normalized Perimeter	Log Norm Step Length	Log Norm Perimeter	
39.4	404.6	146.642	0.2687	2.7591	-0.5708	0.4408	Slope
33.9	450.7	146.642	0.2312	3.0735	-0.6361	0.4876	-0.28
28.3	444.1	146.642	0.1930	3.0285	-0.7145	0.4812	R ²
22.6	474.6	146.642	0.1541	3.2365	-0.8121	0.5101	0.91
17.0	557.2	146.642	0.1159	3.7997	-0.9358	0.5798	Fractal
11.3	570.8	146.642	0.0771	3.8925	-1.1132	0.5902	1.28

**Table D.1.6. Calculation of Boundary Fractal Dimensions,
10 g/L, Test #1, Floc #1**

Step Length (μm)	Perimeter (μm)	Longest Dim. (μm)	Normalized Step Length	Normalized Perimeter	Log Norm Step Length	Log Norm Perimeter	
40.2	399.1	155.912	0.2578	2.5598	-0.5887	0.4082	Slope
35.1	427.1	155.912	0.2251	2.7394	-0.6476	0.4377	-0.23
29.3	464.7	155.912	0.1879	2.9805	-0.7260	0.4743	R ²
23.4	450.6	155.912	0.1501	2.8901	-0.8237	0.4609	0.91
17.6	512.0	155.912	0.1129	3.2839	-0.9474	0.5164	Fractal
11.7	537.2	155.912	0.0750	3.4455	-1.1247	0.5373	1.23

**Table D.1.7. Calculation of Boundary Fractal Dimensions,
10 g/L, Test #1, Floc #2**

Step Length (μm)	Perimeter (μm)	Longest Dim. (μm)	Normalized Step Length	Normalized Perimeter	Log Norm Step Length	Log Norm Perimeter	
37.4	274.1	135.424	0.2762	2.0240	-0.5588	0.3062	Slope
32.0	327.3	135.424	0.2363	2.4169	-0.6265	0.3833	-0.29
26.7	356.0	135.424	0.1972	2.6288	-0.7052	0.4198	R^2
21.4	358.6	135.424	0.1580	2.6480	-0.8013	0.4229	0.85
16.0	378.5	135.424	0.1181	2.7949	-0.9276	0.4464	Fractal
10.7	423.4	135.424	0.0790	3.1265	-1.1023	0.4951	1.29

**Table D.1.8. Calculation of Boundary Fractal Dimensions,
10 g/L, Test #1, Floc #3**

Step Length (μm)	Perimeter (μm)	Longest Dim. (μm)	Normalized Step Length	Normalized Perimeter	Log Norm Step Length	Log Norm Perimeter	
38.5	291.9	135.017	0.2851	2.1619	-0.5449	0.3348	Slope
31.5	293.7	135.017	0.2333	2.1753	-0.6321	0.3375	-0.25
28.0	341.4	135.017	0.2074	2.5286	-0.6832	0.4029	R^2
22.4	349.5	135.017	0.1659	2.5886	-0.7801	0.4131	0.88
16.8	357.2	135.017	0.1244	2.6456	-0.9051	0.4225	Fractal
11.2	399.6	135.017	0.0830	2.9596	-1.0812	0.4712	1.25

**Table D.1.9. Calculation of Boundary Fractal Dimensions,
10 g/L, Test #1, Floc #4**

Step Length (μm)	Perimeter (μm)	Longest Dim. (μm)	Normalized Step Length	Normalized Perimeter	Log Norm Step Length	Log Norm Perimeter	
40.1	538.7	175.307	0.2287	3.0729	-0.6407	0.4875	Slope
34.9	617.7	175.307	0.1991	3.5235	-0.7010	0.5470	-0.42
29.1	702.1	175.307	0.1660	4.0050	-0.7799	0.6026	R ²
23.2	728.4	175.307	0.1323	4.1550	-0.8783	0.6186	0.96
17.4	839.3	175.307	0.0993	4.7876	-1.0033	0.6801	Fractal
11.6	966.7	175.307	0.0662	5.5143	-1.1793	0.7415	1.42

**Table D.1.10. Calculation of Boundary Fractal Dimensions,
10 g/L, Test #1, Floc #5**

Step Length (μm)	Perimeter (μm)	Longest Dim. (μm)	Normalized Step Length	Normalized Perimeter	Log Norm Step Length	Log Norm Perimeter	
38.7	287.0	129.389	0.2991	2.2181	-0.5242	0.3460	Slope
33.0	317.2	129.389	0.2550	2.4515	-0.5934	0.3894	-0.42
27.5	354.9	129.389	0.2125	2.7429	-0.6726	0.4382	R ²
22.0	386.7	129.389	0.1700	2.9887	-0.7695	0.4755	0.96
16.5	451.0	129.389	0.1275	3.4856	-0.8944	0.5423	Fractal
11.0	484.0	129.389	0.0850	3.7407	-1.0705	0.5729	1.42

**Table D.1.11. Calculation of Boundary Fractal Dimensions,
20 g/L, Test #1, Floc #1**

Step Length (μm)	Perimeter (μm)	Longest Dim. (μm)	Normalized Step Length	Normalized Perimeter	Log Norm Step Length	Log Norm Perimeter	
37.9	326.7	126.226	0.3003	2.5882	-0.5225	0.4130	Slope
32.5	410.4	126.226	0.2575	3.2513	-0.5893	0.5121	-0.32
27.1	408.7	126.226	0.2147	3.2378	-0.6682	0.5103	R ²
21.7	435.8	126.226	0.1719	3.4525	-0.7647	0.5381	0.87
16.2	463.9	126.226	0.1283	3.6752	-0.8916	0.5653	Fractal
10.8	530.6	126.226	0.0856	4.2036	-1.0677	0.6236	1.32

**Table D.1.12. Calculation of Boundary Fractal Dimensions,
20 g/L, Test #1, Floc #2**

Step Length (μm)	Perimeter (μm)	Longest Dim. (μm)	Normalized Step Length	Normalized Perimeter	Log Norm Step Length	Log Norm Perimeter	
38.6	380.4	126.391	0.3054	3.0097	-0.5151	0.4785	Slope
31.9	415.8	126.391	0.2524	3.2898	-0.5979	0.5172	-0.35
28.1	467.2	126.391	0.2223	3.6965	-0.6530	0.5678	R ²
22.5	481.9	126.391	0.1780	3.8128	-0.7495	0.5812	0.92
16.9	558.6	126.391	0.1337	4.4196	-0.8738	0.6454	Fractal
11.2	582.4	126.391	0.0886	4.6079	-1.0525	0.6635	1.35

**Table D.1.13. Calculation of Boundary Fractal Dimensions,
20 g/L, Test #1, Floc #3**

Step Length (μm)	Perimeter (μm)	Longest Dim. (μm)	Normalized Step Length	Normalized Perimeter	Log Norm Step Length	Log Norm Perimeter	
40.0	561.9	185.866	0.2152	3.0231	-0.6671	0.4805	Slope
32.9	625.1	185.866	0.1770	3.3632	-0.7520	0.5267	-0.27
29.0	655.8	185.866	0.1560	3.5283	-0.8068	0.5476	R ²
19.3	702.9	185.866	0.1038	3.7818	-0.9836	0.5777	0.97
17.4	726.9	185.866	0.0936	3.9109	-1.0287	0.5923	Fractal
11.6	806.6	185.866	0.0624	4.3397	-1.2047	0.6375	1.27

**Table D.1.14. Calculation of Boundary Fractal Dimensions,
20 g/L, Test #1, Floc #4**

Step Length (μm)	Perimeter (μm)	Longest Dim. (μm)	Normalized Step Length	Normalized Perimeter	Log Norm Step Length	Log Norm Perimeter	
39.4	376.7	157.911	0.2495	2.3855	-0.6029	0.3776	Slope
33.5	422.4	157.911	0.2121	2.6749	-0.6734	0.4273	-0.33
27.9	463.7	157.911	0.1767	2.9365	-0.7528	0.4678	R ²
22.3	509.2	157.911	0.1412	3.2246	-0.8501	0.5085	0.94
13.0	575.0	157.911	0.0823	3.6413	-1.0845	0.5613	Fractal
11.2	586.1	157.911	0.0709	3.7116	-1.1492	0.5696	1.33

**Table D.1.15. Calculation of Boundary Fractal Dimensions,
20 g/L, Test #1, Floc #5**

Step Length (μm)	Perimeter (μm)	Longest Dim. (μm)	Normalized Step Length	Normalized Perimeter	Log Norm Step Length	Log Norm Perimeter	
39.3	318.3	120.398	0.3264	2.6437	-0.4862	0.4222	Slope
33.7	333.8	120.398	0.2799	2.7725	-0.5530	0.4429	-0.20
24.3	343.8	120.398	0.2018	2.8555	-0.6950	0.4557	R ²
16.8	365.5	120.398	0.1395	3.0358	-0.8553	0.4823	0.96
13.1	406.1	120.398	0.1088	3.3730	-0.9633	0.5280	Fractal
11.2	408.3	120.398	0.0930	3.3913	-1.0314	0.5304	1.20

**Table D.1.16. Calculation of Boundary Fractal Dimensions,
30 g/L, Test #1, Floc #1**

Step Length (μm)	Perimeter (μm)	Longest Dim. (μm)	Normalized Step Length	Normalized Perimeter	Log Norm Step Length	Log Norm Perimeter	
39.4	347.8	139.815	0.2818	2.4876	-0.5501	0.3958	Slope
28.4	395.7	139.815	0.2031	2.8302	-0.6922	0.4518	-0.35
24.6	431.6	139.815	0.1759	3.0869	-0.7546	0.4895	R ²
18.9	486.5	139.815	0.1352	3.4796	-0.8691	0.5415	0.96
15.2	496.3	139.815	0.1087	3.5497	-0.9637	0.5502	Fractal
11.4	535.8	139.815	0.0815	3.8322	-1.0886	0.5834	1.35

**Table D.1.17. Calculation of Boundary Fractal Dimensions,
30 g/L, Test #1, Floc #2**

Step Length (μm)	Perimeter (μm)	Longest Dim. (μm)	Normalized Step Length	Normalized Perimeter	Log Norm Step Length	Log Norm Perimeter	
38.7	678.2	208.012	0.1860	3.2604	-0.7304	0.5133	Slope
25.8	720.2	208.012	0.1240	3.4623	-0.9065	0.5394	-0.24
22.1	762.5	208.012	0.1062	3.6657	-0.9737	0.5642	R ²
18.4	822.1	208.012	0.0885	3.9522	-1.0533	0.5968	0.90
14.7	917.3	208.012	0.0707	4.4098	-1.1508	0.6444	Fractal
9.2	923.3	208.012	0.0442	4.4387	-1.3543	0.6473	1.24

**Table D.1.18. Calculation of Boundary Fractal Dimensions,
30 g/L, Test #1, Floc #3**

Step Length (μm)	Perimeter (μm)	Longest Dim. (μm)	Normalized Step Length	Normalized Perimeter	Log Norm Step Length	Log Norm Perimeter	
38.8	508.2	163.534	0.2373	3.1076	-0.6248	0.4924	Slope
33.9	537.9	163.534	0.2073	3.2892	-0.6834	0.5171	-0.24
28.3	547.1	163.534	0.1731	3.3455	-0.7618	0.5245	R ²
18.8	577.6	163.534	0.1150	3.5320	-0.9395	0.5480	0.95
15.1	654.0	163.534	0.0923	3.9992	-1.0346	0.6020	Fractal
11.3	693.6	163.534	0.0691	4.2413	-1.1605	0.6275	1.24

**Table D.1.19. Calculation of Boundary Fractal Dimensions,
30 g/L, Test #1, Floc #4**

Step Length (μm)	Perimeter (μm)	Longest Dim. (μm)	Normalized Step Length	Normalized Perimeter	Log Norm Step Length	Log Norm Perimeter	
33.5	221.5	99.675	0.3361	2.2222	-0.4735	0.3468	Slope
26.1	231.0	99.675	0.2619	2.3175	-0.5819	0.3650	-0.17
24.2	242.0	99.675	0.2428	2.4279	-0.6148	0.3852	R^2
18.6	253.2	99.675	0.1866	2.5403	-0.7291	0.4049	0.94
14.9	257.0	99.675	0.1495	2.5784	-0.8254	0.4113	Fractal
11.2	266.7	99.675	0.1124	2.6757	-0.9494	0.4274	1.17

**Table D.1.20. Calculation of Boundary Fractal Dimensions,
30 g/L, Test #1, Floc #5**

Step Length (μm)	Perimeter (μm)	Longest Dim. (μm)	Normalized Step Length	Normalized Perimeter	Log Norm Step Length	Log Norm Perimeter	
34.5	341.0	155.352	0.2221	2.1950	-0.6535	0.3414	Slope
28.8	350.2	155.352	0.1854	2.2542	-0.7319	0.3530	-0.40
24.9	408.6	155.352	0.1603	2.6302	-0.7951	0.4200	R^2
21.1	427.2	155.352	0.1358	2.7499	-0.8670	0.4393	0.93
17.3	463.2	155.352	0.1114	2.9816	-0.9533	0.4745	Fractal
13.4	485.1	155.352	0.0863	3.1226	-1.0642	0.4945	1.40

**Table D.1.21. Calculation of Boundary Fractal Dimensions,
45 g/L, Test #1, Floc #1**

Step Length (μm)	Perimeter (μm)	Longest Dim. (μm)	Normalized Step Length	Normalized Perimeter	Log Norm Step Length	Log Norm Perimeter	
31.7	342.5	178.397	0.1777	1.9199	-0.7503	0.2833	Slope
26.4	378.6	178.397	0.1480	2.1222	-0.8298	0.3268	-0.24
22.9	383.1	178.397	0.1284	2.1475	-0.8916	0.3319	R ²
15.8	410.1	178.397	0.0886	2.2988	-1.0527	0.3615	0.96
12.3	446.0	178.397	0.0689	2.5000	-1.1615	0.3979	Fractal
10.6	453.6	178.397	0.0594	2.5426	-1.2261	0.4053	1.24

**Table D.1.22. Calculation of Boundary Fractal Dimensions,
45 g/L, Test #1, Floc #2**

Step Length (μm)	Perimeter (μm)	Longest Dim. (μm)	Normalized Step Length	Normalized Perimeter	Log Norm Step Length	Log Norm Perimeter	
39.2	270.6	120.772	0.3246	2.2406	-0.4887	0.3504	Slope
34.1	300.1	120.772	0.2824	2.4848	-0.5492	0.3953	-0.54
28.4	307.3	120.772	0.2352	2.5445	-0.6286	0.4056	R ²
22.7	401.4	120.772	0.1880	3.3236	-0.7259	0.5216	0.95
17.0	413.3	120.772	0.1408	3.4222	-0.8515	0.5343	Fractal
13.3	489.2	120.772	0.1101	4.0506	-0.9581	0.6075	1.54

**Table D.1.23. Calculation of Boundary Fractal Dimensions,
45 g/L, Test #1, Floc #3**

Step Length (μm)	Perimeter (μm)	Longest Dim. (μm)	Normalized Step Length	Normalized Perimeter	Log Norm Step Length	Log Norm Perimeter	
37.2	353.8	158.419	0.2348	2.2333	-0.6293	0.3490	Slope
31.7	382.9	158.419	0.2001	2.4170	-0.6987	0.3833	-0.42
26.4	386.9	158.419	0.1666	2.4423	-0.7782	0.3878	R ²
21.2	398.2	158.419	0.1338	2.5136	-0.8735	0.4003	0.94
15.9	498.2	158.419	0.1004	3.1448	-0.9984	0.4976	Fractal
10.6	600.3	158.419	0.0669	3.7893	-1.1745	0.5786	1.42

**Table D.1.24. Calculation of Boundary Fractal Dimensions,
45 g/L, Test #1, Floc #4**

Step Length (μm)	Perimeter (μm)	Longest Dim. (μm)	Normalized Step Length	Normalized Perimeter	Log Norm Step Length	Log Norm Perimeter	
40.2	400.1	176.783	0.2274	2.2632	-0.6432	0.3547	Slope
34.3	450.3	176.783	0.1940	2.5472	-0.7121	0.4061	-0.46
28.6	545.3	176.783	0.1618	3.0846	-0.7911	0.4892	R ²
22.9	618.3	176.783	0.1295	3.4975	-0.8876	0.5438	0.90
17.1	640.3	176.783	0.0967	3.6220	-1.0144	0.5589	Fractal
11.4	727.5	176.783	0.0645	4.1152	-1.1905	0.6144	1.46

**Table D.1.25. Calculation of Boundary Fractal Dimensions,
45 g/L, Test #1, Floc #5**

Step Length (μm)	Perimeter (μm)	Longest Dim. (μm)	Normalized Step Length	Normalized Perimeter	Log Norm Step Length	Log Norm Perimeter	
39.6	494.3	168.158	0.2355	2.9395	-0.6280	0.4683	Slope
30.3	503.4	168.158	0.1802	2.9936	-0.7443	0.4762	-0.34
26.5	543.3	168.158	0.1576	3.2309	-0.8025	0.5093	R ²
18.9	619.4	168.158	0.1124	3.6834	-0.9493	0.5663	-0.97
15.2	680.4	168.158	0.0904	4.0462	-1.0439	0.6070	Fractal
11.4	721.8	168.158	0.0678	4.2924	-1.1688	0.6327	1.34

**Table D.2.1. Calculation of Boundary Fractal Dimensions,
0 g/L, Test #2, Floc #1**

Step Length (μm)	Perimeter (μm)	Longest Dim. (μm)	Normalized Step Length	Normalized Perimeter	Log Norm Step Length	Log Norm Perimeter	
117.2	1486.4	717.004	0.1635	2.0731	-0.7866	0.3166	Slope
86.2	1553.3	717.004	0.1202	2.1664	-0.9200	0.3357	-0.28
75.8	1661.4	717.004	0.1057	2.3171	-0.9759	0.3650	R ²
68.9	1712.5	717.004	0.0961	2.3884	-1.0173	0.3781	-0.98
48.3	1857.1	717.004	0.0674	2.5901	-1.1716	0.4133	Fractal
34.5	2080.0	717.004	0.0481	2.9010	-1.3177	0.4625	-1.28

**Table D.2.2. Calculation of Boundary Fractal Dimensions,
0 g/L, Test #2, Floc #2**

Step Length (μm)	Perimeter (μm)	Longest Dim. (μm)	Normalized Step Length	Normalized Perimeter	Log Norm Step Length	Log Norm Perimeter	
34.5	345.8	108.111	0.3191	3.1986	-0.4961	0.5050	Slope
26.2	366.2	108.111	0.2423	3.3873	-0.6156	0.5298	-0.27
24.5	384.1	108.111	0.2266	3.5528	-0.6447	0.5506	R ²
19.6	394.5	108.111	0.1813	3.6490	-0.7416	0.5622	-0.98
16.4	419.1	108.111	0.1517	3.8766	-0.8190	0.5884	Fractal
13.1	449.4	108.111	0.1212	4.1568	-0.9166	0.6188	-1.27

**Table D.2.3. Calculation of Boundary Fractal Dimensions,
0 g/L, Test #2, Floc #3**

Step Length (μm)	Perimeter (μm)	Longest Dim. (μm)	Normalized Step Length	Normalized Perimeter	Log Norm Step Length	Log Norm Perimeter	
43.0	345.9	117.156	0.3670	2.9525	-0.4353	0.4702	Slope
35.5	367.9	117.156	0.3030	3.1403	-0.5185	0.4970	-0.25
31.8	395.2	117.156	0.2714	3.3733	-0.5663	0.5281	R ²
24.3	426.4	117.156	0.2074	3.6396	-0.6832	0.5611	0.93
18.7	437.8	117.156	0.1596	3.7369	-0.7969	0.5725	Fractal
14.9	452.2	117.156	0.1272	3.8598	-0.8956	0.5866	1.25

**Table D.2.4. Calculation of Boundary Fractal Dimensions,
0 g/L, Test #2, Floc #4**

Step Length (μm)	Perimeter (μm)	Longest Dim. (μm)	Normalized Step Length	Normalized Perimeter	Log Norm Step Length	Log Norm Perimeter	
38.0	268.2	114.461	0.3320	2.3432	-0.4789	0.3698	Slope
27.1	283.7	114.461	0.2368	2.4786	-0.6257	0.3942	-0.35
21.7	314.8	114.461	0.1896	2.7503	-0.7222	0.4394	R ²
18.1	320.4	114.461	0.1581	2.7992	-0.8010	0.4470	0.91
16.3	344.1	114.461	0.1424	3.0063	-0.8465	0.4780	Fractal
14.5	385.1	114.461	0.1267	3.3645	-0.8973	0.5269	1.35

**Table D.2.5. Calculation of Boundary Fractal Dimensions,
0 g/L, Test #2, Floc #5**

Step Length (μm)	Perimeter (μm)	Longest Dim. (μm)	Normalized Step Length	Normalized Perimeter	Log Norm Step Length	Log Norm Perimeter	
69.8	785.1	298.267	0.2340	2.6322	-0.6307	0.4203	Slope
55.1	837.9	298.267	0.1847	2.8092	-0.7335	0.4486	-0.30
47.7	890.9	298.267	0.1599	2.9869	-0.7961	0.4752	R ²
36.7	975.5	298.267	0.1230	3.2706	-0.9099	0.5146	0.98
33.0	984.9	298.267	0.1106	3.3021	-0.9561	0.5188	Fractal
29.4	1004.0	298.267	0.0986	3.3661	-1.0063	0.5271	1.30

**Table D.2.6. Calculation of Boundary Fractal Dimensions,
10 g/L, Test #2, Floc #1**

Step Length (μm)	Perimeter (μm)	Longest Dim. (μm)	Normalized Step Length	Normalized Perimeter	Log Norm Step Length	Log Norm Perimeter	
65.1	715.8	296.78	0.2194	2.4119	-0.6589	0.3824	Slope
61.5	744.5	296.78	0.2072	2.5086	-0.6836	0.3994	-0.38
47.0	793.6	296.78	0.1584	2.6740	-0.8003	0.4272	R ²
43.4	824.6	296.78	0.1462	2.7785	-0.8349	0.4438	0.97
36.2	924.5	296.78	0.1220	3.1151	-0.9137	0.4935	Fractal
28.9	972.9	296.78	0.0974	3.2782	-1.0115	0.5156	1.38

**Table D.2.7. Calculation of Boundary Fractal Dimensions,
10 g/L, Test #2, Floc #2**

Step Length (μm)	Perimeter (μm)	Longest Dim. (μm)	Normalized Step Length	Normalized Perimeter	Log Norm Step Length	Log Norm Perimeter	
39.8	346.4	132.788	0.2997	2.6087	-0.5233	0.4164	Slope
36.2	406.0	132.788	0.2726	3.0575	-0.5645	0.4854	-0.44
32.4	440.2	132.788	0.2440	3.3151	-0.6126	0.5205	R ²
26.7	453.9	132.788	0.2011	3.4182	-0.6966	0.5338	-0.84
22.9	485.7	132.788	0.1725	3.6577	-0.7633	0.5632	Fractal
19.0	500.9	132.788	0.1431	3.7722	-0.8444	0.5766	1.44

**Table D.2.8. Calculation of Boundary Fractal Dimensions,
10 g/L, Test #2, Floc #3**

Step Length (μm)	Perimeter (μm)	Longest Dim. (μm)	Normalized Step Length	Normalized Perimeter	Log Norm Step Length	Log Norm Perimeter	
43.5	755.0	246.375	0.1766	3.0644	-0.7531	0.4864	Slope
35.9	800.6	246.375	0.1457	3.2495	-0.8365	0.5118	-0.25
26.5	848.0	246.375	0.1076	3.4419	-0.9684	0.5368	R ²
18.9	926.1	246.375	0.0767	3.7589	-1.1151	0.5751	1.00
17.0	950.1	246.375	0.0690	3.8563	-1.1611	0.5862	Fractal
15.1	987.4	246.375	0.0613	4.0077	-1.2126	0.6029	1.25

**Table D.2.9. Calculation of Boundary Fractal Dimensions,
10 g/L, Test #2, Floc #4**

Step Length (μm)	Perimeter (μm)	Longest Dim. (μm)	Normalized Step Length	Normalized Perimeter	Log Norm Step Length	Log Norm Perimeter	
44.7	434.9	170.528	0.2621	2.5503	-0.5815	0.4066	Slope
33.0	437.9	170.528	0.1935	2.5679	-0.7133	0.4096	-0.35
25.3	471.3	170.528	0.1484	2.7638	-0.8287	0.4415	R ²
23.3	483.7	170.528	0.1366	2.8365	-0.8644	0.4528	-0.82
19.4	567.7	170.528	0.1138	3.3291	-0.9440	0.5223	Fractal
17.5	599.1	170.528	0.1026	3.5132	-0.9888	0.5457	-1.35

**Table D.2.10. Calculation of Boundary Fractal Dimensions,
10 g/L, Test #2, Floc #5**

Step Length (μm)	Perimeter (μm)	Longest Dim. (μm)	Normalized Step Length	Normalized Perimeter	Log Norm Step Length	Log Norm Perimeter	
44.5	659.2	267.859	0.1661	2.4610	-0.7795	0.3911	Slope
42.5	717.5	267.859	0.1587	2.6786	-0.7995	0.4279	-0.39
38.8	774.7	267.859	0.1449	2.8922	-0.8391	0.4612	R ²
35.1	805.6	267.859	0.1310	3.0076	-0.8826	0.4782	-0.95
20.3	940.1	267.859	0.0758	3.5097	-1.1204	0.5453	Fractal
14.8	1073.0	267.859	0.0553	4.0058	-1.2576	0.6027	-1.39

**Table D.2.11. Calculation of Boundary Fractal Dimensions,
20 g/L, Test #2, Floc #1**

Step Length (μm)	Perimeter (μm)	Longest Dim. (μm)	Normalized Step Length	Normalized Perimeter	Log Norm Step Length	Log Norm Perimeter	
40.3	663.7	197.088	0.2045	3.3675	-0.6894	0.5273	Slope
36.3	712.6	197.088	0.1842	3.6156	-0.7348	0.5582	-0.23
24.8	767.5	197.088	0.1258	3.8942	-0.9002	0.5904	R ²
19.1	804.9	197.088	0.0969	4.0840	-1.0136	0.6111	-0.97
17.2	822.5	197.088	0.0873	4.1733	-1.0591	0.6205	Fractal
15.3	855.4	197.088	0.0776	4.3402	-1.1100	0.6375	-1.23

**Table D.2.12. Calculation of Boundary Fractal Dimensions,
20 g/L, Test #2, Floc #2**

Step Length (μm)	Perimeter (μm)	Longest Dim. (μm)	Normalized Step Length	Normalized Perimeter	Log Norm Step Length	Log Norm Perimeter	
36.3	421.4	150.731	0.2408	2.7957	-0.6183	0.4465	Slope
29.8	436.5	150.731	0.1977	2.8959	-0.7040	0.4618	-0.25
22.8	456.0	150.731	0.1513	3.0253	-0.8203	0.4808	R ²
19.3	482.5	150.731	0.1280	3.2011	-0.8926	0.5053	-0.97
17.5	509.3	150.731	0.1161	3.3789	-0.9352	0.5288	Fractal
14.0	533.6	150.731	0.0929	3.5401	-1.0321	0.5490	-1.25

**Table D.2.13. Calculation of Boundary Fractal Dimensions,
20 g/L, Test #2, Floc #3**

Step Length (μm)	Perimeter (μm)	Longest Dim. (μm)	Normalized Step Length	Normalized Perimeter	Log Norm Step Length	Log Norm Perimeter	
42.0	514.3	203.019	0.2069	2.5333	-0.6843	0.4037	Slope
40.1	558.2	203.019	0.1975	2.7495	-0.7044	0.4393	-0.27
33.1	587.6	203.019	0.1630	2.8943	-0.7877	0.4615	R ²
24.4	634.0	203.019	0.1202	3.1229	-0.9201	0.4946	0.95
17.4	687.3	203.019	0.0857	3.3854	-1.0670	0.5296	Fractal
13.9	708.9	203.019	0.0685	3.4918	-1.1645	0.5430	-1.27

**Table D.2.14. Calculation of Boundary Fractal Dimensions,
20 g/L, Test #2, Floc #4**

Step Length (μm)	Perimeter (μm)	Longest Dim. (μm)	Normalized Step Length	Normalized Perimeter	Log Norm Step Length	Log Norm Perimeter	
28.7	615.9	228.387	0.1257	2.6967	-0.9008	0.4308	Slope
26.8	636.5	228.387	0.1173	2.7869	-0.9305	0.4451	-0.39
24.9	668.3	228.387	0.1090	2.9262	-0.9625	0.4663	R ²
23.0	689.0	228.387	0.1007	3.0168	-0.9969	0.4795	0.98
19.1	741.1	228.387	0.0836	3.2449	-1.0776	0.5112	Fractal
15.3	788.1	228.387	0.0670	3.4507	-1.1740	0.5379	1.39

**Table D.2.15. Calculation of Boundary Fractal Dimensions,
20 g/L, Test #2, Floc #5**

Step Length (μm)	Perimeter (μm)	Longest Dim. (μm)	Normalized Step Length	Normalized Perimeter	Log Norm Step Length	Log Norm Perimeter	
46.5	462.2	167.631	0.2774	2.7572	-0.5569	0.4405	Slope
43.7	498.9	167.631	0.2607	2.9762	-0.5839	0.4737	-0.44
36.1	543.4	167.631	0.2154	3.2416	-0.6668	0.5108	R ²
32.3	593.9	167.631	0.1927	3.5429	-0.7152	0.5494	0.97
19.0	731.1	167.631	0.1133	4.3614	-0.9456	0.6396	Fractal
15.2	762.8	167.631	0.0907	4.5505	-1.0425	0.6581	1.44

**Table D.2.16. Calculation of Boundary Fractal Dimensions,
30 g/L, Test #2, Floc #1**

Step Length (μm)	Perimeter (μm)	Longest Dim. (μm)	Normalized Step Length	Normalized Perimeter	Log Norm Step Length	Log Norm Perimeter	
85.6	1055.4	442.43	0.1935	2.3855	-0.7134	0.3776	Slope
73.1	1125.4	442.43	0.1652	2.5437	-0.7819	0.4055	-0.40
66.1	1155.4	442.43	0.1494	2.6115	-0.8256	0.4169	R ²
59.2	1197.2	442.43	0.1338	2.7060	-0.8735	0.4323	0.96
52.2	1333.9	442.43	0.1180	3.0149	-0.9282	0.4793	Fractal
41.8	1389.1	442.43	0.0945	3.1397	-1.0247	0.4969	1.40

**Table D.2.17. Calculation of Boundary Fractal Dimensions,
30 g/L, Test #2, Floc #2**

Step Length (μm)	Perimeter (μm)	Longest Dim. (μm)	Normalized Step Length	Normalized Perimeter	Log Norm Step Length	Log Norm Perimeter	
66.5	649.3	275.664	0.2412	2.3554	-0.6176	0.3721	Slope
59.5	656.3	275.664	0.2158	2.3808	-0.6659	0.3767	-0.39
52.5	727.3	275.664	0.1904	2.6384	-0.7202	0.4213	R ²
45.5	788.6	275.664	0.1651	2.8607	-0.7824	0.4565	0.94
38.5	821.1	275.664	0.1397	2.9786	-0.8549	0.4740	Fractal
28.0	888.3	275.664	0.1016	3.2224	-0.9932	0.5082	1.39

**Table D.2.18. Calculation of Boundary Fractal Dimensions,
30 g/L, Test #2, Floc #3**

Step Length (μm)	Perimeter (μm)	Longest Dim. (μm)	Normalized Step Length	Normalized Perimeter	Log Norm Step Length	Log Norm Perimeter	
50.2	645.8	262.543	0.1912	2.4598	-0.7185	0.3909	Slope
41.2	687.0	262.543	0.1569	2.6167	-0.8043	0.4178	-0.22
34.1	712.5	262.543	0.1299	2.7138	-0.8864	0.4336	R ²
25.1	760.4	262.543	0.0956	2.8963	-1.0195	0.4618	1.00
17.9	816.6	262.543	0.0682	3.1103	-1.1663	0.4928	Fractal
14.3	858.0	262.543	0.0545	3.2680	-1.2639	0.5143	1.22

**Table D.2.19. Calculation of Boundary Fractal Dimensions,
30 g/L, Test #2, Floc #4**

Step Length (μm)	Perimeter (μm)	Longest Dim. (μm)	Normalized Step Length	Normalized Perimeter	Log Norm Step Length	Log Norm Perimeter	
69.6	1421.7	414.314	0.1680	3.4315	-0.7747	0.5355	Slope
54.9	1584.4	414.314	0.1325	3.8242	-0.8778	0.5825	-0.43
51.3	1683.0	414.314	0.1238	4.0621	-0.9072	0.6088	R ²
43.9	1817.5	414.314	0.1060	4.3868	-0.9749	0.6421	-0.97
36.6	1932.1	414.314	0.0883	4.6634	-1.0538	0.6687	Fractal
29.3	2038.2	414.314	0.0707	4.9195	-1.1505	0.6919	1.43

**Table D.2.20. Calculation of Boundary Fractal Dimensions,
30 g/L, Test #2, Floc #5**

Step Length (μm)	Perimeter (μm)	Longest Dim. (μm)	Normalized Step Length	Normalized Perimeter	Log Norm Step Length	Log Norm Perimeter	
39.9	719.1	244.419	0.1632	2.9421	-0.7872	0.4687	Slope
29.5	784.7	244.419	0.1207	3.2105	-0.9183	0.5066	-0.35
26.0	871.5	244.419	0.1064	3.5656	-0.9732	0.5521	R ²
20.8	895.3	244.419	0.0851	3.6630	-1.0701	0.5638	-0.97
17.3	981.8	244.419	0.0708	4.0169	-1.1501	0.6039	Fractal
13.9	1029.5	244.419	0.0569	4.2120	-1.2451	0.6245	1.35

**Table D.2.21. Calculation of Boundary Fractal Dimensions,
45 g/L, Test #2, Floc #1**

Step Length (μm)	Perimeter (μm)	Longest Dim. (μm)	Normalized Step Length	Normalized Perimeter	Log Norm Step Length	Log Norm Perimeter	
41.5	398.3	178.268	0.2328	2.2343	-0.6330	0.3491	Slope
38.8	422.6	178.268	0.2176	2.3706	-0.6622	0.3749	-0.24
23.6	482.3	178.268	0.1324	2.7055	-0.8782	0.4322	R ²
20.2	459.1	178.268	0.1133	2.5753	-0.9457	0.4108	0.92
16.9	504.4	178.268	0.0948	2.8294	-1.0232	0.4517	Fractal
13.5	535.3	178.268	0.0757	3.0028	-1.1207	0.4775	1.24

**Table D.2.22. Calculation of Boundary Fractal Dimensions,
45 g/L, Test #2, Floc #2**

Step Length (μm)	Perimeter (μm)	Longest Dim. (μm)	Normalized Step Length	Normalized Perimeter	Log Norm Step Length	Log Norm Perimeter	
43.1	559.0	231.61	0.1861	2.4135	-0.7303	0.3827	Slope
31.9	653.9	231.61	0.1377	2.8233	-0.8610	0.4508	-0.32
24.4	696.0	231.61	0.1053	3.0051	-0.9774	0.4779	R ²
22.5	714.9	231.61	0.0971	3.0867	-1.0126	0.4895	0.95
18.8	766.6	231.61	0.0812	3.3099	-1.0906	0.5198	Fractal
15.0	778.9	231.61	0.0648	3.3630	-1.1887	0.5267	1.32

**Table D.2.23. Calculation of Boundary Fractal Dimensions,
45 g/L, Test #2, Floc #3**

Step Length (μm)	Perimeter (μm)	Longest Dim. (μm)	Normalized Step Length	Normalized Perimeter	Log Norm Step Length	Log Norm Perimeter	
43.8	518.9	180.735	0.2423	2.8711	-0.6156	0.4580	Slope
41.6	536.3	180.735	0.2302	2.9673	-0.6379	0.4724	-0.37
34.4	611.9	180.735	0.1903	3.3856	-0.7205	0.5296	R ²
25.3	656.4	180.735	0.1400	3.6318	-0.8539	0.5601	0.96
21.7	704.7	180.735	0.1201	3.8991	-0.9206	0.5910	Fractal
18.1	722.6	180.735	0.1001	3.9981	-0.9994	0.6019	1.37

**Table D.2.24. Calculation of Boundary Fractal Dimensions,
45 g/L, Test #2, Floc #4**

Step Length (μm)	Perimeter (μm)	Longest Dim. (μm)	Normalized Step Length	Normalized Perimeter	Log Norm Step Length	Log Norm Perimeter	
77.5	837.5	385.425	0.2011	2.1729	-0.6966	0.3370	Slope
51.2	1075.2	385.425	0.1328	2.7896	-0.8767	0.4455	-0.56
47.5	1100.9	385.425	0.1232	2.8563	-0.9092	0.4558	R ²
43.8	1172.4	385.425	0.1136	3.0418	-0.9445	0.4831	1.00
40.2	1213.3	385.425	0.1043	3.1480	-0.9817	0.4980	Fractal
36.6	1265.2	385.425	0.0950	3.2826	-1.0225	0.5162	1.56

**Table D.2.25. Calculation of Boundary Fractal Dimensions,
45 g/L, Test #2, Floc #5**

Step Length (μm)	Perimeter (μm)	Longest Dim. (μm)	Normalized Step Length	Normalized Perimeter	Log Norm Step Length	Log Norm Perimeter	
40.2	446.4	167.429	0.2401	2.6662	-0.6196	0.4259	Slope
28.9	520.2	167.429	0.1726	3.1070	-0.7629	0.4923	-0.33
23.1	551.5	167.429	0.1380	3.2939	-0.8602	0.5177	R^2
21.2	555.8	167.429	0.1266	3.3196	-0.8975	0.5211	-0.97
19.2	568.0	167.429	0.1147	3.3925	-0.9405	0.5305	Fractal
15.4	625.8	167.429	0.0920	3.7377	-1.0363	0.5726	1.33

**Table D.3.1. Calculation of Boundary Fractal Dimensions,
0 minutes, Time Response Test, Floc #1**

Step Length (μm)	Perimeter (μm)	Longest Dim. (μm)	Normalized Step Length	Normalized Perimeter	Log Norm Step Length	Log Norm Perimeter	
46.8	549.2	214.873	0.2178	2.5559	-0.6619	0.4075	Slope
43.9	563.9	214.873	0.2043	2.6243	-0.6897	0.4190	-0.31
40.1	558.0	214.873	0.1866	2.5969	-0.7290	0.4145	R ²
26.7	694.2	214.873	0.1243	3.2307	-0.9057	0.5093	0.92
19.1	755.6	214.873	0.0889	3.5165	-1.0511	0.5461	Fractal
15.3	739.7	214.873	0.0712	3.4425	-1.1475	0.5369	1.31

**Table D.3.2. Calculation of Boundary Fractal Dimensions,
0 minutes, Time Response Test, Floc #2**

Step Length (μm)	Perimeter (μm)	Longest Dim. (μm)	Normalized Step Length	Normalized Perimeter	Log Norm Step Length	Log Norm Perimeter	
35.3	347.4	145.847	0.2420	2.3819	-0.6161	0.3769	Slope
31.6	350.9	145.847	0.2167	2.4059	-0.6642	0.3813	-0.40
27.8	382.4	145.847	0.1906	2.6219	-0.7199	0.4186	R ²
26.0	387.6	145.847	0.1783	2.6576	-0.7489	0.4245	0.96
24.1	388.4	145.847	0.1652	2.6631	-0.7819	0.4254	Fractal
18.6	447.1	145.847	0.1275	3.0655	-0.8944	0.4865	1.40

**Table D.3.3. Calculation of Boundary Fractal Dimensions,
0 minutes, Time Response Test, Floc #3**

Step Length (μm)	Perimeter (μm)	Longest Dim. (μm)	Normalized Step Length	Normalized Perimeter	Log Norm Step Length	Log Norm Perimeter	
39.4	745.6	205.417	0.1918	3.6297	-0.7171	0.5599	Slope
35.7	763.4	205.417	0.1738	3.7163	-0.7600	0.5701	-0.22
28.2	784.9	205.417	0.1373	3.8210	-0.8624	0.5822	R ²
24.4	828.9	205.417	0.1188	4.0352	-0.9252	0.6059	0.96
22.5	853.7	205.417	0.1095	4.1559	-0.9605	0.6187	Fractal
18.8	868.9	205.417	0.0915	4.2299	-1.0385	0.6263	1.22

**Table D.3.4. Calculation of Boundary Fractal Dimensions,
0 minutes, Time Response Test, Floc #4**

Step Length (μm)	Perimeter (μm)	Longest Dim. (μm)	Normalized Step Length	Normalized Perimeter	Log Norm Step Length	Log Norm Perimeter	
39.5	473.1	150.646	0.2622	3.1405	-0.5814	0.4970	Slope
35.7	491.0	150.646	0.2370	3.2593	-0.6253	0.5131	-0.41
32.0	506.9	150.646	0.2124	3.3648	-0.6728	0.5270	R ²
28.2	543.3	150.646	0.1872	3.6065	-0.7277	0.5571	1.00
20.7	618.9	150.646	0.1374	4.1083	-0.8620	0.6137	Fractal
15.0	694.0	150.646	0.0996	4.6068	-1.0019	0.6634	1.41

**Table D.3.5. Calculation of Boundary Fractal Dimensions,
0 minutes, Time Response Test, Floc #5**

Step Length (μm)	Perimeter (μm)	Longest Dim. (μm)	Normalized Step Length	Normalized Perimeter	Log Norm Step Length	Log Norm Perimeter	
34.1	470.1	194.426	0.1754	2.4179	-0.7560	0.3834	Slope
30.5	483.4	194.426	0.1569	2.4863	-0.8045	0.3956	-0.40
21.6	554.7	194.426	0.1111	2.8530	-0.9543	0.4553	R ²
19.8	592.4	194.426	0.1018	3.0469	-0.9921	0.4839	0.99
18.0	616.7	194.426	0.0926	3.1719	-1.0335	0.5013	Fractal
14.4	651.1	194.426	0.0741	3.3488	-1.1304	0.5249	1.40

**Table D.3.6. Calculation of Boundary Fractal Dimensions,
1 minute, Time Response Test, Floc #1**

Step Length (μm)	Perimeter (μm)	Longest Dim. (μm)	Normalized Step Length	Normalized Perimeter	Log Norm Step Length	Log Norm Perimeter	
34.1	324.2	113.587	0.3002	2.8542	-0.5226	0.4555	Slope
25.2	329.4	113.587	0.2219	2.9000	-0.6539	0.4624	-0.18
18.0	337.1	113.587	0.1585	2.9678	-0.8001	0.4724	R ²
16.2	375.8	113.587	0.1426	3.3085	-0.8458	0.5196	0.84
12.6	390.0	113.587	0.1109	3.4335	-0.9550	0.5357	Fractal
10.8	387.2	113.587	0.0951	3.4088	-1.0219	0.5326	1.18

**Table D.3.7. Calculation of Boundary Fractal Dimensions,
1 minute, Time Response Test, Floc #2**

Step Length (μm)	Perimeter (μm)	Longest Dim. (μm)	Normalized Step Length	Normalized Perimeter	Log Norm Step Length	Log Norm Perimeter	
34.0	374.0	192.72	0.1764	1.9406	-0.7534	0.2879	Slope
26.8	400.6	192.72	0.1391	2.0787	-0.8568	0.3178	-0.33
25.0	403.8	192.72	0.1297	2.0953	-0.8870	0.3212	R ²
23.2	408.0	192.72	0.1204	2.1171	-0.9194	0.3257	-0.97
21.4	424.1	192.72	0.1110	2.2006	-0.9545	0.3425	Fractal
14.3	499.1	192.72	0.0742	2.5898	-1.1296	0.4133	-1.33

**Table D.3.8. Calculation of Boundary Fractal Dimensions,
1 minute, Time Response Test, Floc #3**

Step Length (μm)	Perimeter (μm)	Longest Dim. (μm)	Normalized Step Length	Normalized Perimeter	Log Norm Step Length	Log Norm Perimeter	
45.6	512.3	189.535	0.2406	2.7029	-0.6187	0.4318	Slope
41.7	514.5	189.535	0.2200	2.7145	-0.6576	0.4337	-0.26
33.7	596.7	189.535	0.1778	3.1482	-0.7501	0.4981	R ²
23.8	632.1	189.535	0.1256	3.3350	-0.9011	0.5231	-0.91
19.8	653.4	189.535	0.1045	3.4474	-0.9810	0.5375	Fractal
15.9	665.6	189.535	0.0839	3.5118	-1.0763	0.5455	-1.26

**Table D.3.9. Calculation of Boundary Fractal Dimensions,
1 minute, Time Response Test, Floc #4**

Step Length (μm)	Perimeter (μm)	Longest Dim. (μm)	Normalized Step Length	Normalized Perimeter	Log Norm Step Length	Log Norm Perimeter	
37.8	401.2	151.611	0.2493	2.6462	-0.6032	0.4226	Slope
30.6	432.9	151.611	0.2018	2.8553	-0.6950	0.4557	0.62
23.4	455.6	151.611	0.1543	3.0051	-0.8115	0.4779	R ²
21.6	489.6	151.611	0.1425	3.2293	-0.8463	0.5091	0.97
18.0	493.9	151.611	0.1187	3.2577	-0.9255	0.5129	Fractal
14.4	553.9	151.611	0.0950	3.6534	-1.0224	0.5627	1.32

**Table D.3.10. Calculation of Boundary Fractal Dimensions,
1 minute, Time Response Test, Floc #5**

Step Length (μm)	Perimeter (μm)	Longest Dim. (μm)	Normalized Step Length	Normalized Perimeter	Log Norm Step Length	Log Norm Perimeter	
36.6	402.6	159.825	0.2290	2.5190	-0.6402	0.4012	Slope
29.6	400.5	159.825	0.1852	2.5059	-0.7324	0.3990	0.23
26.1	426.5	159.825	0.1633	2.6685	-0.7870	0.4263	R ²
22.7	440.0	159.825	0.1420	2.7530	-0.8476	0.4398	0.87
17.4	495.0	159.825	0.1089	3.0971	-0.9631	0.4910	Fractal
13.9	481.5	159.825	0.0870	3.0127	-1.0606	0.4790	1.23

**Table D.3.11. Calculation of Boundary Fractal Dimensions,
5 minutes, Time Response Test, Floc #1**

Step Length (μm)	Perimeter (μm)	Longest Dim. (μm)	Normalized Step Length	Normalized Perimeter	Log Norm Step Length	Log Norm Perimeter	
40.2	510.5	179.178	0.2244	2.8491	-0.6491	0.4547	Slope
36.4	508.4	179.178	0.2031	2.8374	-0.6922	0.4529	-0.34
32.5	531.1	179.178	0.1814	2.9641	-0.7414	0.4719	R ²
24.9	594.7	179.178	0.1390	3.3190	-0.8571	0.5210	0.98
23.0	606.8	179.178	0.1284	3.3866	-0.8916	0.5298	Fractal
21.1	620.1	179.178	0.1178	3.4608	-0.9290	0.5392	1.34

**Table D.3.12. Calculation of Boundary Fractal Dimensions,
5 minutes, Time Response Test, Floc #2**

Step Length (μm)	Perimeter (μm)	Longest Dim. (μm)	Normalized Step Length	Normalized Perimeter	Log Norm Step Length	Log Norm Perimeter	
45.9	860.7	309.916	0.1481	2.7772	-0.8294	0.4436	Slope
42.2	866.9	309.916	0.1362	2.7972	-0.8659	0.4467	-0.22
34.9	905.0	309.916	0.1126	2.9201	-0.9484	0.4654	R ²
31.2	932.1	309.916	0.1007	3.0076	-0.9971	0.4782	0.99
27.5	960.1	309.916	0.0887	3.0979	-1.0519	0.4911	Fractal
23.9	986.0	309.916	0.0771	3.1815	-1.1128	0.5026	1.22

**Table D.3.13. Calculation of Boundary Fractal Dimensions,
5 minutes, Time Response Test, Floc #3**

Step Length (μm)	Perimeter (μm)	Longest Dim. (μm)	Normalized Step Length	Normalized Perimeter	Log Norm Step Length	Log Norm Perimeter	
40.2	706.3	250.972	0.1602	2.8143	-0.7954	0.4494	Slope
33.2	742.8	250.972	0.1323	2.9597	-0.8785	0.4712	-0.25
24.5	802.9	250.972	0.0976	3.1992	-1.0105	0.5050	R ²
22.7	815.0	250.972	0.0904	3.2474	-1.0436	0.5115	0.99
21.0	844.4	250.972	0.0837	3.3645	-1.0774	0.5269	Fractal
17.5	868.0	250.972	0.0697	3.4586	-1.1566	0.5389	1.25

**Table D.3.14. Calculation of Boundary Fractal Dimensions,
5 minutes, Time Response Test, Floc #4**

Step Length (μm)	Perimeter (μm)	Longest Dim. (μm)	Normalized Step Length	Normalized Perimeter	Log Norm Step Length	Log Norm Perimeter	
45.9	678.3	212.526	0.2160	3.1916	-0.6656	0.5040	Slope
28.3	809.4	212.526	0.1332	3.8085	-0.8756	0.5808	-0.33
26.4	816.9	212.526	0.1242	3.8438	-0.9058	0.5848	R ²
24.6	828.8	212.526	0.1158	3.8998	-0.9365	0.5910	0.99
22.7	851.2	212.526	0.1068	4.0052	-0.9714	0.6026	Fractal
18.9	910.2	212.526	0.0889	4.2828	-1.0510	0.6317	1.33

**Table D.3.15. Calculation of Boundary Fractal Dimensions,
5 minutes, Time Response Test, Floc #5**

Step Length (μm)	Perimeter (μm)	Longest Dim. (μm)	Normalized Step Length	Normalized Perimeter	Log Norm Step Length	Log Norm Perimeter	
35.1	600.4	188.489	0.1862	3.1853	-0.7300	0.5032	Slope
31.4	607.7	188.489	0.1666	3.2241	-0.7784	0.5084	-0.29
25.9	663.9	188.489	0.1374	3.5222	-0.8620	0.5468	R ²
22.2	686.1	188.489	0.1178	3.6400	-0.9289	0.5611	0.99
18.5	723.3	188.489	0.0981	3.8374	-1.0081	0.5840	Fractal
14.8	763.1	188.489	0.0785	4.0485	-1.1050	0.6073	-1.29

**Table D.3.16. Calculation of Boundary Fractal Dimensions,
10 minutes, Time Response Test, Floc #1**

Step Length (μm)	Perimeter (μm)	Longest Dim. (μm)	Normalized Step Length	Normalized Perimeter	Log Norm Step Length	Log Norm Perimeter	
31.5	932.4	234.436	0.1344	3.9772	-0.8717	0.5996	Slope
27.8	973.9	234.436	0.1186	4.1542	-0.9260	0.6185	-0.32
24.1	1042.4	234.436	0.1028	4.4464	-0.9880	0.6480	R ²
22.3	1070.4	234.436	0.0951	4.5659	-1.0217	0.6595	0.98
18.5	1107.1	234.436	0.0789	4.7224	-1.1029	0.6742	Fractal
14.8	1193.3	234.436	0.0631	5.0901	-1.1998	0.7067	-1.32

**Table D.3.17. Calculation of Boundary Fractal Dimensions,
10 minutes, Time Response Test, Floc #2**

Step Length (μm)	Perimeter (μm)	Longest Dim. (μm)	Normalized Step Length	Normalized Perimeter	Log Norm Step Length	Log Norm Perimeter	
38.3	445.1	219.365	0.1746	2.0290	-0.7580	0.3073	Slope
30.9	477.7	219.365	0.1409	2.1776	-0.8512	0.3380	-0.36
25.4	535.2	219.365	0.1158	2.4398	-0.9363	0.3873	R ²
23.6	551.0	219.365	0.1076	2.5118	-0.9683	0.4000	-0.95
20.0	562.7	219.365	0.0912	2.5651	-1.0401	0.4091	Fractal
18.2	572.5	219.365	0.0830	2.6098	-1.0811	0.4166	-1.36

**Table D.3.18. Calculation of Boundary Fractal Dimensions,
10 minutes, Time Response Test, Floc #3**

Step Length (μm)	Perimeter (μm)	Longest Dim. (μm)	Normalized Step Length	Normalized Perimeter	Log Norm Step Length	Log Norm Perimeter	
41.4	895.5	297.745	0.1390	3.0076	-0.8568	0.4782	Slope
37.8	942.5	297.745	0.1270	3.1655	-0.8964	0.5004	-0.29
34.2	973.8	297.745	0.1149	3.2706	-0.9398	0.5146	R ²
21.6	1097.3	297.745	0.0725	3.6854	-1.1394	0.5665	-0.99
18.0	1159.2	297.745	0.0605	3.8933	-1.2186	0.5903	Fractal
14.4	1243.8	297.745	0.0484	4.1774	-1.3155	0.6209	-1.29

**Table D.3.19. Calculation of Boundary Fractal Dimensions,
10 minutes, Time Response Test, Floc #4**

Step Length (μm)	Perimeter (μm)	Longest Dim. (μm)	Normalized Step Length	Normalized Perimeter	Log Norm Step Length	Log Norm Perimeter	
45.0	528.3	203.805	0.2208	2.5922	-0.6560	0.4137	Slope
42.6	558.6	203.805	0.2090	2.7409	-0.6798	0.4379	-0.36
31.5	583.9	203.805	0.1546	2.8650	-0.8109	0.4571	R ²
27.8	661.4	203.805	0.1364	3.2453	-0.8652	0.5112	-0.95
25.9	654.9	203.805	0.1271	3.2134	-0.8959	0.5070	Fractal
18.5	736.7	203.805	0.0908	3.6147	-1.0420	0.5581	-1.36

**Table D.3.20. Calculation of Boundary Fractal Dimensions,
10 minutes, Time Response Test, Floc #5**

Step Length (μm)	Perimeter (μm)	Longest Dim. (μm)	Normalized Step Length	Normalized Perimeter	Log Norm Step Length	Log Norm Perimeter	
33.7	401.0	157.178	0.2144	2.5512	-0.6688	0.4068	Slope
30.1	417.9	157.178	0.1915	2.6588	-0.7178	0.4247	-0.32
26.6	455.0	157.178	0.1692	2.8948	-0.7715	0.4616	R ²
24.8	476.5	157.178	0.1578	3.0316	-0.8019	0.4817	-0.82
21.3	454.0	157.178	0.1355	2.8884	-0.8680	0.4607	Fractal
17.7	503.9	157.178	0.1126	3.2059	-0.9484	0.5060	-1.32

**Table D.3.21. Calculation of Boundary Fractal Dimensions,
15 minutes, Time Response Test, Floc #1**

Step Length (μm)	Perimeter (μm)	Longest Dim. (μm)	Normalized Step Length	Normalized Perimeter	Log Norm Step Length	Log Norm Perimeter	
39.5	389.8	152.2	0.2595	2.5611	-0.5858	0.4084	Slope
36.6	381.6	152.2	0.2405	2.5072	-0.6189	0.3992	-0.26
32.8	402.7	152.2	0.2155	2.6459	-0.6665	0.4226	R ²
27.0	427.2	152.2	0.1774	2.8068	-0.7511	0.4482	-0.95
23.1	433.1	152.2	0.1518	2.8456	-0.8188	0.4542	Fractal
19.3	463.2	152.2	0.1268	3.0434	-0.8969	0.4834	-1.26

**Table D.3.22. Calculation of Boundary Fractal Dimensions,
15 minutes, Time Response Test, Floc #2**

Step Length (μm)	Perimeter (μm)	Longest Dim. (μm)	Normalized Step Length	Normalized Perimeter	Log Norm Step Length	Log Norm Perimeter	
39.8	684.6	239.582	0.1661	2.8575	-0.7796	0.4560	Slope
32.2	779.4	239.582	0.1344	3.2532	-0.8716	0.5123	-0.41
28.4	813.0	239.582	0.1185	3.3934	-0.9261	0.5306	R ²
24.6	887.5	239.582	0.1027	3.7044	-0.9885	0.5687	-0.97
19.0	958.2	239.582	0.0793	3.9995	-1.1007	0.6020	Fractal
15.2	1019.3	239.582	0.0634	4.2545	-1.1976	0.6288	-1.41

**Table D.3.23. Calculation of Boundary Fractal Dimensions,
15 minutes, Time Response Test, Floc #3**

Step Length (μm)	Perimeter (μm)	Longest Dim. (μm)	Normalized Step Length	Normalized Perimeter	Log Norm Step Length	Log Norm Perimeter	
40.8	726.6	236.43	0.1726	3.0732	-0.7630	0.4876	Slope
36.9	738.0	236.43	0.1561	3.1214	-0.8067	0.4944	0.38
33.0	770.7	236.43	0.1396	3.2597	-0.8552	0.5132	R ²
25.3	873.0	236.43	0.1070	3.6924	-0.9706	0.5673	0.99
23.3	901.9	236.43	0.0985	3.8147	-1.0063	0.5815	Fractal
19.4	943.6	236.43	0.0821	3.9910	-1.0859	0.6011	1.38

**Table D.3.24. Calculation of Boundary Fractal Dimensions,
15 minutes, Time Response Test, Floc #4**

Step Length (μm)	Perimeter (μm)	Longest Dim. (μm)	Normalized Step Length	Normalized Perimeter	Log Norm Step Length	Log Norm Perimeter	
38.7	314.2	131.316	0.2947	2.3927	-0.5306	0.3789	Slope
31.3	368.3	131.316	0.2384	2.8047	-0.6228	0.4479	0.39
25.8	387.0	131.316	0.1965	2.9471	-0.7067	0.4694	R ²
20.3	431.6	131.316	0.1546	3.2867	-0.8108	0.5168	0.94
18.4	434.4	131.316	0.1401	3.3081	-0.8535	0.5196	Fractal
16.6	439.0	131.316	0.1264	3.3431	-0.8982	0.5241	1.39

**Table D.3.25. Calculation of Boundary Fractal Dimensions,
15 minutes, Time Response Test, Floc #5**

Step Length (μm)	Perimeter (μm)	Longest Dim. (μm)	Normalized Step Length	Normalized Perimeter	Log Norm Step Length	Log Norm Perimeter	
94.0	1470.9	523.032	0.1797	2.8123	-0.7454	0.4491	Slope
80.1	1547.7	523.032	0.1531	2.9591	-0.8149	0.4712	-0.37
66.2	1700.6	523.032	0.1266	3.2514	-0.8977	0.5121	R ²
59.2	1749.5	523.032	0.1132	3.3449	-0.9462	0.5244	0.99
52.2	1818.7	523.032	0.0998	3.4772	-1.0009	0.5412	Fractal
45.3	1921.1	523.032	0.0866	3.6730	-1.0624	0.5650	1.37

**Table D.3.26. Calculation of Boundary Fractal Dimensions,
30 minutes, Time Response Test, Floc #1**

Step Length (μm)	Perimeter (μm)	Longest Dim. (μm)	Normalized Step Length	Normalized Perimeter	Log Norm Step Length	Log Norm Perimeter	
31.7	1019.6	263.945	0.1201	3.8629	-0.9205	0.5869	Slope
28.4	1071.0	263.945	0.1076	4.0577	-0.9682	0.6083	-0.27
25.0	1093.4	263.945	0.0947	4.1425	-1.0236	0.6173	R ²
21.7	1153.3	263.945	0.0822	4.3695	-1.0851	0.6404	0.98
20.0	1166.8	263.945	0.0758	4.4206	-1.1205	0.6455	Fractal
16.7	1217.6	263.945	0.0633	4.6131	-1.1988	0.6640	1.27

**Table D.3.27. Calculation of Boundary Fractal Dimensions,
30 minutes, Time Response Test, Floc #2**

Step Length (μm)	Perimeter (μm)	Longest Dim. (μm)	Normalized Step Length	Normalized Perimeter	Log Norm Step Length	Log Norm Perimeter	
40.9	535.8	214.859	0.1904	2.4937	-0.7204	0.3968	Slope
33.8	566.8	214.859	0.1573	2.6380	-0.8032	0.4213	-0.35
23.1	638.3	214.859	0.1075	2.9708	-0.9685	0.4729	R ²
21.4	697.4	214.859	0.0996	3.2458	-1.0017	0.5113	-0.98
17.8	717.2	214.859	0.0828	3.3380	-1.0817	0.5235	Fractal
14.2	766.1	214.859	0.0661	3.5656	-1.1799	0.5521	-1.35

**Table D.3.28. Calculation of Boundary Fractal Dimensions,
30 minutes, Time Response Test, Floc #3**

Step Length (μm)	Perimeter (μm)	Longest Dim. (μm)	Normalized Step Length	Normalized Perimeter	Log Norm Step Length	Log Norm Perimeter	
36.7	581.4	163.389	0.2246	3.5584	-0.6486	0.5513	Slope
32.9	592.2	163.389	0.2014	3.6245	-0.6960	0.5592	-0.37
27.1	635.1	163.389	0.1659	3.8870	-0.7803	0.5896	R ²
25.1	669.8	163.389	0.1536	4.0994	-0.8135	0.6127	-0.95
23.2	664.9	163.389	0.1420	4.0694	-0.8477	0.6095	Fractal
21.3	715.9	163.389	0.1304	4.3816	-0.8848	0.6416	-1.37

**Table D.3.29. Calculation of Boundary Fractal Dimensions,
30 minutes, Time Response Test, Floc #4**

Step Length (μm)	Perimeter (μm)	Longest Dim. (μm)	Normalized Step Length	Normalized Perimeter	Log Norm Step Length	Log Norm Perimeter	
46.4	769.6	246.73	0.1881	3.1192	-0.7257	0.4940	Slope
44.1	775.6	246.73	0.1787	3.1435	-0.7478	0.4974	-0.74
28.8	878.6	246.73	0.1167	3.5610	-0.9328	0.5516	R ²
26.8	904.1	246.73	0.1086	3.6643	-0.9641	0.5640	-0.98
23.0	920.0	246.73	0.0932	3.7288	-1.0305	0.5716	Fractal
15.3	996.8	246.73	0.0620	4.0400	-1.2075	0.6064	1.24

**Table D.3.30. Calculation of Boundary Fractal Dimensions,
30 minutes, Time Response Test, Floc #5**

Step Length (μm)	Perimeter (μm)	Longest Dim. (μm)	Normalized Step Length	Normalized Perimeter	Log Norm Step Length	Log Norm Perimeter	
38.1	759.8	282.707	0.1348	2.6876	-0.8704	0.4294	Slope
34.4	813.1	282.707	0.1217	2.8761	-0.9148	0.4588	-0.92
25.4	881.2	282.707	0.0898	3.1170	-1.0465	0.4937	R ²
23.6	918.5	282.707	0.0835	3.2489	-1.0784	0.5117	-0.98
21.7	926.8	282.707	0.0768	3.2783	-1.1149	0.5156	Fractal
18.1	973.3	282.707	0.0640	3.4428	-1.1937	0.5369	1.32

**Table D.4.1. Calculation of Boundary Fractal Dimensions,
Ca²⁺:Na⁺ Ratio = 0.0, Calcium Test, Floc #1**

Step Length (μm)	Perimeter (μm)	Longest Dim. (μm)	Normalized Step Length	Normalized Perimeter	Log Norm Step Length	Log Norm Perimeter	
66.9	829.6	365.5	0.1830	2.2698	-0.7375	0.3560	Slope
62.2	881.5	365.5	0.1702	2.4118	-0.7691	0.3823	-0.32
52.9	981.9	365.5	0.1447	2.6865	-0.8394	0.4292	R ²
42.0	1024.0	365.5	0.1149	2.8016	-0.9396	0.4474	0.92
32.7	1059.9	365.5	0.0895	2.8999	-1.0483	0.4624	Fractal
26.5	1150.4	365.5	0.0725	3.1475	-1.1396	0.4980	-1.32

**Table D.4.2. Calculation of Boundary Fractal Dimensions,
Ca²⁺:Na⁺ Ratio = 0.0, Calcium Test, Floc #2**

Step Length (μm)	Perimeter (μm)	Longest Dim. (μm)	Normalized Step Length	Normalized Perimeter	Log Norm Step Length	Log Norm Perimeter	
66.9	847.6	323.7	0.2067	2.6185	-0.6847	0.4180	Slope
52.9	960.4	323.7	0.1634	2.9669	-0.7867	0.4723	-0.33
42.0	1036.6	323.7	0.1297	3.2023	-0.8869	0.5055	R ²
37.3	1104.3	323.7	0.1152	3.4115	-0.9384	0.5329	0.95
32.7	1127.0	323.7	0.1010	3.4816	-0.9956	0.5418	Fractal
21.8	1227.3	323.7	0.0673	3.7915	-1.1717	0.5788	-1.33

**Table D.4.3. Calculation of Boundary Fractal Dimensions,
Ca²⁺:Na⁺ Ratio = 0.0, Calcium Test, Floc #3**

Step Length (μm)	Perimeter (μm)	Longest Dim. (μm)	Normalized Step Length	Normalized Perimeter	Log Norm Step Length	Log Norm Perimeter	
62.2	1043.9	395.4	0.1573	2.6401	-0.8032	0.4216	Slope
57.6	1085.2	395.4	0.1457	2.7446	-0.8366	0.4385	-0.27
52.9	1135.0	395.4	0.1338	2.8705	-0.8736	0.4580	R ²
32.7	1268.9	395.4	0.0827	3.2092	-1.0825	0.5064	0.99
26.5	1351.5	395.4	0.0670	3.4181	-1.1738	0.5338	Fractal
21.8	1404.2	395.4	0.0551	3.5513	-1.2586	0.5504	-1.27

**Table D.4.4. Calculation of Boundary Fractal Dimensions,
Ca²⁺:Na⁺ Ratio = 0.0, Calcium Test, Floc #4**

Step Length (μm)	Perimeter (μm)	Longest Dim. (μm)	Normalized Step Length	Normalized Perimeter	Log Norm Step Length	Log Norm Perimeter	
33.1	512.5	222.0	0.1491	2.3086	-0.8265	0.3633	Slope
26.3	534.6	222.0	0.1185	2.4081	-0.9264	0.3817	-0.22
19.4	579.7	222.0	0.0874	2.6113	-1.0586	0.4169	R ²
16.0	610.4	222.0	0.0721	2.7495	-1.1422	0.4393	0.99
13.7	623.1	222.0	0.0617	2.8068	-1.2096	0.4482	Fractal
11.4	642.7	222.0	0.0514	2.8950	-1.2894	0.4617	-1.22

**Table D.4.5. Calculation of Boundary Fractal Dimensions,
Ca²⁺:Na⁺ Ratio = 0.0, Calcium Test, Floc #5**

Step Length (μm)	Perimeter (μm)	Longest Dim. (μm)	Normalized Step Length	Normalized Perimeter	Log Norm Step Length	Log Norm Perimeter	
40.0	506.5	231.4	0.1729	2.1889	-0.7623	0.3402	Slope
19.4	603.1	231.4	0.0838	2.6063	-1.0766	0.4160	-0.26
16.0	639.0	231.4	0.0691	2.7615	-1.1602	0.4411	R ²
14.9	657.4	231.4	0.0644	2.8410	-1.1912	0.4535	1.00
13.7	662.2	231.4	0.0592	2.8617	-1.2276	0.4566	Fractal
11.4	703.4	231.4	0.0493	3.0398	-1.3075	0.4828	31.26

**Table D.4.6. Calculation of Boundary Fractal Dimensions,
Ca²⁺:Na⁺ Ratio = 0.5, Calcium Test, Floc #1**

Step Length (μm)	Perimeter (μm)	Longest Dim. (μm)	Normalized Step Length	Normalized Perimeter	Log Norm Step Length	Log Norm Perimeter	
31.8	639.2	224.5	0.1416	2.8472	-0.8488	0.4544	Slope
25.8	671.0	224.5	0.1149	2.9889	-0.9396	0.4755	-0.25
20.6	720.3	224.5	0.0918	3.2085	-1.0373	0.5063	R ²
17.2	743.7	224.5	0.0766	3.3127	-1.1157	0.5202	0.99
12.9	789.7	224.5	0.0575	3.5176	-1.2406	0.5462	Fractal
10.3	856.8	224.5	0.0459	3.8165	-1.3384	0.5817	1.25

**Table D.4.7. Calculation of Boundary Fractal Dimensions,
Ca²⁺:Na⁺ Ratio = 0.5, Calcium Test, Floc #2**

Step Length (μm)	Perimeter (μm)	Longest Dim. (μm)	Normalized Step Length	Normalized Perimeter	Log Norm Step Length	Log Norm Perimeter	
40.0	603.4	227.2	0.1761	2.6558	-0.7543	0.4242	Slope
32.7	671.7	227.2	0.1439	2.9564	-0.8419	0.4708	-0.27
26.5	715.0	227.2	0.1166	3.1470	-0.9332	0.4979	R ²
23.5	747.1	227.2	0.1034	3.2883	-0.9853	0.5170	0.95
18.4	769.9	227.2	0.0810	3.3886	-1.0916	0.5300	Fractal
12.2	850.8	227.2	0.0537	3.7447	-1.2700	0.5734	1.27

**Table D.4.8. Calculation of Boundary Fractal Dimensions,
Ca²⁺:Na⁺ Ratio = 0.5, Calcium Test, Floc #3**

Step Length (μm)	Perimeter (μm)	Longest Dim. (μm)	Normalized Step Length	Normalized Perimeter	Log Norm Step Length	Log Norm Perimeter	
37.1	398.1	168.5	0.2202	2.3626	-0.6572	0.3734	Slope
31.2	439.3	168.5	0.1852	2.6071	-0.7324	0.4162	-0.22
26.2	461.3	168.5	0.1555	2.7377	-0.8083	0.4374	R ²
17.7	474.2	168.5	0.1050	2.8142	-0.9786	0.4494	0.93
14.3	509.3	168.5	0.0849	3.0226	-1.0713	0.4804	Fractal
11.8	531.0	168.5	0.0700	3.1513	-1.1547	0.4985	1.22

**Table D.4.9. Calculation of Boundary Fractal Dimensions,
Ca²⁺:Na⁺ Ratio = 0.5, Calcium Test, Floc #4**

Step Length (μm)	Perimeter (μm)	Longest Dim. (μm)	Normalized Step Length	Normalized Perimeter	Log Norm Step Length	Log Norm Perimeter	
46.8	782.1	245.3	0.1908	3.1883	-0.7195	0.5036	Slope
39.6	821.9	245.3	0.1614	3.3506	-0.7920	0.5251	-0.25
28.8	925.2	245.3	0.1174	3.7717	-0.9303	0.5765	R ²
25.2	941.1	245.3	0.1027	3.8365	-0.9883	0.5839	-0.97
16.8	1007.6	245.3	0.0685	4.1076	-1.1644	0.6136	Fractal
14.4	1058.7	245.3	0.0587	4.3159	-1.2313	0.6351	-1.25

**Table D.4.10. Calculation of Boundary Fractal Dimensions,
Ca²⁺:Na⁺ Ratio = 0.5, Calcium Test, Floc #5**

Step Length (μm)	Perimeter (μm)	Longest Dim. (μm)	Normalized Step Length	Normalized Perimeter	Log Norm Step Length	Log Norm Perimeter	
37.2	584.9	225.9	0.1647	2.5892	-0.7834	0.4132	Slope
25.5	684.0	225.9	0.1129	3.0279	-0.9474	0.4811	-0.36
16.0	773.6	225.9	0.0708	3.4245	-1.1498	0.5346	R ²
14.9	826.9	225.9	0.0660	3.6605	-1.1807	0.5635	-0.99
13.8	837.8	225.9	0.0611	3.7087	-1.2140	0.5692	Fractal
12.8	863.2	225.9	0.0567	3.8212	-1.2467	0.5822	-1.36

**Table D.4.11. Calculation of Boundary Fractal Dimensions,
Ca²⁺:Na⁺ Ratio = 1.0, Calcium Test, Floc #1**

Step Length (μm)	Perimeter (μm)	Longest Dim. (μm)	Normalized Step Length	Normalized Perimeter	Log Norm Step Length	Log Norm Perimeter	
66.9	890.5	351.9	0.1901	2.5305	-0.7210	0.4032	Slope
57.6	926.6	351.9	0.1637	2.6331	-0.7860	0.4205	-0.34
48.2	1051.7	351.9	0.1370	2.9886	-0.8634	0.4755	R ²
32.7	1174.8	351.9	0.0929	3.3384	-1.0319	0.5235	-0.97
26.5	1231.6	351.9	0.0753	3.4999	-1.1232	0.5441	Fractal
21.8	1304.4	351.9	0.0619	3.7067	-1.2080	0.5690	-1.34

**Table D.4.12. Calculation of Boundary Fractal Dimensions,
Ca²⁺:Na⁺ Ratio = 1.0, Calcium Test, Floc #2**

Step Length (μm)	Perimeter (μm)	Longest Dim. (μm)	Normalized Step Length	Normalized Perimeter	Log Norm Step Length	Log Norm Perimeter	
31.5	590.7	212.7	0.1481	2.7772	-0.8295	0.4436	Slope
25.8	654.7	212.7	0.1213	3.0780	-0.9161	0.4883	-0.25
22.9	674.5	212.7	0.1077	3.1711	-0.9679	0.5012	R ²
17.2	714.2	212.7	0.0809	3.3578	-1.0922	0.5261	-0.95
14.3	730.3	212.7	0.0672	3.4335	-1.1724	0.5357	Fractal
11.5	786.8	212.7	0.0541	3.6991	-1.2671	0.5681	-1.25

**Table D.4.13. Calculation of Boundary Fractal Dimensions,
Ca²⁺:Na⁺ Ratio = 1.0, Calcium Test, Floc #3**

Step Length (μm)	Perimeter (μm)	Longest Dim. (μm)	Normalized Step Length	Normalized Perimeter	Log Norm Step Length	Log Norm Perimeter	
40.0	612.3	224.1	0.1785	2.7323	-0.7484	0.4365	Slope
31.8	648.2	224.1	0.1419	2.8925	-0.8480	0.4613	-0.18
23.6	677.4	224.1	0.1053	3.0228	-0.9775	0.4804	R ²
18.5	734.5	224.1	0.0826	3.2776	-1.0833	0.5155	0.95
15.4	741.4	224.1	0.0687	3.3083	-1.1629	0.5196	Fractal
12.3	747.8	224.1	0.0549	3.3369	-1.2605	0.5233	1.18

**Table D.4.14. Calculation of Boundary Fractal Dimensions,
Ca²⁺:Na⁺ Ratio = 1.0, Calcium Test, Floc #4**

Step Length (μm)	Perimeter (μm)	Longest Dim. (μm)	Normalized Step Length	Normalized Perimeter	Log Norm Step Length	Log Norm Perimeter	
37.3	388.4	229.6	0.1625	1.6916	-0.7893	0.2283	Slope
34.7	404.5	229.6	0.1511	1.7618	-0.8206	0.2459	-1.024
32.0	411.4	229.6	0.1394	1.7918	-0.8558	0.2533	R ²
16.0	466.0	229.6	0.0697	2.0296	-1.1569	0.3074	0.98
13.3	499.7	229.6	0.0579	2.1764	-1.2371	0.3377	Fractal
10.7	544.0	229.6	0.0466	2.3693	-1.3316	0.3746	1.24

**Table D.4.15. Calculation of Boundary Fractal Dimensions,
Ca²⁺:Na⁺ Ratio = 1.0, Calcium Test, Floc #5**

Step Length (μm)	Perimeter (μm)	Longest Dim. (μm)	Normalized Step Length	Normalized Perimeter	Log Norm Step Length	Log Norm Perimeter	
37.4	617.3	211.3	0.1770	2.9214	-0.7520	0.4656	Slope
28.3	640.7	211.3	0.1339	3.0322	-0.8731	0.4818	-0.21
23.2	670.7	211.3	0.1098	3.1742	-0.9594	0.5016	R ²
20.2	687.4	211.3	0.0956	3.2532	-1.0195	0.5123	0.99
14.1	755.1	211.3	0.0667	3.5736	-1.1757	0.5531	Fractal
12.1	774.2	211.3	0.0573	3.6640	-1.2421	0.5640	1.21

**Table D.4.16. Calculation of Boundary Fractal Dimensions,
Ca²⁺:Na⁺ Ratio = 1.5, Calcium Test, Floc #1**

Step Length (μm)	Perimeter (μm)	Longest Dim. (μm)	Normalized Step Length	Normalized Perimeter	Log Norm Step Length	Log Norm Perimeter	
73.8	1046.1	364.1	0.2027	2.8731	-0.6932	0.4584	Slope
62.4	1104.0	364.1	0.1714	3.0321	-0.7660	0.4817	-0.21
51.1	1132.6	364.1	0.1403	3.1107	-0.8528	0.4929	R ²
39.7	1244.9	364.1	0.1090	3.4191	-0.9624	0.5339	0.97
26.5	1315.0	364.1	0.0728	3.6116	-1.1380	0.5577	Fractal
22.7	1330.3	364.1	0.0623	3.6537	-1.2052	0.5627	1.21

**Table D.4.17. Calculation of Boundary Fractal Dimensions,
Ca²⁺:Na⁺ Ratio = 1.5, Calcium Test, Floc #2**

Step Length (μm)	Perimeter (μm)	Longest Dim. (μm)	Normalized Step Length	Normalized Perimeter	Log Norm Step Length	Log Norm Perimeter	
34.0	568.7	216.3	0.1572	2.6292	-0.8036	0.4198	Slope
31.0	583.8	216.3	0.1433	2.6990	-0.8437	0.4312	-0.29
28.0	641.2	216.3	0.1294	2.9644	-0.8879	0.4719	R ²
22.0	669.8	216.3	0.1017	3.0966	-0.9926	0.4909	0.95
17.0	726.0	216.3	0.0786	3.3564	-1.1046	0.5259	Fractal
12.0	772.5	216.3	0.0555	3.5714	-1.2559	0.5528	1.29

**Table D.4.18. Calculation of Boundary Fractal Dimensions,
Ca²⁺:Na⁺ Ratio = 1.5, Calcium Test, Floc #3**

Step Length (μm)	Perimeter (μm)	Longest Dim. (μm)	Normalized Step Length	Normalized Perimeter	Log Norm Step Length	Log Norm Perimeter	
40.0	562.9	174.5	0.2292	3.2258	-0.6397	0.5086	Slope
29.9	575.7	174.5	0.1713	3.2991	-0.7661	0.5184	-0.21
24.9	593.9	174.5	0.1427	3.4034	-0.8456	0.5319	R ²
19.9	639.5	174.5	0.1140	3.6648	-0.9429	0.5640	0.95
14.9	696.1	174.5	0.0854	3.9891	-1.0686	0.6009	Fractal
12.4	693.8	174.5	0.0711	3.9759	-1.1484	0.5994	1.21

**Table D.4.19. Calculation of Boundary Fractal Dimensions,
Ca²⁺:Na⁺ Ratio = 1.5, Calcium Test, Floc #4**

Step Length (μm)	Perimeter (μm)	Longest Dim. (μm)	Normalized Step Length	Normalized Perimeter	Log Norm Step Length	Log Norm Perimeter	
37.4	446.2	156.1	0.2396	2.8584	-0.6205	0.4561	Slope
24.9	474.0	156.1	0.1595	3.0365	-0.7972	0.4824	-0.19
20.0	499.0	156.1	0.1281	3.1967	-0.8924	0.5047	R ²
17.5	516.1	156.1	0.1121	3.3062	-0.9504	0.5193	-0.98
15.0	521.2	156.1	0.0961	3.3389	-1.0173	0.5236	Fractal
12.5	553.1	156.1	0.0801	3.5432	-1.0965	0.5494	-1.19

**Table D.4.20. Calculation of Boundary Fractal Dimensions,
Ca²⁺:Na⁺ Ratio = 1.5, Calcium Test, Floc #5**

Step Length (μm)	Perimeter (μm)	Longest Dim. (μm)	Normalized Step Length	Normalized Perimeter	Log Norm Step Length	Log Norm Perimeter	
40.0	722.5	254.8	0.1570	2.8356	-0.8041	0.4526	Slope
35.0	741.1	254.8	0.1374	2.9086	-0.8621	0.4637	-0.35
30.5	775.3	254.8	0.1197	3.0428	-0.9219	0.4833	R ²
23.7	848.2	254.8	0.0930	3.3289	-1.0315	0.5223	-0.99
16.9	959.5	254.8	0.0663	3.7657	-1.1783	0.5758	Fractal
15.8	996.2	254.8	0.0620	3.9097	-1.2075	0.5921	-1.35

**Table D.4.21. Calculation of Boundary Fractal Dimensions,
Ca²⁺:Na⁺ Ratio = 2.0, Calcium Test, Floc #1**

Step Length (μm)	Perimeter (μm)	Longest Dim. (μm)	Normalized Step Length	Normalized Perimeter	Log Norm Step Length	Log Norm Perimeter	
27.4	425.4	158.7	0.1727	2.6805	-0.7628	0.4282	Slope
21.1	464.1	158.7	0.1330	2.9244	-0.8763	0.4660	-0.35
18.0	505.3	158.7	0.1134	3.1840	-0.9453	0.5030	R ²
15.7	521.1	158.7	0.0989	3.2836	-1.0047	0.5163	-0.99
13.3	555.6	158.7	0.0838	3.5009	-1.0767	0.5442	Fractal
9.4	614.0	158.7	0.0592	3.8689	-1.2274	0.5876	-1.35

**Table D.4.22. Calculation of Boundary Fractal Dimensions,
Ca²⁺:Na⁺ Ratio = 2.0, Calcium Test, Floc #2**

Step Length (μm)	Perimeter (μm)	Longest Dim. (μm)	Normalized Step Length	Normalized Perimeter	Log Norm Step Length	Log Norm Perimeter	
34.8	846.6	220.5	0.1578	3.8395	-0.8018	0.5843	Slope
32.6	866.6	220.5	0.1478	3.9302	-0.8302	0.5944	-0.30
25.8	948.5	220.5	0.1170	4.3016	-0.9318	0.6336	R ²
21.3	1021.9	220.5	0.0966	4.6345	-1.0150	0.6660	-0.97
19.1	1042.6	220.5	0.0866	4.7283	-1.0624	0.6747	Fractal
13.5	1114.2	220.5	0.0612	5.0531	-1.2131	0.7036	-1.30

**Table D.4.23. Calculation of Boundary Fractal Dimensions,
Ca²⁺:Na⁺ Ratio = 2.0, Calcium Test, Floc #3**

Step Length (μm)	Perimeter (μm)	Longest Dim. (μm)	Normalized Step Length	Normalized Perimeter	Log Norm Step Length	Log Norm Perimeter	
40.0	559.4	169.1	0.2365	3.3081	-0.6261	0.5196	Slope
32.9	570.2	169.1	0.1946	3.3720	-0.7109	0.5279	-0.29
30.5	604.5	169.1	0.1804	3.5748	-0.7438	0.5533	R ²
25.7	632.5	169.1	0.1520	3.7404	-0.8182	0.5729	0.97
20.8	659.2	169.1	0.1230	3.8983	-0.9101	0.5909	Fractal
18.4	699.9	169.1	0.1088	4.1390	-0.9633	0.6169	1.29

**Table D.4.24. Calculation of Boundary Fractal Dimensions,
Ca²⁺:Na⁺ Ratio = 2.0, Calcium Test, Floc #4**

Step Length (μm)	Perimeter (μm)	Longest Dim. (μm)	Normalized Step Length	Normalized Perimeter	Log Norm Step Length	Log Norm Perimeter	
37.2	392.4	158.1	0.2353	2.4820	-0.6284	0.3948	Slope
28.9	426.9	158.1	0.1828	2.7002	-0.7380	0.4314	-0.31
20.7	491.2	158.1	0.1309	3.1069	-0.8830	0.4923	R ²
17.9	504.1	158.1	0.1132	3.1885	-0.9461	0.5036	0.99
12.4	552.6	158.1	0.0784	3.4953	-1.1055	0.5435	Fractal
10.3	592.6	158.1	0.0651	3.7483	-1.1861	0.5738	1.31

**Table D.4.25. Calculation of Boundary Fractal Dimensions,
Ca²⁺:Na⁺ Ratio = 2.0, Calcium Test, Floc #5**

Step Length (μm)	Perimeter (μm)	Longest Dim. (μm)	Normalized Step Length	Normalized Perimeter	Log Norm Step Length	Log Norm Perimeter	
76.1	1110.7	409.6	0.1858	2.7117	-0.7310	0.4332	Slope
57.6	1232.0	409.6	0.1406	3.0078	-0.8519	0.4783	-0.30
45.2	1322.7	409.6	0.1104	3.2292	-0.9572	0.5091	R ²
41.1	1328.3	409.6	0.1003	3.2429	-0.9985	0.5109	0.99
37.0	1364.9	409.6	0.0903	3.3323	-1.0442	0.5227	Fractal
24.7	1573.3	409.6	0.0603	3.8411	-1.2197	0.5845	-1.30

**Table D.4.26. Calculation of Boundary Fractal Dimensions,
Ca²⁺:Na⁺ Ratio = 2.5, Calcium Test, Floc #1**

Step Length (μm)	Perimeter (μm)	Longest Dim. (μm)	Normalized Step Length	Normalized Perimeter	Log Norm Step Length	Log Norm Perimeter	
71.9	920.0	412.3	0.1744	2.2314	-0.7585	0.3486	Slope
59.2	944.6	412.3	0.1436	2.2911	-0.8429	0.3600	-0.16
52.9	964.7	412.3	0.1283	2.3398	-0.8918	0.3692	R ²
46.5	977.4	412.3	0.1128	2.3706	-0.9478	0.3749	0.98
33.8	1022.0	412.3	0.0820	2.4788	-1.0863	0.3942	Fractal
29.6	1063.0	412.3	0.0718	2.5782	-1.1439	0.4113	-1.16

**Table D.4.27. Calculation of Boundary Fractal Dimensions,
Ca²⁺:Na⁺ Ratio = 2.5, Calcium Test, Floc #2**

Step Length (μm)	Perimeter (μm)	Longest Dim. (μm)	Normalized Step Length	Normalized Perimeter	Log Norm Step Length	Log Norm Perimeter	
75.0	1054.3	521.5	0.1438	2.0217	-0.8422	0.3057	Slope
65.4	1079.0	521.5	0.1254	2.0690	-0.9017	0.3158	-0.16
55.7	1110.7	521.5	0.1068	2.1298	-0.9714	0.3283	R ²
50.8	1135.9	521.5	0.0974	2.1781	-1.0114	0.3381	-0.98
41.1	1183.8	521.5	0.0788	2.2700	-1.1034	0.3560	Fractal
29.0	1224.7	521.5	0.0556	2.3484	-1.2549	0.3708	1.16

**Table D.4.28. Calculation of Boundary Fractal Dimensions,
Ca²⁺:Na⁺ Ratio = 2.5, Calcium Test, Floc #3**

Step Length (μm)	Perimeter (μm)	Longest Dim. (μm)	Normalized Step Length	Normalized Perimeter	Log Norm Step Length	Log Norm Perimeter	
68.3	611.4	237.6	0.2875	2.5732	-0.5414	0.4105	Slope
43.9	636.5	237.6	0.1848	2.6789	-0.7334	0.4280	-0.23
31.7	733.9	237.6	0.1334	3.0888	-0.8748	0.4898	R ²
25.6	761.5	237.6	0.1077	3.2050	-0.9676	0.5058	-0.96
19.5	789.1	237.6	0.0821	3.3211	-1.0858	0.5213	Fractal
14.6	859.8	237.6	0.0614	3.6187	-1.2115	0.5586	1.23

**Table D.4.29. Calculation of Boundary Fractal Dimensions,
Ca²⁺:Na⁺ Ratio = 2.5, Calcium Test, Floc #4**

Step Length (μm)	Perimeter (μm)	Longest Dim. (μm)	Normalized Step Length	Normalized Perimeter	Log Norm Step Length	Log Norm Perimeter	
67.7	888.6	338.0	0.2003	2.6290	-0.6983	0.4198	Slope
61.0	916.4	338.0	0.1805	2.7112	-0.7436	0.4332	-0.24
40.6	970.3	338.0	0.1201	2.8707	-0.9204	0.4580	R ²
27.1	1096.8	338.0	0.0802	3.2450	-1.0959	0.5112	0.99
23.0	1134.2	338.0	0.0680	3.3556	-1.1672	0.5258	Fractal
16.3	1261.2	338.0	0.0482	3.7314	-1.3167	0.5719	1.24

**Table D.4.30. Calculation of Boundary Fractal Dimensions,
Ca²⁺:Na⁺ Ratio = 2.5, Calcium Test, Floc #5**

Step Length (μm)	Perimeter (μm)	Longest Dim. (μm)	Normalized Step Length	Normalized Perimeter	Log Norm Step Length	Log Norm Perimeter	
80.6	991.6	509.6	0.1582	1.9458	-0.8009	0.2891	Slope
75.0	1008.6	509.6	0.1472	1.9792	-0.8322	0.2965	-0.30
55.7	1076.4	509.6	0.1093	2.1122	-0.9614	0.3247	R ²
46.0	1193.5	509.6	0.0903	2.3420	-1.0445	0.3696	0.98
41.1	1215.8	509.6	0.0807	2.3858	-1.0934	0.3776	Fractal
31.5	1297.3	509.6	0.0618	2.5457	-1.2089	0.4058	1.30

Table D.5.1 Summary of Characteristics of Flocs used in Boundary Fractal Dimension Determinations, Test #1

0 g/L NaCl						
Floc #	Floc Area (μm^2)	Equivalent Diameter (μm)	Longest Dimension (μm)	Perimeter (μm)	Shape Factor	Fractal Dimension
1	3312.2	64.94	120.10	910.8	0.0502	1.41
2	3075.6	62.58	131.46	636.9	0.0953	1.32
3	2873.9	60.49	96.91	662.6	0.0823	1.40
4	3692.9	68.57	108.02	829.1	0.0675	1.59
5	5028.4	80.01	146.64	994.1	0.0639	1.28
Mean =						1.40
10 g/L NaCl						
Floc #	Floc Area (μm^2)	Equivalent Diameter (μm)	Longest Dimension (μm)	Perimeter (μm)	Shape Factor	Fractal Dimension
1	6760.9	92.78	155.91	1196.8	0.0593	1.23
2	4182.7	72.98	135.42	978.0	0.0550	1.29
3	3888.3	70.36	135.02	1043.7	0.0449	1.25
4	8494.2	104.00	175.31	1702.1	0.0368	1.44
5	3760.0	69.19	129.39	910.9	0.0570	1.42
Mean =						1.33
20 g/L NaCl						
Floc #	Floc Area (μm^2)	Equivalent Diameter (μm)	Longest Dimension (μm)	Perimeter (μm)	Shape Factor	Fractal Dimension
1	3697.5	68.61	126.23	1042.1	0.0428	1.32
2	3558.4	67.31	126.39	1073.0	0.0388	1.35
3	6994.2	94.37	185.87	1233.2	0.0683	1.27
4	8277.6	102.66	157.91	1115.5	0.0836	1.33
5	5767.7	85.69	120.40	698.3	0.1487	1.20
Mean =						1.29
30 g/L NaCl						
Floc #	Floc Area (μm^2)	Equivalent Diameter (μm)	Longest Dimension (μm)	Perimeter (μm)	Shape Factor	Fractal Dimension
1	5077.9	80.41	139.82	776.5	0.1428	1.35
2	7430.1	97.26	208.01	1643.2	0.0384	1.24
3	4680.0	77.19	163.53	1297.3	0.0349	1.24
4	2968.0	61.47	99.68	765.4	0.0637	1.17
5	4683.5	77.22	155.35	803.1	0.1124	1.40
Mean =						1.28

**Table D.5.1 Summary of Characteristics of Floccs used in
Boundary Fractal Dimension Determinations,
Test #1 (cont'd)**

45 g/L NaCl						
Floc #	Floc Area (μm^2)	Equivalent Diameter (μm)	Longest Dimension (μm)	Perimeter (μm)	Shape Factor	Fractal Dimension
1	6158.4	88.55	178.40	754.7	0.1662	1.24
2	3944.8	70.87	120.77	920.6	0.0671	1.54
3	4856.7	78.64	158.42	1073.9	0.0671	1.42
4	7473.4	97.55	176.78	1744.2	0.0365	1.46
5	6071.7	87.92	168.16	1647.2	0.0281	1.34
Mean =						1.40

**Table D.5.2 Summary of Characteristics of Flocs used in
Boundary Fractal Dimension Determinations,
Test #2**

0 g/L NaCl						
Floc #	Floc Area (μm^2)	Equivalent Diameter (μm)	Longest Dimension (μm)	Perimeter (μm)	Shape Factor	Fractal Dimension
1	137293.4	418.10	717.00	6661.5	0.0389	1.28
2	34691.6	210.17	273.84	3036.5	0.0473	1.27
3	8069.5	101.36	117.16	1054.0	0.0913	1.25
4	3855.7	70.07	114.46	754.4	0.0851	1.35
5	37797.1	219.37	298.27	1822.9	0.1430	1.30
Mean =						1.29
10 g/L NaCl						
Floc #	Floc Area (μm^2)	Equivalent Diameter (μm)	Longest Dimension (μm)	Perimeter (μm)	Shape Factor	Fractal Dimension
1	22868.5	170.64	296.78	2125.1	0.0637	1.38
2	4085.2	72.12	132.79	1190.0	0.0363	1.44
3	20803.0	162.75	246.37	2362.9	0.0468	1.25
4	9981.5	112.73	170.53	982.6	0.1299	1.35
5	16055.4	142.98	267.86	2948.1	0.0232	1.39
Mean =						1.36
20 g/L NaCl						
Floc #	Floc Area (μm^2)	Equivalent Diameter (μm)	Longest Dimension (μm)	Perimeter (μm)	Shape Factor	Fractal Dimension
1	10886.7	117.73	197.09	1527.4	0.0586	1.23
2	6759.8	92.77	150.73	1031.8	0.0798	1.25
3	17036.9	147.28	203.02	1719.7	0.0724	1.27
4	14729.7	136.95	228.39	1528.0	0.0793	1.39
5	13819.8	132.65	167.63	1327.8	0.0985	1.44
Mean =						1.32
30 g/L NaCl						
Floc #	Floc Area (μm^2)	Equivalent Diameter (μm)	Longest Dimension (μm)	Perimeter (μm)	Shape Factor	Fractal Dimension
1	63219.9	283.71	442.43	2545.7	0.1227	1.40
2	28799.7	191.49	275.66	1294.1	0.2163	1.39
3	21734.5	166.35	262.54	1364.3	0.1467	1.22
4	64895.4	287.45	414.31	3613.5	0.0625	1.43
5	18135.9	151.96	244.42	1728.6	0.0763	1.35
Mean =						1.36

**Table D.5.2 Summary of Characteristics of Flocs used in
Boundary Fractal Dimension Determinations,
Test #2 (cont'd)**

45 g/L NaCl						
Floc #	Floc Area (μm^2)	Equivalent Diameter (μm)	Longest Dimension (μm)	Perimeter (μm)	Shape Factor	Fractal Dimension
1	11717.8	122.15	178.27	964.0	0.1585	1.24
2	20054.8	159.80	231.61	1339.7	0.1404	1.32
3	16109.4	143.22	180.73	1232.3	0.1333	1.37
4	24002.2	174.82	385.42	2484.7	0.0489	1.56
5	10731.7	116.89	167.43	1196.6	0.0942	1.33
Mean =						1.36

**Table D.5.3 Summary of Characteristics of Flocs used in
Boundary Fractal Dimension Determinations,
Time Response Test**

0 Minutes						
Floc #	Floc Area (μm^2)	Equivalent Diameter (μm)	Longest Dimension (μm)	Perimeter (μm)	Shape Factor	Fractal Dimension
1	17021.3	147.21	214.87	1264.5	0.1338	1.31
2	7436.8	97.31	145.85	821.8	0.1384	1.40
3	14640.7	136.53	205.42	1501.0	0.0817	1.22
4	7678.8	98.88	150.65	1070.2	0.0843	1.41
5	14786.1	137.21	194.43	978.6	0.1940	1.40
Mean =						1.35
1 Minute						
Floc #	Floc Area (μm^2)	Equivalent Diameter (μm)	Longest Dimension (μm)	Perimeter (μm)	Shape Factor	Fractal Dimension
1	5745.9	85.53	113.59	498.9	0.2902	1.18
2	7681.9	98.90	192.72	848.7	0.1341	1.33
3	13288.6	130.08	189.54	921.6	0.1966	1.26
4	7425.0	97.23	151.61	861.3	0.1258	1.32
5	6053.0	87.79	159.82	733.5	0.1414	1.23
Mean =						1.26
5 Minutes						
Floc #	Floc Area (μm^2)	Equivalent Diameter (μm)	Longest Dimension (μm)	Perimeter (μm)	Shape Factor	Fractal Dimension
1	9531.5	110.16	179.18	937.2	0.1364	1.34
2	23922.1	174.52	309.92	1632.9	0.1128	1.22
3	16770.2	146.12	250.97	1463.3	0.0984	1.25
4	18740.1	154.47	212.53	1299.2	0.1396	1.33
5	11985.4	123.53	188.49	1072.9	0.1309	1.29
Mean =						1.29
10 Minutes						
Floc #	Floc Area (μm^2)	Equivalent Diameter (μm)	Longest Dimension (μm)	Perimeter (μm)	Shape Factor	Fractal Dimension
1	14931.2	137.88	234.44	1619.1	0.1227	1.32
2	9852.9	112.00	219.36	953.8	0.2163	1.36
3	19884.7	159.12	297.75	2047.1	0.1467	1.29
4	11289.3	119.89	203.80	1385.5	0.0739	1.36
5	7370.2	96.87	157.18	854.3	0.1269	1.32
Mean =						1.33

Table D.5.3 Summary of Characteristics of Flocs used in Boundary Fractal Dimension Determinations, Time Response Test (cont'd)

15 Minutes						
Floc #	Floc Area (μm^2)	Equivalent Diameter (μm)	Longest Dimension (μm)	Perimeter (μm)	Shape Factor	Fractal Dimension
1	7266.5	96.19	152.20	591.9	0.2607	1.26
2	17721.8	150.21	239.58	1532.3	0.0949	1.41
3	14921.4	137.83	236.43	1331.4	0.1058	1.38
4	7871.3	100.11	131.32	717.7	0.1920	1.39
5	113675.3	380.44	523.03	3166.4	0.1425	1.37
Mean =						1.36
30 Minutes						
Floc #	Floc Area (μm^2)	Equivalent Diameter (μm)	Longest Dimension (μm)	Perimeter (μm)	Shape Factor	Fractal Dimension
1	27636.4	187.58	263.95	2721.9	0.0469	1.27
2	7891.5	100.24	214.86	1053.1	0.0894	1.35
3	11152.1	119.16	163.39	938.0	0.1593	1.37
4	23401.5	172.61	246.73	1422.0	0.1454	1.24
5	23611.6	173.39	282.71	1405.8	0.1502	1.32
Mean =						1.31

**Table D.5.4 Summary of Characteristics of Flocs used in
Boundary Fractal Dimension Determinations,
Calcium Test**

Ca²⁺:Na⁺ Ratio = 0.0						
Floc #	Floc Area (μm ²)	Equivalent Diameter (μm)	Longest Dimension (μm)	Perimeter (μm)	Shape Factor	Fractal Dimension
1	30050.0	195.60	365.50	1720.0	0.1276	1.32
2	22000.0	167.37	323.70	1566.0	0.1128	1.33
3	66070.0	290.04	395.40	2395.0	0.1447	1.27
4	11950.0	123.35	222.00	716.4	0.2926	1.22
5	17170.0	147.86	231.40	871.0	0.2844	1.26
Mean =						1.28
Ca²⁺:Na⁺ Ratio = 0.5						
Floc #	Floc Area (μm ²)	Equivalent Diameter (μm)	Longest Dimension (μm)	Perimeter (μm)	Shape Factor	Fractal Dimension
1	17130.0	147.68	224.50	1152.0	0.1623	1.25
2	15310.0	139.62	227.20	1186.0	0.1368	1.27
3	9121.0	107.76	168.50	734.4	0.2125	1.22
4	26780.0	184.65	245.30	1556.0	0.1390	1.25
5	16540.0	145.12	225.90	1324.0	0.1187	1.36
Mean =						1.27
Ca²⁺:Na⁺ Ratio = 1.0						
Floc #	Floc Area (μm ²)	Equivalent Diameter (μm)	Longest Dimension (μm)	Perimeter (μm)	Shape Factor	Fractal Dimension
1	38610.0	221.72	351.90	2507.0	0.0772	1.34
2	12990.0	128.61	212.70	1184.0	0.1163	1.25
3	18010.0	151.43	224.10	1342.0	0.1256	1.18
4	14710.0	136.86	229.60	1285.0	0.1120	1.24
5	16290.0	144.02	211.30	1247.0	0.1317	1.21
Mean =						1.24
Ca²⁺:Na⁺ Ratio = 1.5						
Floc #	Floc Area (μm ²)	Equivalent Diameter (μm)	Longest Dimension (μm)	Perimeter (μm)	Shape Factor	Fractal Dimension
1	32480.0	203.36	364.10	1777.0	0.1292	1.21
2	12080.0	124.02	216.30	1016.0	0.1471	1.29
3	14400.0	135.41	174.50	912.4	0.2173	1.21
4	10530.0	115.79	156.10	664.2	0.2998	1.19
5	17050.0	147.34	254.80	1847.0	0.0628	1.35
Mean =						1.25

Table D.5.4 Summary of Characteristics of Flocs used in Boundary Fractal Dimension Determinations, Calcium Test (cont'd)

Ca²⁺:Na⁺ Ratio = 2.0						
Floc #	Floc Area (μm ²)	Equivalent Diameter (μm)	Longest Dimension (μm)	Perimeter (μm)	Shape Factor	Fractal Dimension
1	5780.0	85.79	158.70	763.9	0.1245	1.35
2	13310.0	130.18	220.50	1723.0	0.0563	1.30
3	10320.0	114.63	169.10	1118.0	0.1038	1.29
4	7566.0	98.15	158.10	870.7	0.1254	1.31
5	50150.0	252.69	409.60	2556.0	0.0964	1.30
Mean =						1.31
Ca²⁺:Na⁺ Ratio = 2.5						
Floc #	Floc Area (μm ²)	Equivalent Diameter (μm)	Longest Dimension (μm)	Perimeter (μm)	Shape Factor	Fractal Dimension
1	19940.0	159.34	412.30	1739.0	0.0828	1.16
2	53940.0	262.07	521.50	2443.0	0.1136	1.16
3	17600.0	149.70	237.60	1080.0	0.1896	1.23
4	38320.0	220.89	338.00	1775.0	0.1529	1.24
5	48520.0	248.55	509.60	2226.0	0.1230	1.30
Mean =						1.22

Appendix D : Part II

The Sierpinski fractal dimension calculations, along with the respective Richardson's plots, are presented in Tables D.6.1 through D.6.25 for Salinity Test #1, D.7.1 through D.7.25 for Salinity Test #2, D.8.1 through D.8.30 for the Time Response Test, and D.9.1 through D.9.30 for the Calcium Test. A summary of the flocs measured for the Sierpinski fractal dimension calculations is given with the porosity summary tables (Tables C.1 through C.22) A detailed description of the calculation procedure for the Sierpinski fractal dimension is given in section 3.6.7.2.

**Table D.6.1. Calculation of Sierpinski Fractal Dimensions,
0 g/L, Test #1, Floc #1**

Floc #1 (Porosity Floc #3)				Box Area (μm^2)= 1101.015	
Pore #	Pore Area (μm^2)	Cumulative Pore Area (μm^2)	Residual Area (μm^2)	Log Normalized Pore Area	Log Normalized Residual Area
1	190.942	190.942	910.073	-0.7609	-0.0827
2	92.776	283.718	817.297	-1.0744	-0.1294
3	45.659	329.377	771.638	-1.3823	-0.1544
4	40.404	369.781	731.234	-1.4354	-0.1777
5	25.027	394.809	706.206	-1.6434	-0.1929
6	14.399	409.208	691.807	-1.8835	-0.2018
7	8.987	418.194	682.820	-2.0882	-0.2075
8	8.963	427.157	673.857	-2.0893	-0.2132
9	5.535	432.693	668.322	-2.2987	-0.2168
10	5.099	437.792	663.223	-2.3343	-0.2201
11	4.900	442.692	658.323	-2.3516	-0.2234

Slope 1 = 0.040

Slope 2 = 0.124

Sierpinski Fractal Dimension 1 = 1.960

Sierpinski Fractal Dimension 2 = 1.876

**Table D.6.2. Calculation of Sierpinski Fractal Dimensions,
0 g/L, Test #1, Floc #2**

Floc #2 (Porosity Floc #4)				Box Area (μm^2)= 352.165	
Pore #	Pore Area (μm^2)	Cumulative Pore Area (μm^2)	Residual Area (μm^2)	Log Normalized Pore Area	Log Normalized Residual Area
1	19.933	19.933	332.233	-1.2472	-0.0253
2	19.022	38.955	313.210	-1.2675	-0.0509
3	5.805	44.760	307.405	-1.7829	-0.0590
4	5.069	49.829	302.336	-1.8418	-0.0663
5	4.320	54.149	298.016	-1.9113	-0.0725
6	4.143	58.292	293.873	-1.9294	-0.0786
7	4.045	62.338	289.828	-1.9398	-0.0846
8	3.807	66.145	286.020	-1.9661	-0.0903
9	3.773	69.918	282.247	-1.9700	-0.0961
10	3.039	72.957	279.208	-2.0641	-0.1008
11	2.710	75.667	276.498	-2.1138	-0.1051
12	2.298	77.965	274.200	-2.1854	-0.1087
13	1.320	79.285	272.881	-2.4263	-0.1108
14	1.072	80.357	271.809	-2.5166	-0.1125
15	0.926	81.282	270.883	-2.5802	-0.1140
16	0.785	82.067	270.098	-2.6519	-0.1152
17	0.740	82.808	269.358	-2.6774	-0.1164

Slope 1 = 0.024
Slope 2 = 0.067

Sierpinski Fractal Dimension 1 = 1.976
Sierpinski Fractal Dimension 2 = 1.933

**Table D.6.3. Calculation of Sierpinski Fractal Dimensions,
0 g/L, Test #1, Floc #3**

Floc #3 (Porosity Floc #9)				Box Area (μm^2)= 626.823	
Pore #	Pore Area (μm^2)	Cumulative Pore Area (μm^2)	Residual Area (μm^2)	Log Normalized Pore Area	Log Normalized Residual Area
1	135.724	135.724	491.099	-0.6645	-0.1060
2	51.958	187.682	439.141	-1.0815	-0.1545
3	31.914	219.596	407.226	-1.2932	-0.1873
4	27.042	246.639	380.184	-1.3651	-0.2172
5	15.222	261.861	364.962	-1.6147	-0.2349
6	10.521	272.381	354.441	-1.7751	-0.2476
7	7.455	279.836	346.987	-1.9247	-0.2568

Slope 1 = 0.072
Slope 2 = 0.148

Sierpinski Fractal Dimension 1 = 1.928
Sierpinski Fractal Dimension 2 = 1.852

**Table D.6.4. Calculation of Sierpinski Fractal Dimensions,
0 g/L, Test #1, Floc #4**

Floc #4 (Porosity Floc #16)				Box Area (μm^2)= 310.342	
Pore #	Pore Area (μm^2)	Cumulative Pore Area (μm^2)	Residual Area (μm^2)	Log Normalized Pore Area	Log Normalized Residual Area
1	41.694	41.694	268.649	-0.8718	-0.0627
2	16.433	58.127	252.215	-1.2761	-0.0901
3	9.530	67.657	242.685	-1.5128	-0.1068
4	7.112	74.769	235.573	-1.6398	-0.1197
5	6.634	81.403	228.939	-1.6701	-0.1321
6	6.457	87.860	222.482	-1.6818	-0.1445
7	2.796	90.656	219.687	-2.0454	-0.1500
8	0.878	91.534	218.809	-2.5483	-0.1518
9	0.683	92.217	218.125	-2.6571	-0.1531
10	0.675	92.893	217.450	-2.6623	-0.1545

Slope 1 = 0.008

Slope 2 = 0.090

Sierpinski Fractal Dimension 1 = 1.992

Sierpinski Fractal Dimension 2 = 1.910

**Table D.6.5. Calculation of Sierpinski Fractal Dimensions,
0 g/L, Test #1, Floc #5**

Floc #5 (Porosity Floc #27)				Box Area (μm^2) = 1045.759	
Pore #	Pore Area (μm^2)	Cumulative Pore Area (μm^2)	Residual Area (μm^2)	Log Normalized Pore Area	Log Normalized Residual Area
1	49.827	49.827	995.932	-1.3220	-0.0212
2	40.599	90.427	955.332	-1.4109	-0.0393
3	28.925	119.351	926.408	-1.5582	-0.0526
4	22.357	141.709	904.051	-1.6700	-0.0632
5	20.737	162.446	883.313	-1.7027	-0.0733
6	11.415	173.861	871.899	-1.9620	-0.0790
7	6.265	180.125	865.634	-2.2225	-0.0821

Slope 1 = 0.017
Slope 2 = 0.123

Sierpinski Fractal Dimension 1 = 1.983
Sierpinski Fractal Dimension 2 = 1.877

**Table D.6.6. Calculation of Sierpinski Fractal Dimensions,
10 g/L, Test #1, Floc #1**

Floc #1 (Porosity Floc #1)				Box Area (μm^2)= 344.361	
Pore #	Pore Area (μm^2)	Cumulative Pore Area (μm^2)	Residual Area (μm^2)	Log Normalized Pore Area	Log Normalized Residual Area
1	60.301	60.301	284.060	-0.7567	-0.0836
2	20.400	80.700	263.660	-1.2274	-0.1160
3	7.218	87.918	256.442	-1.6786	-0.1280
4	6.966	94.885	249.476	-1.6940	-0.1400
5	2.853	97.737	246.623	-2.0817	-0.1450
6	2.140	99.878	244.483	-2.2065	-0.1488
7	1.710	101.588	242.773	-2.3041	-0.1518
8	1.447	103.034	241.326	-2.3766	-0.1544
9	1.242	104.277	240.084	-2.4428	-0.1567
10	1.122	105.399	238.962	-2.4868	-0.1587
11	0.933	106.332	238.029	-2.5672	-0.1604
12	0.665	106.997	237.363	-2.7140	-0.1616

Slope 1 = 0.024
Slope 2 = 0.053

Sierpinski Fractal Dimension 1 = 1.976
Sierpinski Fractal Dimension 2 = 1.947

**Table D.6.7. Calculation of Sierpinski Fractal Dimensions,
10 g/L, Test #1, Floc #2**

Floc #2 (Porosity Floc #6)				Box Area (μm^2)= 283.946	
Pore #	Pore Area (μm^2)	Cumulative Pore Area (μm^2)	Residual Area (μm^2)	Log Normalized Pore Area	Log Normalized Residual Area
1	51.856	51.856	232.090	-0.7384	-0.0876
2	9.300	61.155	222.791	-1.4848	-0.1053
3	5.903	67.059	216.887	-1.6821	-0.1170
4	3.803	70.862	213.084	-1.8731	-0.1247
5	3.413	74.275	209.671	-1.9201	-0.1317
6	2.363	76.639	207.307	-2.0797	-0.1366
7	1.375	78.014	205.932	-2.3150	-0.1395
8	0.743	78.757	205.190	-2.5823	-0.1411
9	0.739	79.496	204.450	-2.5843	-0.1426

Slope 1 = 0.014
Slope 2 = 0.035

Sierpinski Fractal Dimension 1 = 1.986
Sierpinski Fractal Dimension 2 = 1.965

**Table D.6.8. Calculation of Sierpinski Fractal Dimensions,
10 g/L, Test #1, Floc #3**

Floc #3 (Porosity Floc #9)				Box Area (μm^2)= 1049.388	
Pore #	Pore Area (μm^2)	Cumulative Pore Area (μm^2)	Residual Area (μm^2)	Log Normalized Pore Area	Log Normalized Residual Area
1	261.655	261.655	787.733	-0.6032	-0.1246
2	78.832	340.488	708.901	-1.1242	-0.1704
3	41.859	382.347	667.042	-1.3991	-0.1968
4	36.430	418.777	630.611	-1.4595	-0.2212
5	16.663	435.440	613.949	-1.7992	-0.2328
6	12.111	447.551	601.837	-1.9377	-0.2415
7	6.181	453.732	595.656	-2.2299	-0.2459
8	4.853	458.585	590.803	-2.3349	-0.2495
9	4.383	462.968	586.420	-2.3791	-0.2527
10	3.102	466.070	583.318	-2.5293	-0.2550

Slope 1 = 0.031

Slope 2 = 0.104

Sierpinski Fractal Dimension 1 = 1.969

Sierpinski Fractal Dimension 2 = 1.896

**Table D.6.9. Calculation of Sierpinski Fractal Dimensions,
10 g/L, Test #1, Floc #4**

Floc #4 (Porosity Floc #12)				Box Area (μm^2)= 2503.157	
Pore #	Pore Area (μm^2)	Cumulative Pore Area (μm^2)	Residual Area (μm^2)	Log Normalized Pore Area	Log Normalized Residual Area
1	431.596	431.596	2071.561	-0.7634	-0.0822
2	215.109	646.705	1856.452	-1.0658	-0.1298
3	94.503	741.208	1761.949	-1.4230	-0.1525
4	85.067	826.275	1676.882	-1.4687	-0.1740
5	42.106	868.381	1634.776	-1.7741	-0.1850
6	35.561	903.942	1599.215	-1.8475	-0.1946
7	30.475	934.417	1568.740	-1.9145	-0.2029
8	20.335	954.752	1548.405	-2.0902	-0.2086
9	12.947	967.699	1535.458	-2.2863	-0.2123
10	11.643	979.341	1523.815	-2.3324	-0.2156
11	10.023	989.365	1513.792	-2.3975	-0.2184
12	6.935	996.300	1506.857	-2.5574	-0.2204
13	6.930	1003.230	1499.927	-2.5577	-0.2224
14	4.496	1007.726	1495.430	-2.7456	-0.2237
15	4.443	1012.170	1490.987	-2.7508	-0.2250
16	4.010	1016.180	1486.977	-2.7953	-0.2262
17	3.510	1019.689	1483.467	-2.8532	-0.2272
18	3.011	1022.700	1480.456	-2.9198	-0.2281
19	2.642	1025.343	1477.814	-2.9765	-0.2289
20	2.232	1027.575	1475.582	-3.0498	-0.2295

Slope 1 = 0.023

Slope 2 = 0.098

Sierpinski Fractal Dimension 1 = 1.977

Sierpinski Fractal Dimension 2 = 1.902

**Table D.6.10. Calculation of Sierpinski Fractal Dimensions,
10 g/L, Test #1, Floc #5**

Floc #5 (Porosity Floc #20)				Box Area (μm^2) = 2076.790	
Pore #	Pore Area (μm^2)	Cumulative Pore Area (μm^2)	Residual Area (μm^2)	Log Normalized Pore Area	Log Normalized Residual Area
1	293.019	293.019	1783.771	-0.8505	-0.0661
2	118.640	411.659	1665.132	-1.2432	-0.0959
3	84.330	495.989	1580.801	-1.3914	-0.1185
4	36.611	532.601	1544.190	-1.7538	-0.1287
5	30.792	563.392	1513.398	-1.8290	-0.1374
6	27.930	591.322	1485.468	-1.8713	-0.1455
7	24.012	615.335	1461.455	-1.9370	-0.1526
8	8.696	624.031	1452.760	-2.3781	-0.1552
9	7.238	631.268	1445.522	-2.4578	-0.1574
10	7.017	638.286	1438.505	-2.4712	-0.1595
11	6.300	644.585	1432.205	-2.5181	-0.1614
12	5.734	650.319	1426.471	-2.5589	-0.1631
13	3.826	654.145	1422.645	-2.7346	-0.1643
14	3.747	657.893	1418.897	-2.7437	-0.1654
15	3.740	661.632	1415.158	-2.7446	-0.1666
16	3.363	664.996	1411.795	-2.7906	-0.1676
17	3.341	668.337	1408.454	-2.7935	-0.1687
18	3.302	671.639	1405.152	-2.7986	-0.1697
19	2.870	674.508	1402.282	-2.8596	-0.1706
20	2.518	677.027	1399.764	-2.9163	-0.1713
21	2.084	679.111	1397.680	-2.9985	-0.1720

Slope 1 = 0.022
Slope 2 = 0.074

Sierpinski Fractal Dimension 1 = 1.978
Sierpinski Fractal Dimension 2 = 1.926

**Table D.6.11. Calculation of Sierpinski Fractal Dimensions,
20 g/L, Test #1, Floc #1**

Floc #1 (Porosity Floc #6)				Box Area (μm^2)= 1518.410	
Pore #	Pore Area (μm^2)	Cumulative Pore Area (μm^2)	Residual Area (μm^2)	Log Normalized Pore Area	Log Normalized Residual Area
1	219.788	219.788	1298.622	-0.839385834	-0.067906171
2	72.452	292.240	1226.170	-1.321336285	-0.092838375
3	67.746	359.986	1158.423	-1.350502074	-0.117521709
4	59.427	419.414	1098.996	-1.407404296	-0.140392811
5	33.722	453.135	1065.274	-1.653478744	-0.153927496
6	17.808	470.943	1047.467	-1.930781486	-0.161248756
7	12.392	483.335	1035.075	-2.088245876	-0.166417308
8	8.796	492.131	1026.279	-2.237106365	-0.170123664
9	6.037	498.168	1020.242	-2.400570618	-0.172685892
10	3.629	501.797	1016.613	-2.621620396	-0.174233366
11	3.525	505.322	1013.088	-2.634252029	-0.175741777
12	2.409	507.731	1010.679	-2.799517841	-0.176775788
13	2.018	509.749	1008.661	-2.876502834	-0.177643731

Slope 1 = 0.019
Slope 2 = 0.108

Sierpinski Fractal Dimension 1 = 1.981
Sierpinski Fractal Dimension 2 = 1.892

**Table D.6.12. Calculation of Sierpinski Fractal Dimensions,
20 g/L, Test #1, Floc #2**

Floc #2 (Porosity Floc #7)				Box Area (μm^2) = 1136.577	
Pore #	Pore Area (μm^2)	Cumulative Pore Area (μm^2)	Residual Area (μm^2)	Log Normalized Pore Area	Log Normalized Residual Area
1	97.092	97.092	1039.485	-1.068414517	-0.038780721
2	60.714	157.806	978.771	-1.27231268	-0.064917694
3	27.400	185.206	951.372	-1.617851191	-0.077248793
4	26.576	211.782	924.795	-1.631107914	-0.089553263
5	16.039	227.821	908.756	-1.850420297	-0.097151465
6	10.941	238.762	897.816	-2.01655005	-0.102411798
7	8.847	247.609	888.968	-2.108788515	-0.106712667
8	7.459	255.068	881.509	-2.182925683	-0.110371981
9	5.249	260.317	876.260	-2.335486645	-0.112965957
10	4.919	265.236	871.341	-2.363723057	-0.115410789
11	4.895	270.131	866.447	-2.365887269	-0.117857206
12	4.893	275.024	861.553	-2.366003552	-0.120316822
13	3.560	278.584	857.993	-2.504136266	-0.122115128
14	3.080	281.664	854.913	-2.56700856	-0.123677094
15	2.202	283.867	852.711	-2.712711801	-0.12479733

Slope 1 = 0.035
Slope 2 = 0.071

Sierpinski Fractal Dimension 1 = 1.965
Sierpinski Fractal Dimension 2 = 1.929

**Table D.6.13. Calculation of Sierpinski Fractal Dimensions,
20 g/L, Test #1, Floc #3**

Floc #3 (Porosity Floc #9)				Box Area (μm^2)= 1866.009	
Pore #	Pore Area (μm^2)	Cumulative Pore Area (μm^2)	Residual Area (μm^2)	Log Normalized Pore Area	Log Normalized Residual Area
1	149.888	149.888	1716.121	-1.095147081	-0.03636581
2	132.741	282.629	1583.380	-1.147908844	-0.071328543
3	47.987	330.616	1535.393	-1.589788345	-0.084694196
4	34.033	364.649	1501.360	-1.739015666	-0.094428863
5	32.670	397.319	1468.690	-1.756760857	-0.103983649
6	14.809	412.129	1453.881	-2.10037629	-0.108385045
7	13.878	426.006	1440.003	-2.128596131	-0.112550422
8	11.485	437.492	1428.518	-2.210772254	-0.116028186
9	8.358	445.850	1420.159	-2.348790849	-0.118576749
10	6.904	452.754	1413.255	-2.431799532	-0.120693254
11	5.700	458.454	1407.555	-2.515043725	-0.122448392
12	5.433	463.887	1402.122	-2.535870628	-0.124127975
13	4.952	468.839	1397.170	-2.5761202	-0.125664573
14	4.275	473.115	1392.894	-2.639931092	-0.126995588
15	3.903	477.018	1388.991	-2.679528206	-0.128214187
16	3.879	480.897	1385.112	-2.682156173	-0.129428833
17	3.834	484.731	1381.278	-2.687267294	-0.130632614
18	3.466	488.197	1377.813	-2.731129687	-0.131723634
19	1.926	490.122	1375.887	-2.986348595	-0.132331017

Slope 1 = 0.027
Slope 2 = 0.074

Sierpinski Fractal Dimension 1 = 1.973
Sierpinski Fractal Dimension 2 = 1.926

**Table D.6.14. Calculation of Sierpinski Fractal Dimensions,
20 g/L, Test #1, Floc #4**

Floc #4 (Porosity Floc #10)				Box Area (μm^2) = 2029.323	
Pore #	Pore Area (μm^2)	Cumulative Pore Area (μm^2)	Residual Area (μm^2)	Log Normalized Pore Area	Log Normalized Residual Area
1	236.220	236.220	1793.103	-0.934034165	-0.053745986
2	195.860	432.080	1597.243	-1.015405293	-0.103980252
3	53.506	485.587	1543.737	-1.578947244	-0.118777985
4	42.330	527.916	1501.407	-1.680705617	-0.130852789
5	25.896	553.812	1475.511	-1.894123683	-0.138408683
6	25.832	579.644	1449.680	-1.895195707	-0.146079241
7	21.771	601.415	1427.909	-1.969473781	-0.152650845
8	18.344	619.758	1409.565	-2.0438665	-0.158266149
9	18.158	637.917	1391.407	-2.048279005	-0.163897128
10	8.766	646.682	1382.641	-2.364555732	-0.166641844
11	7.950	654.633	1374.691	-2.406960303	-0.169146323
12	6.324	660.957	1368.367	-2.506364472	-0.171148798
13	5.568	666.525	1362.799	-2.561647009	-0.172919605
14	5.518	672.043	1357.281	-2.565569613	-0.174681642
15	5.172	677.215	1352.109	-2.593685364	-0.176339737
16	4.734	681.949	1347.374	-2.632091602	-0.177863066
17	4.403	686.353	1342.971	-2.663574248	-0.179284687
18	3.951	690.303	1339.020	-2.710688154	-0.180564128
19	3.250	693.553	1335.771	-2.795522117	-0.181619375
20	2.432	695.984	1333.339	-2.921452573	-0.182410685
21	1.998	697.982	1331.341	-3.006854839	-0.183061812
22	1.977	699.959	1329.364	-3.011244668	-0.183707353

Slope 1 = 0.023
Slope 2 = 0.076

Sierpinski Fractal Dimension 1 = 1.977
Sierpinski Fractal Dimension 2 = 1.924

**Table D.6.15. Calculation of Sierpinski Fractal Dimensions,
20 g/L, Test #1, Floc #5**

Floc #5 (Porosity Floc #19)				Box Area (μm^2)= 1195.845	
Pore #	Pore Area (μm^2)	Cumulative Pore Area (μm^2)	Residual Area (μm^2)	Log Normalized Pore Area	Log Normalized Residual Area
1	186.776	186.776	1009.069	-0.806352886	-0.073754201
2	164.647	351.423	844.422	-0.861121896	-0.151115398
3	114.475	465.899	729.946	-1.018962383	-0.214383908
4	84.719	550.618	645.227	-1.149693739	-0.26796212
5	19.822	570.440	625.405	-1.780520587	-0.281513512
6	8.310	578.750	617.095	-2.15808181	-0.287322726
7	5.955	584.704	611.141	-2.302827933	-0.291533703
8	5.017	589.721	606.124	-2.377266387	-0.29511335
9	4.654	594.375	601.470	-2.409849811	-0.29846085
10	2.924	597.299	598.546	-2.611632817	-0.300577604
11	2.884	600.184	595.661	-2.617638545	-0.302675441
12	2.110	602.293	593.552	-2.753422776	-0.304216458

Slope 1 = 0.023
Slope 2 = 0.520

Sierpinski Fractal Dimension 1 = 1.977
Sierpinski Fractal Dimension 2 = 1.480

**Table D.6.16. Calculation of Sierpinski Fractal Dimensions,
30 g/L, Test #1, Floc #1**

Floc #1 (Porosity Floc #3)				Box Area (μm^2) = 1121.746	
Pore #	Pore Area (μm^2)	Cumulative Pore Area (μm^2)	Residual Area (μm^2)	Log Normalized Pore Area	Log Normalized Residual Area
1	197.023	197.023	924.723	-0.7554	-0.0839
2	126.018	323.041	798.705	-0.9495	-0.1475
3	76.099	399.141	722.606	-1.1685	-0.1910
4	57.610	456.750	664.996	-1.2894	-0.2271
5	9.213	465.963	655.783	-2.0855	-0.2331
6	4.803	470.766	650.980	-2.3684	-0.2363
7	3.245	474.011	647.735	-2.5386	-0.2385
8	2.846	476.857	644.889	-2.5957	-0.2404
9	2.783	479.640	642.106	-2.6053	-0.2423
10	2.047	481.688	640.059	-2.7387	-0.2437
11	2.010	483.698	638.048	-2.7467	-0.2450

Slope 1 = 0.012

Slope 2 = 0.259

Sierpinski Fractal Dimension 1 = 1.988

Sierpinski Fractal Dimension 2 = 1.741

**Table D.6.17. Calculation of Sierpinski Fractal Dimensions,
30 g/L, Test #1, Floc #2**

Floc #2 (Porosity Floc #8)				Box Area (μm^2)= 1547.923	
Pore #	Pore Area (μm^2)	Cumulative Pore Area (μm^2)	Residual Area (μm^2)	Log Normalized Pore Area	Log Normalized Residual Area
1	349.234	349.234	1198.689	-0.6466	-0.1110
2	109.162	458.396	1089.527	-1.1517	-0.1525
3	48.740	507.136	1040.787	-1.5019	-0.1724
4	46.476	553.612	994.310	-1.5225	-0.1922
5	25.898	579.510	968.412	-1.7765	-0.2037
6	6.548	586.058	961.864	-2.3736	-0.2066
7	4.387	590.445	957.478	-2.5476	-0.2086
8	3.547	593.993	953.930	-2.6398	-0.2102
9	3.497	597.489	950.433	-2.6461	-0.2118
10	2.628	600.117	947.806	-2.7702	-0.2130
11	2.221	602.339	945.584	-2.8431	-0.2140

Slope 1 = 0.010

Slope 2 = 0.082

Sierpinski Fractal Dimension 1 = 1.990

Sierpinski Fractal Dimension 2 = 1.918

**Table D.6.18. Calculation of Sierpinski Fractal Dimensions,
30 g/L, Test #1, Floc #3**

Floc #3 (Porosity Floc#11)				Box Area (μm^2)= 2132.252	
Pore #	Pore Area (μm^2)	Cumulative Pore Area (μm^2)	Residual Area (μm^2)	Log Normalized Pore Area	Log Normalized Residual Area
1	424.976	424.976	1707.276	-0.7005	-0.0965
2	246.381	671.357	1460.894	-0.9372	-0.1642
3	80.826	752.184	1380.068	-1.4213	-0.1889
4	78.356	830.540	1301.712	-1.4348	-0.2143
5	59.334	889.874	1242.378	-1.5555	-0.2346
6	30.588	920.463	1211.789	-1.8433	-0.2454
7	16.230	936.693	1195.559	-2.1185	-0.2513
8	15.292	951.985	1180.267	-2.1444	-0.2569
9	13.213	965.197	1167.054	-2.2078	-0.2617
10	4.690	969.887	1162.364	-2.6577	-0.2635
11	3.855	973.742	1158.510	-2.7429	-0.2649
12	2.990	976.732	1155.520	-2.8532	-0.2661
13	2.594	979.325	1152.926	-2.9149	-0.2670
14	2.156	981.481	1150.771	-2.9952	-0.2678

Slope 1 = 0.017

Slope 2 = 0.125

Sierpinski Fractal Dimension 1 = 1.983

Sierpinski Fractal Dimension 2 = 1.875

**Table D.6.19. Calculation of Sierpinski Fractal Dimensions,
30 g/L, Test #1, Floc #4**

Floc #4 (Porosity Floc #18)				Box Area (μm^2)= 1561.282	
Pore #	Pore Area (μm^2)	Cumulative Pore Area (μm^2)	Residual Area (μm^2)	Log Normalized Pore Area	Log Normalized Residual Area
1	106.384	106.384	1454.898	-1.1666	-0.0306
2	49.345	155.729	1405.553	-1.5002	-0.0456
3	41.696	197.424	1363.857	-1.5734	-0.0587
4	36.823	234.247	1327.035	-1.6274	-0.0706
5	35.310	269.558	1291.724	-1.6456	-0.0823
6	23.023	292.581	1268.701	-1.8313	-0.0901
7	20.296	312.877	1248.405	-1.8861	-0.0971
8	19.517	332.394	1228.888	-1.9031	-0.1040
9	9.259	341.652	1219.630	-2.2269	-0.1073
10	6.939	348.591	1212.691	-2.3522	-0.1097
11	3.923	352.514	1208.768	-2.5999	-0.1111
12	2.862	355.376	1205.906	-2.7367	-0.1122
13	2.826	358.202	1203.080	-2.7423	-0.1132
14	2.450	360.652	1200.630	-2.8043	-0.1141
15	2.447	363.099	1198.183	-2.8049	-0.1150
16	2.441	365.540	1195.741	-2.8059	-0.1158
17	1.991	367.531	1193.751	-2.8945	-0.1166
18	1.956	369.487	1191.795	-2.9021	-0.1173

Slope 1 = 0.012
Slope 2 = 0.102

Sierpinski Fractal Dimension 1 = 1.988
Sierpinski Fractal Dimension 2 = 1.898

**Table D.6.20. Calculation of Sierpinski Fractal Dimensions,
30 g/L, Test #1, Floc #5**

Floc #5 (Porosity Floc #21)				Box Area (μm^2)= 1625.500	
Pore #	Pore Area (μm^2)	Cumulative Pore Area (μm^2)	Residual Area (μm^2)	Log Normalized Pore Area	Log Normalized Residual Area
1	338.656	338.656	1286.844	-0.6812	-0.1015
2	295.105	633.760	991.740	-0.7410	-0.2146
3	82.503	716.263	909.237	-1.2945	-0.2523
4	74.735	790.998	834.502	-1.3375	-0.2896
5	50.742	841.740	783.760	-1.5056	-0.3168
6	34.851	876.591	748.908	-1.6688	-0.3366
7	8.997	885.588	739.912	-2.2569	-0.3418
8	6.293	891.881	733.619	-2.4121	-0.3455
9	4.903	896.783	728.716	-2.5206	-0.3484
10	4.395	901.178	724.322	-2.5681	-0.3511
11	3.612	904.790	720.710	-2.6533	-0.3532
12	2.198	906.988	718.512	-2.8690	-0.3546

Slope 1 = 0.016
Slope 2 = 0.195

Sierpinski Fractal Dimension 1 = 1.984
Sierpinski Fractal Dimension 2 = 1.805

**Table D.6.21. Calculation of Sierpinski Fractal Dimensions,
45 g/L, Test #1, Floc #1**

Floc #1 (Porosity Floc #4)				Box Area (μm^2) = 2024.305	
Pore #	Pore Area (μm^2)	Cumulative Pore Area (μm^2)	Residual Area (μm^2)	Log Normalized Pore Area	Log Normalized Residual Area
1	412.702	412.702	1611.603	-0.6906	-0.0990
2	228.854	641.555	1382.749	-0.9467	-0.1655
3	108.423	749.978	1274.326	-1.2712	-0.2010
4	95.794	845.773	1178.532	-1.3249	-0.2349
5	51.191	896.964	1127.341	-1.5971	-0.2542
6	42.466	939.430	1084.875	-1.6782	-0.2709
7	34.768	974.198	1050.107	-1.7651	-0.2850
8	33.378	1007.576	1016.729	-1.7828	-0.2991
9	15.252	1022.828	1001.476	-2.1229	-0.3056
10	9.103	1031.932	992.373	-2.3471	-0.3096
11	4.335	1036.267	988.038	-2.6693	-0.3115
12	2.555	1038.822	985.483	-2.8989	-0.3126
13	2.163	1040.985	983.320	-2.9712	-0.3136

Slope 1 = 0.011
Slope 2 = 0.167

Sierpinski Fractal Dimension 1 = 1.989
Sierpinski Fractal Dimension 2 = 1.833

**Table D.6.22. Calculation of Sierpinski Fractal Dimensions,
45 g/L, Test #1, Floc #2**

Floc #2 (Porosity Floc #7)				Box Area (μm^2)= 1809.034	
Pore #	Pore Area (μm^2)	Cumulative Pore Area (μm^2)	Residual Area (μm^2)	Log Normalized Pore Area	Log Normalized Residual Area
1	389.635	389.635	1419.399	-0.6668	-0.1053
2	126.778	516.413	1292.621	-1.1544	-0.1460
3	43.218	559.631	1249.403	-1.6218	-0.1607
4	41.812	601.443	1207.591	-1.6361	-0.1755
5	39.103	640.546	1168.488	-1.6652	-0.1898
6	25.863	666.409	1142.625	-1.8448	-0.1995
7	21.797	688.206	1120.828	-1.9190	-0.2079
8	19.293	707.500	1101.534	-1.9720	-0.2154
9	9.237	716.737	1092.297	-2.2919	-0.2191
10	7.662	724.400	1084.635	-2.3731	-0.2222
11	5.124	729.524	1079.510	-2.5478	-0.2242
12	4.645	734.169	1074.865	-2.5905	-0.2261
13	2.938	737.107	1071.927	-2.7894	-0.2273
14	2.552	739.659	1069.375	-2.8505	-0.2283
15	2.537	742.196	1066.838	-2.8531	-0.2293
16	2.087	744.283	1064.751	-2.9379	-0.2302

Slope 1 = 0.015

Slope 2 = 0.081

Sierpinski Fractal Dimension 1 = 1.985

Sierpinski Fractal Dimension 2 = 1.919

**Table D.6.23. Calculation of Sierpinski Fractal Dimensions,
45 g/L, Test #1, Floc #3**

Floc #3 (Porosity Floc #13)				Box Area (μm^2) = 3206.637	
Pore #	Pore Area (μm^2)	Cumulative Pore Area (μm^2)	Residual Area (μm^2)	Log Normalized Pore Area	Log Normalized Residual Area
1	872.208	872.208	2334.429	-0.5654	-0.1379
2	496.415	1368.622	1838.014	-0.8102	-0.2417
3	92.422	1461.045	1745.592	-1.5403	-0.2641
4	81.075	1542.119	1664.517	-1.5972	-0.2848
5	59.844	1601.963	1604.674	-1.7290	-0.3007
6	48.977	1650.940	1555.696	-1.8161	-0.3141
7	33.808	1684.748	1521.889	-1.9770	-0.3237
8	28.184	1712.932	1493.705	-2.0560	-0.3318
9	26.503	1739.435	1467.202	-2.0828	-0.3396
10	8.529	1747.963	1458.673	-2.5752	-0.3421
11	4.795	1752.759	1453.878	-2.8253	-0.3435
12	4.086	1756.845	1449.792	-2.8947	-0.3447
13	3.719	1760.563	1446.073	-2.9357	-0.3459
14	2.525	1763.088	1443.549	-3.1039	-0.3466
15	2.411	1765.499	1441.138	-3.1238	-0.3473
16	2.406	1767.905	1438.732	-3.1248	-0.3481
17	2.387	1770.292	1436.345	-3.1282	-0.3488
18	2.048	1772.340	1434.297	-3.1948	-0.3494
19	1.977	1774.317	1432.320	-3.2100	-0.3500

Slope 1 = 0.009
Slope 2 = 0.110

Sierpinski Fractal Dimension 1 = 1.991
Sierpinski Fractal Dimension 2 = 1.890

**Table D.6.24. Calculation of Sierpinski Fractal Dimensions,
45 g/L, Test #1, Floc #4**

Floc #4 (Porosity Floc #21)				Box Area (μm^2) = 3611.832	
Pore #	Pore Area (μm^2)	Cumulative Pore Area (μm^2)	Residual Area (μm^2)	Log Normalized Pore Area	Log Normalized Residual Area
1	393.589	393.589	3218.244	-0.9627	-0.0501
2	223.247	616.835	2994.997	-1.2089	-0.0813
3	168.369	785.205	2826.628	-1.3315	-0.1065
4	154.087	939.291	2672.541	-1.3700	-0.1308
5	96.128	1035.419	2576.413	-1.5749	-0.1467
6	76.421	1111.841	2499.992	-1.6745	-0.1598
7	39.244	1151.084	2460.748	-1.9640	-0.1667
8	35.169	1186.254	2425.579	-2.0116	-0.1729
9	32.051	1218.304	2393.528	-2.0519	-0.1787
10	18.296	1236.601	2375.232	-2.2954	-0.1820
11	16.985	1253.585	2358.247	-2.3277	-0.1851
12	16.962	1270.548	2341.285	-2.3282	-0.1883
13	10.785	1281.332	2330.500	-2.5249	-0.1903
14	8.271	1289.604	2322.228	-2.6401	-0.1918
15	5.939	1295.542	2316.290	-2.7840	-0.1929
16	3.736	1299.279	2312.553	-2.9853	-0.1936
17	3.730	1303.009	2308.824	-2.9861	-0.1943
18	3.427	1306.436	2305.396	-3.0228	-0.1950
19	3.011	1309.447	2302.385	-3.0790	-0.1955
20	2.981	1312.428	2299.404	-3.0834	-0.1961
21	2.621	1315.049	2296.783	-3.1392	-0.1966
22	2.606	1317.655	2294.177	-3.1418	-0.1971
23	2.302	1319.957	2291.875	-3.1956	-0.1975
24	2.266	1322.224	2289.608	-3.2024	-0.1980
25	2.247	1324.471	2287.362	-3.2062	-0.1984
26	1.937	1326.407	2285.425	-3.2707	-0.1988
27	1.864	1328.272	2283.561	-3.2872	-0.1991

Slope 1 = 0.015
Slope 2 = 0.111

Sierpinski Fractal Dimension 1 = 1.985
Sierpinski Fractal Dimension 2 = 1.889

**Table D.6.25. Calculation of Sierpinski Fractal Dimensions,
45 g/L, Test #1, Floc #5**

Floc #5 (Porosity Floc #26)				Box Area (μm^2)= 3416.636	
Pore #	Pore Area (μm^2)	Cumulative Pore Area (μm^2)	Residual Area (μm^2)	Log Normalized Pore Area	Log Normalized Residual Area
1	498.261	498.261	2918.375	-0.8361	-0.0685
2	225.852	724.113	2692.523	-1.1798	-0.1034
3	66.959	791.072	2625.564	-1.7078	-0.1144
4	61.384	852.457	2564.180	-1.7455	-0.1247
5	52.148	904.605	2512.032	-1.8164	-0.1336
6	32.199	936.804	2479.832	-2.0258	-0.1392
7	31.799	968.603	2448.033	-2.0312	-0.1448
8	31.652	1000.255	2416.382	-2.0332	-0.1504
9	30.355	1030.610	2386.026	-2.0514	-0.1559
10	22.124	1052.734	2363.903	-2.1887	-0.1600
11	13.161	1065.895	2350.741	-2.4143	-0.1624
12	10.450	1076.345	2340.291	-2.5145	-0.1643
13	8.623	1084.968	2331.668	-2.5980	-0.1659
14	7.154	1092.122	2324.514	-2.6790	-0.1673
15	5.314	1097.436	2319.201	-2.8082	-0.1683
16	3.583	1101.019	2315.618	-2.9793	-0.1689
17	3.294	1104.313	2312.323	-3.0158	-0.1696
18	2.491	1106.805	2309.832	-3.1371	-0.1700
19	2.439	1109.243	2307.393	-3.1464	-0.1705
20	2.066	1111.309	2305.327	-3.2185	-0.1709

Slope 1 = 0.010
Slope 2 = 0.063

Sierpinski Fractal Dimension 1 = 1.990
Sierpinski Fractal Dimension 2 = 1.937

**Table D.7.1. Calculation of Sierpinski Fractal Dimensions,
0 g/L, Test #2, Floc #1**

Floc #1 (Porosity Floc #3)				Box Area (μm^2) = 3661.560	
Pore #	Pore Area (μm^2)	Cumulative Pore Area (μm^2)	Residual Area (μm^2)	Log Normalized Pore Area	Log Normalized Residual Area
1	534.720	534.720	3126.840	-0.8355	-0.0686
2	507.831	1042.551	2619.008	-0.8579	-0.1455
3	204.308	1246.859	2414.700	-1.2534	-0.1808
4	135.493	1382.352	2279.207	-1.4317	-0.2059
5	98.772	1481.125	2180.435	-1.5690	-0.2251
6	92.637	1573.762	2087.798	-1.5969	-0.2440
7	62.970	1636.732	2024.827	-1.7645	-0.2573
8	28.302	1665.035	1996.525	-2.1118	-0.2634
9	27.570	1692.604	1968.955	-2.1232	-0.2694
10	25.128	1717.732	1943.828	-2.1635	-0.2750
11	17.403	1735.135	1926.424	-2.3230	-0.2789
12	14.814	1749.949	1911.611	-2.3930	-0.2823
13	14.290	1764.239	1897.321	-2.4086	-0.2855
14	12.662	1776.900	1884.659	-2.4612	-0.2884
15	10.890	1787.790	1873.769	-2.5266	-0.2910
16	9.753	1797.543	1864.016	-2.5745	-0.2932
17	9.699	1807.242	1854.317	-2.5770	-0.2955
18	9.604	1816.846	1844.714	-2.5812	-0.2977
19	6.017	1822.863	1838.696	-2.7843	-0.2992
20	5.160	1828.023	1833.536	-2.8510	-0.3004
21	5.153	1833.176	1828.383	-2.8516	-0.3016
22	4.491	1837.668	1823.892	-2.9113	-0.3027
23	3.918	1841.586	1819.974	-2.9706	-0.3036
24	3.649	1845.235	1816.325	-3.0015	-0.3045
25	3.599	1848.834	1812.726	-3.0075	-0.3053
26	3.535	1852.369	1809.191	-3.0152	-0.3062
27	3.200	1855.569	1805.990	-3.0585	-0.3070
28	2.724	1858.293	1803.267	-3.1285	-0.3076
29	2.717	1861.010	1800.550	-3.1296	-0.3083
30	2.414	1863.424	1798.136	-3.1809	-0.3088
31	2.376	1865.800	1795.760	-3.1878	-0.3094
32	2.353	1868.153	1793.406	-3.1920	-0.3100
33	2.323	1870.477	1791.083	-3.1976	-0.3106
34	2.022	1872.499	1789.061	-3.2578	-0.3110
35	2.004	1874.504	1787.056	-3.2617	-0.3115
36	1.999	1876.502	1785.057	-3.2629	-0.3120
37	1.947	1878.449	1783.111	-3.2744	-0.3125
38	1.946	1880.395	1781.165	-3.2745	-0.3130

Slope 1 = 0.036
Slope 2 = 0.169

Sierpinski Fractal Dimension 1 = 1.964
Sierpinski Fractal Dimension 2 = 1.831

**Table D.7.2. Calculation of Sierpinski Fractal Dimensions,
0 g/L, Test #2, Floc #2**

Floc #2 (Porosity Floc #21)				Box Area (μm^2)= 1659.888	
Pore #	Pore Area (μm^2)	Cumulative Pore Area (μm^2)	Residual Area (μm^2)	Log Normalized Pore Area	Log Normalized Residual Area
1	413.320	413.320	1246.568	-0.6038	-0.1244
2	72.665	485.985	1173.903	-1.3588	-0.1504
3	39.531	525.516	1134.372	-1.6231	-0.1653
4	31.960	557.476	1102.412	-1.7155	-0.1777
5	11.649	569.125	1090.763	-2.1538	-0.1823
6	11.527	580.652	1079.236	-2.1584	-0.1870
7	6.021	586.673	1073.215	-2.4404	-0.1894
8	5.613	592.286	1067.603	-2.4709	-0.1917
9	5.189	597.475	1062.414	-2.5050	-0.1938
10	3.612	601.087	1058.801	-2.6623	-0.1953
11	3.240	604.327	1055.561	-2.7095	-0.1966
12	3.205	607.532	1052.356	-2.7143	-0.1979
13	2.822	610.354	1049.534	-2.7695	-0.1991

Slope 1 = 0.021
Slope 2 = 0.044

Sierpinski Fractal Dimension 1 = 1.979
Sierpinski Fractal Dimension 2 = 1.956

**Table D.7.3. Calculation of Sierpinski Fractal Dimensions,
0 g/L, Test #2, Floc #3**

Floc #3 (Porosity Floc #22)				Box Area (μm^2)= 2625.716	
Pore #	Pore Area (μm^2)	Cumulative Pore Area (μm^2)	Residual Area (μm^2)	Log Normalized Pore Area	Log Normalized Residual Area
1	239.627	239.627	2386.089	-1.0397	-0.0416
2	166.897	406.525	2219.191	-1.1968	-0.0731
3	92.777	499.302	2126.414	-1.4518	-0.0916
4	49.216	548.518	2077.198	-1.7271	-0.1018
5	48.483	597.001	2028.715	-1.7337	-0.1120
6	45.290	642.290	1983.425	-1.7632	-0.1218
7	31.277	673.567	1952.148	-1.9240	-0.1287
8	24.503	698.070	1927.646	-2.0300	-0.1342
9	20.887	718.957	1906.759	-2.0994	-0.1390
10	18.932	737.889	1887.827	-2.1421	-0.1433
11	17.763	755.652	1870.064	-2.1697	-0.1474
12	15.833	771.485	1854.230	-2.2197	-0.1511
13	14.956	786.441	1839.275	-2.2444	-0.1546
14	13.948	800.389	1825.327	-2.2747	-0.1579
15	13.458	813.847	1811.869	-2.2903	-0.1611
16	9.511	823.358	1802.358	-2.4410	-0.1634
17	7.535	830.893	1794.822	-2.5421	-0.1652
18	7.170	838.063	1787.652	-2.5637	-0.1670
19	6.816	844.880	1780.836	-2.5857	-0.1686
20	6.207	851.087	1774.629	-2.6264	-0.1701
21	5.350	856.437	1769.279	-2.6909	-0.1715
22	4.900	861.337	1764.379	-2.7290	-0.1727
23	4.454	865.792	1759.924	-2.7705	-0.1738
24	4.432	870.224	1755.492	-2.7727	-0.1748
25	3.628	873.852	1751.864	-2.8596	-0.1757
26	3.617	877.469	1748.247	-2.8609	-0.1766
27	3.575	881.044	1744.671	-2.8659	-0.1775
28	3.557	884.602	1741.114	-2.8681	-0.1784
29	2.706	887.308	1738.408	-2.9868	-0.1791
30	2.691	890.000	1735.716	-2.9893	-0.1798
31	2.688	892.688	1733.028	-2.9897	-0.1804
32	2.632	895.320	1730.396	-2.9990	-0.1811
33	2.276	897.595	1728.120	-3.0622	-0.1817
34	2.253	899.848	1725.867	-3.0665	-0.1822
35	2.252	902.101	1723.615	-3.0666	-0.1828
36	2.246	904.346	1721.370	-3.0679	-0.1834
37	2.239	906.585	1719.131	-3.0693	-0.1839

Slope 1 = 0.030
Slope 2 = 0.086

Sierpinski Fractal Dimension 1 = 1.970
Sierpinski Fractal Dimension 2 = 1.914

**Table D.7.4. Calculation of Sierpinski Fractal Dimensions,
0 g/L, Test #2, Floc #4**

Floc #4 (Porosity Floc #23)				Box Area (μm^2)= 1905.128	
Pore #	Pore Area (μm^2)	Cumulative Pore Area (μm^2)	Residual Area (μm^2)	Log Normalized Pore Area	Log Normalized Residual Area
1	402.742	402.742	1502.386	-0.6749	-0.1031
2	179.000	581.741	1323.387	-1.0271	-0.1582
3	76.806	658.547	1246.581	-1.3945	-0.1842
4	51.022	709.569	1195.559	-1.5722	-0.2024
5	29.671	739.240	1165.887	-1.8076	-0.2133
6	29.241	768.482	1136.646	-1.8139	-0.2243
7	25.998	794.480	1110.648	-1.8650	-0.2343
8	17.884	812.364	1092.764	-2.0275	-0.2414
9	11.314	823.678	1081.450	-2.2263	-0.2459
10	7.515	831.193	1073.935	-2.4040	-0.2489
11	6.907	838.100	1067.028	-2.4406	-0.2517
12	6.573	844.672	1060.456	-2.4622	-0.2544
13	6.500	851.172	1053.956	-2.4670	-0.2571
14	3.971	855.142	1049.986	-2.6811	-0.2587
15	3.900	859.042	1046.086	-2.6889	-0.2604
16	3.498	862.540	1042.588	-2.7362	-0.2618
17	2.647	865.187	1039.941	-2.8572	-0.2629
18	2.196	867.383	1037.745	-2.9383	-0.2638
19	2.145	869.527	1035.601	-2.9486	-0.2647

Slope 1 = 0.027
Slope 2 = 0.099

Sierpinski Fractal Dimension 1 = 1.973
Sierpinski Fractal Dimension 2 = 1.901

**Table D.7.5. Calculation of Sierpinski Fractal Dimensions,
0 g/L, Test #2, Floc #5**

Floc #5 (Porosity Floc #27)				Box Area (μm^2) = 2810.343	
Pore #	Pore Area (μm^2)	Cumulative Pore Area (μm^2)	Residual Area (μm^2)	Log Normalized Pore Area	Log Normalized Residual Area
1	1108.731	1108.731	1701.611	-0.4039	-0.2179
2	230.627	1339.358	1470.985	-1.0858	-0.2812
3	82.097	1421.456	1388.887	-1.5344	-0.3061
4	53.237	1474.692	1335.650	-1.7225	-0.3231
5	50.765	1525.457	1284.885	-1.7432	-0.3399
6	33.744	1559.201	1251.141	-1.9206	-0.3515
7	25.496	1584.697	1225.645	-2.0423	-0.3604
8	12.581	1597.279	1213.064	-2.3490	-0.3649
9	10.101	1607.380	1202.963	-2.4444	-0.3685
10	7.094	1614.473	1195.869	-2.5979	-0.3711
11	4.785	1619.259	1191.084	-2.7688	-0.3728
12	4.766	1624.025	1186.318	-2.7706	-0.3746
13	4.645	1628.670	1181.673	-2.7818	-0.3763
14	4.203	1632.873	1177.470	-2.8252	-0.3778
15	3.387	1636.260	1174.083	-2.9189	-0.3791
16	3.379	1639.639	1170.704	-2.9200	-0.3803
17	3.049	1642.687	1167.655	-2.9647	-0.3814
18	3.039	1645.727	1164.616	-2.9660	-0.3826
19	2.104	1647.831	1162.512	-3.1257	-0.3834
20	2.083	1649.914	1160.429	-3.1301	-0.3841

Slope 1 = 0.023
Slope 2 = 0.086

Sierpinski Fractal Dimension 1 = 1.977
Sierpinski Fractal Dimension 2 = 1.914

**Table D.7.6. Calculation of Sierpinski Fractal Dimensions,
10 g/L, Test #2, Floc #1**

Floc #1 (Porosity Floc #2)				Box Area (μm^2) = 19721.025	
Pore #	Pore Area (μm^2)	Cumulative Pore Area (μm^2)	Residual Area (μm^2)	Log Normalized Pore Area	Log Normalized Residual Area
1	2387.246	2387.246	17333.779	-0.9170	-0.0560
2	1431.651	3818.898	15902.127	-1.1391	-0.0935
3	686.981	4505.878	15215.146	-1.4580	-0.1127
4	646.246	5152.124	14568.901	-1.4845	-0.1315
5	309.547	5461.672	14259.353	-1.8042	-0.1408
6	244.319	5705.991	14015.034	-1.9070	-0.1483
7	236.260	5942.250	13778.774	-1.9215	-0.1557
8	197.948	6140.198	13580.827	-1.9984	-0.1620
9	124.811	6265.009	13456.016	-2.1987	-0.1660
10	121.597	6386.606	13334.419	-2.2100	-0.1700
11	71.194	6457.800	13263.225	-2.4425	-0.1723
12	69.973	6527.773	13193.251	-2.4500	-0.1746
13	58.087	6585.860	13135.164	-2.5309	-0.1765
14	54.235	6640.095	13080.930	-2.5607	-0.1783
15	38.294	6678.389	13042.636	-2.7118	-0.1796
16	37.162	6715.551	13005.474	-2.7248	-0.1808
17	28.958	6744.509	12976.516	-2.8332	-0.1818
18	28.415	6772.924	12948.101	-2.8414	-0.1827
19	25.933	6798.857	12922.168	-2.8811	-0.1836
20	25.927	6824.783	12896.242	-2.8812	-0.1845
21	22.836	6847.620	12873.405	-2.9363	-0.1852
22	20.757	6868.376	12852.649	-2.9778	-0.1859
23	16.073	6884.449	12836.576	-3.0888	-0.1865
24	14.386	6898.835	12822.189	-3.1370	-0.1870
25	12.779	6911.614	12809.411	-3.1884	-0.1874
26	11.388	6923.002	12798.023	-3.2385	-0.1878
27	11.367	6934.369	12786.655	-3.2393	-0.1882
28	11.221	6945.590	12775.435	-3.2449	-0.1886
29	11.197	6956.787	12764.238	-3.2458	-0.1889
30	8.121	6964.908	12756.117	-3.3853	-0.1892
31	7.915	6972.823	12748.202	-3.3965	-0.1895
32	7.868	6980.691	12740.334	-3.3991	-0.1897

Slope 1 = 0.017
Slope 2 = 0.081

Sierpinski Fractal Dimension 1 = 1.983
Sierpinski Fractal Dimension 2 = 1.919

**Table D.7.7. Calculation of Sierpinski Fractal Dimensions,
10 g/L, Test #2, Floc #2**

Floc #2 (Porosity Floc #15)				Box Area (μm^2) = 1755.331	
Pore #	Pore Area (μm^2)	Cumulative Pore Area (μm^2)	Residual Area (μm^2)	Log Normalized Pore Area	Log Normalized Residual Area
1	258.632	258.632	1496.699	-0.8317	-0.0692
2	50.848	309.480	1445.851	-1.5381	-0.0842
3	47.416	356.896	1398.435	-1.5684	-0.0987
4	24.253	381.149	1374.182	-1.8596	-0.1063
5	20.383	401.532	1353.799	-1.9351	-0.1128
6	17.104	418.636	1336.695	-2.0113	-0.1183
7	14.190	432.826	1322.505	-2.0924	-0.1230
8	13.341	446.167	1309.164	-2.1192	-0.1274
9	11.460	457.627	1297.704	-2.1852	-0.1312
10	10.361	467.988	1287.342	-2.2289	-0.1347
11	10.276	478.265	1277.066	-2.2325	-0.1381
12	9.509	487.774	1267.556	-2.2662	-0.1414
13	8.834	496.608	1258.722	-2.2982	-0.1444
14	7.749	504.358	1250.973	-2.3551	-0.1471
15	7.405	511.763	1243.568	-2.3748	-0.1497
16	6.931	518.694	1236.636	-2.4035	-0.1521
17	6.562	525.256	1230.074	-2.4273	-0.1544
18	5.783	531.039	1224.292	-2.4822	-0.1565
19	5.377	536.416	1218.915	-2.5138	-0.1584
20	4.328	540.744	1214.586	-2.6080	-0.1599
21	4.238	544.982	1210.348	-2.6172	-0.1614
22	3.003	547.986	1207.345	-2.7668	-0.1625
23	2.509	550.494	1204.836	-2.8449	-0.1634
24	2.493	552.987	1202.343	-2.8477	-0.1643
25	2.448	555.435	1199.896	-2.8556	-0.1652
26	2.067	557.502	1197.828	-2.9289	-0.1660
27	2.057	559.559	1195.772	-2.9312	-0.1667

Slope 1 = 0.019
Slope 2 = 0.059

Sierpinski Fractal Dimension 1 = 1.981
Sierpinski Fractal Dimension 2 = 1.941

**Table D.7.8. Calculation of Sierpinski Fractal Dimensions,
10 g/L, Test #2, Floc #3**

Floc #3 (Porosity Floc #18)				Box Area (μm^2) = 7563.341	
Pore #	Pore Area (μm^2)	Cumulative Pore Area (μm^2)	Residual Area (μm^2)	Log Normalized Pore Area	Log Normalized Residual Area
1	1560.486	1560.486	6002.856	-0.6855	-0.1004
2	680.338	2240.824	5322.518	-1.0460	-0.1526
3	214.635	2455.459	5107.883	-1.5470	-0.1705
4	169.626	2625.085	4938.256	-1.6492	-0.1851
5	151.274	2776.359	4786.982	-1.6989	-0.1987
6	52.455	2828.814	4734.527	-2.1589	-0.2034
7	48.062	2876.876	4686.465	-2.1969	-0.2079
8	46.247	2923.123	4640.218	-2.2136	-0.2122
9	35.684	2958.806	4604.535	-2.3262	-0.2155
10	31.803	2990.610	4572.731	-2.3762	-0.2185
11	25.583	3016.193	4547.149	-2.4708	-0.2210
12	19.485	3035.677	4527.664	-2.5890	-0.2228
13	17.862	3053.540	4509.802	-2.6268	-0.2246
14	17.757	3071.297	4492.045	-2.6293	-0.2263
15	8.126	3079.422	4483.919	-2.9688	-0.2271
16	8.062	3087.485	4475.857	-2.9723	-0.2278

Slope 1 = 0.026

Slope 2 = 0.083

Sierpinski Fractal Dimension 1 = 1.974

Sierpinski Fractal Dimension 2 = 1.917

**Table D.7.9. Calculation of Sierpinski Fractal Dimensions,
10 g/L, Test #2, Floc #4**

Floc #4 (Porosity Floc #29)				Box Area (μm^2) = 1662.112	
Pore #	Pore Area (μm^2)	Cumulative Pore Area (μm^2)	Residual Area (μm^2)	Log Normalized Pore Area	Log Normalized Residual Area
1	192.500	192.500	1469.611	-0.9362	-0.0535
2	117.390	309.890	1352.222	-1.1510	-0.0896
3	74.325	384.215	1277.897	-1.3495	-0.1142
4	62.204	446.418	1215.694	-1.4268	-0.1358
5	48.352	494.770	1167.342	-1.5362	-0.1535
6	39.939	534.709	1127.402	-1.6193	-0.1686
7	36.977	571.686	1090.425	-1.6527	-0.1831
8	23.962	595.649	1066.463	-1.8411	-0.1927
9	22.767	618.415	1043.697	-1.8634	-0.2021
10	18.452	636.867	1025.245	-1.9546	-0.2098
11	9.137	646.004	1016.108	-2.2598	-0.2137
12	8.830	654.834	1007.278	-2.2747	-0.2175
13	8.712	663.546	998.566	-2.2805	-0.2213
14	5.852	669.398	992.714	-2.4534	-0.2238
15	5.819	675.216	986.895	-2.4558	-0.2264
16	5.512	680.729	981.383	-2.4793	-0.2288
17	4.702	685.431	976.681	-2.5483	-0.2309
18	4.208	689.639	972.473	-2.5966	-0.2328
19	3.863	693.502	968.610	-2.6337	-0.2345
20	3.848	697.350	964.762	-2.6354	-0.2362
21	3.789	701.139	960.973	-2.6421	-0.2379
22	3.784	704.923	957.189	-2.6428	-0.2397
23	3.760	708.683	953.429	-2.6454	-0.2414
24	3.422	712.105	950.006	-2.6864	-0.2429
25	3.417	715.522	946.589	-2.6870	-0.2445
26	2.962	718.484	943.627	-2.7491	-0.2459
27	2.549	721.033	941.079	-2.8143	-0.2470
28	2.503	723.536	938.576	-2.8222	-0.2482
29	2.119	725.655	936.457	-2.8945	-0.2492

Slope 1 = 0.050

Slope 2 = 0.158

Sierpinski Fractal Dimension 1 = 1.950

Sierpinski Fractal Dimension 2 = 1.842

**Table D.7.10. Calculation of Sierpinski Fractal Dimensions,
10 g/L, Test #2, Floc #5**

Floc #5 (Porosity Floc #30)				Box Area (μm^2) = 2665.892	
Pore #	Pore Area (μm^2)	Cumulative Pore Area (μm^2)	Residual Area (μm^2)	Log Normalized Pore Area	Log Normalized Residual Area
1	644.664	644.664	2021.228	-0.6165	-0.1202
2	199.033	843.697	1822.196	-1.1269	-0.1652
3	91.341	935.038	1730.855	-1.4652	-0.1876
4	64.636	999.673	1666.219	-1.6154	-0.2041
5	59.529	1059.203	1606.690	-1.6511	-0.2199
6	57.429	1116.632	1549.260	-1.6667	-0.2357
7	30.821	1147.453	1518.439	-1.9370	-0.2444
8	23.890	1171.344	1494.549	-2.0476	-0.2513
9	21.212	1192.555	1473.337	-2.0993	-0.2575
10	13.115	1205.670	1460.222	-2.3081	-0.2614
11	10.877	1216.547	1449.345	-2.3893	-0.2647
12	9.796	1226.344	1439.549	-2.4348	-0.2676
13	6.433	1232.777	1433.115	-2.6174	-0.2696
14	5.002	1237.779	1428.113	-2.7267	-0.2711
15	4.741	1242.521	1423.372	-2.7499	-0.2725
16	4.706	1247.226	1418.666	-2.7532	-0.2740
17	4.225	1251.451	1414.441	-2.8000	-0.2753
18	2.916	1254.367	1411.525	-2.9611	-0.2762
19	2.086	1256.453	1409.439	-3.1065	-0.2768

Slope 1 = 0.027
Slope 2 = 0.097

Sierpinski Fractal Dimension 1 = 1.973
Sierpinski Fractal Dimension 2 = 1.903

**Table D.7.11. Calculation of Sierpinski Fractal Dimensions,
20 g/L, Test #2, Floc #1**

Floc #1 (Porosity Floc #9)				Box Area (μm^2)= 4503.758	
Pore #	Pore Area (μm^2)	Cumulative Pore Area (μm^2)	Residual Area (μm^2)	Log Normalized Pore Area	Log Normalized Residual Area
1	1100.996	1100.996	3402.763	-0.6118	-0.1217
2	273.317	1374.313	3129.446	-1.2169	-0.1581
3	193.273	1567.585	2936.173	-1.3674	-0.1858
4	123.644	1691.230	2812.529	-1.5614	-0.2045
5	45.788	1737.018	2766.741	-1.9928	-0.2116
6	44.329	1781.347	2722.411	-2.0069	-0.2186
7	16.682	1798.029	2705.729	-2.4313	-0.2213
8	15.901	1813.930	2689.828	-2.4521	-0.2239
9	11.483	1825.414	2678.344	-2.5935	-0.2257
10	7.492	1832.906	2670.852	-2.7789	-0.2269
11	6.819	1839.725	2664.033	-2.8199	-0.2280
12	6.743	1846.469	2657.290	-2.8247	-0.2291
13	5.520	1851.989	2651.769	-2.9116	-0.2300
14	4.735	1856.724	2647.034	-2.9783	-0.2308
15	3.175	1859.899	2643.859	-3.1518	-0.2313
16	2.848	1862.747	2641.011	-3.1990	-0.2318
17	2.463	1865.210	2638.548	-3.2621	-0.2322
18	2.373	1867.583	2636.175	-3.2783	-0.2326
19	1.983	1869.566	2634.192	-3.3562	-0.2329

Slope 1 = 0.011
Slope 2 = 0.069

Sierpinski Fractal Dimension 1 = 1.989
Sierpinski Fractal Dimension 2 = 1.931

**Table D.7.12. Calculation of Sierpinski Fractal Dimensions,
20 g/L, Test #2, Floc #2**

Floc #2 (Porosity Floc #11)				Box Area (μm^2) = 3327.291	
Pore #	Pore Area (μm^2)	Cumulative Pore Area (μm^2)	Residual Area (μm^2)	Log Normalized Pore Area	Log Normalized Residual Area
1	273.635	273.635	3053.655	-1.0849	-0.0373
2	196.662	470.297	2856.993	-1.2284	-0.0662
3	145.329	615.626	2711.664	-1.3597	-0.0889
4	133.985	749.611	2577.679	-1.3950	-0.1109
5	120.258	869.869	2457.422	-1.4420	-0.1316
6	85.018	954.887	2372.404	-1.5926	-0.1469
7	84.295	1039.182	2288.108	-1.5963	-0.1626
8	40.533	1079.716	2247.575	-1.9143	-0.1704
9	40.523	1120.238	2207.052	-1.9144	-0.1783
10	39.767	1160.005	2167.285	-1.9226	-0.1862
11	30.440	1190.445	2136.846	-2.0387	-0.1923
12	21.562	1212.007	2115.283	-2.1884	-0.1967
13	15.190	1227.198	2100.093	-2.3405	-0.1999
14	8.848	1236.046	2091.245	-2.5752	-0.2017
15	8.827	1244.872	2082.418	-2.5763	-0.2035
16	8.018	1252.890	2074.400	-2.6180	-0.2052
17	7.329	1260.219	2067.071	-2.6570	-0.2067
18	4.631	1264.851	2062.440	-2.8564	-0.2077
19	4.277	1269.128	2058.163	-2.8909	-0.2086
20	2.450	1271.578	2055.713	-3.1330	-0.2091
21	2.433	1274.011	2053.279	-3.1359	-0.2096
22	2.124	1276.135	2051.155	-3.1949	-0.2101

Slope 1 = 0.017
Slope 2 = 0.162

Sierpinski Fractal Dimension 1 = 1.983
Sierpinski Fractal Dimension 2 = 1.838

**Table D.7.13. Calculation of Sierpinski Fractal Dimensions,
20 g/L, Test #2, Floc #3**

Floc #3 (Porosity Floc #20)				Box Area (μm^2) = 6173.767	
Pore #	Pore Area (μm^2)	Cumulative Pore Area (μm^2)	Residual Area (μm^2)	Log Normalized Pore Area	Log Normalized Residual Area
1	1925.608	1925.608	4248.158	-0.5060	-0.1623
2	775.243	2700.851	3472.916	-0.9011	-0.2499
3	376.997	3077.848	3095.919	-1.2142	-0.2998
4	261.605	3339.453	2834.314	-1.3729	-0.3381
5	210.489	3549.942	2623.825	-1.4673	-0.3716
6	137.528	3687.470	2486.296	-1.6522	-0.3950
7	63.642	3751.112	2422.654	-1.9868	-0.4063
8	53.981	3805.093	2368.673	-2.0583	-0.4160
9	28.680	3833.774	2339.993	-2.3330	-0.4213
10	21.713	3855.486	2318.281	-2.4538	-0.4254
11	21.138	3876.624	2297.143	-2.4655	-0.4294
12	20.242	3896.866	2276.901	-2.4843	-0.4332
13	18.061	3914.927	2258.839	-2.5338	-0.4367
14	17.272	3932.199	2241.568	-2.5532	-0.4400
15	15.239	3947.438	2226.329	-2.6076	-0.4430
16	10.252	3957.689	2216.077	-2.7798	-0.4450
17	8.928	3966.618	2207.149	-2.8398	-0.4467
18	7.398	3974.016	2199.751	-2.9214	-0.4482
19	6.980	3980.996	2192.771	-2.9467	-0.4496
20	6.816	3987.811	2185.955	-2.9571	-0.4509
21	5.290	3993.101	2180.665	-3.0671	-0.4520
22	4.031	3997.133	2176.634	-3.1851	-0.4528
23	4.006	4001.139	2172.628	-3.1878	-0.4536
24	3.656	4004.795	2168.972	-3.2275	-0.4543
25	3.597	4008.391	2165.375	-3.2347	-0.4550
26	3.326	4011.717	2162.049	-3.2687	-0.4557
27	3.223	4014.941	2158.826	-3.2822	-0.4563
28	3.081	4018.021	2155.745	-3.3019	-0.4570
29	3.067	4021.089	2152.678	-3.3038	-0.4576
30	2.390	4023.479	2150.288	-3.4122	-0.4581
31	1.997	4025.476	2148.291	-3.4902	-0.4585
32	1.964	4027.439	2146.327	-3.4975	-0.4589

Slope 1 = 0.034

Slope 2 = 0.205

Sierpinski Fractal Dimension 1 = 1.966

Sierpinski Fractal Dimension 2 = 1.795

**Table D.7.14. Calculation of Sierpinski Fractal Dimensions,
20 g/L, Test #2, Floc #4**

Floc #4 (Porosity Floc #25)				Box Area (μm^2)= 2701.732	
Pore #	Pore Area (μm^2)	Cumulative Pore Area (μm^2)	Residual Area (μm^2)	Log Normalized Pore Area	Log Normalized Residual Area
1	339.503	339.503	2362.229	-0.9008	-0.0583
2	283.227	622.730	2079.002	-0.9795	-0.1138
3	122.564	745.294	1956.438	-1.3433	-0.1402
4	98.926	844.220	1857.512	-1.4363	-0.1627
5	92.078	936.298	1765.434	-1.4675	-0.1848
6	56.112	992.410	1709.322	-1.6826	-0.1988
7	26.063	1018.473	1683.259	-2.0156	-0.2055
8	23.993	1042.466	1659.266	-2.0515	-0.2117
9	16.644	1059.111	1642.622	-2.2104	-0.2161
10	12.769	1071.879	1629.853	-2.3255	-0.2195
11	9.704	1081.583	1620.149	-2.4447	-0.2221
12	9.543	1091.127	1610.606	-2.4519	-0.2247
13	8.148	1099.274	1602.458	-2.5206	-0.2269
14	7.425	1106.699	1595.033	-2.5609	-0.2289
15	7.061	1113.761	1587.972	-2.5828	-0.2308
16	6.878	1120.638	1581.094	-2.5942	-0.2327
17	4.843	1125.481	1576.251	-2.7465	-0.2340
18	4.825	1130.306	1571.426	-2.7481	-0.2353
19	3.915	1134.221	1567.511	-2.8389	-0.2364
20	3.872	1138.093	1563.639	-2.8437	-0.2375
21	3.517	1141.610	1560.122	-2.8855	-0.2385
22	3.429	1145.039	1556.693	-2.8965	-0.2394
23	2.637	1147.676	1554.056	-3.0105	-0.2402
24	2.600	1150.276	1551.456	-3.0167	-0.2409
25	2.226	1152.502	1549.230	-3.0840	-0.2415
26	2.212	1154.714	1547.018	-3.0868	-0.2421
27	2.206	1156.920	1544.812	-3.0881	-0.2428
28	2.182	1159.102	1542.630	-3.0928	-0.2434
29	2.179	1161.281	1540.451	-3.0934	-0.2440
30	2.176	1163.457	1538.276	-3.0940	-0.2446
31	2.148	1165.605	1536.127	-3.0996	-0.2452

Slope 1 = 0.032

Slope 2 = 0.162

Sierpinski Fractal Dimension 1 = 1.968

Sierpinski Fractal Dimension 2 = 1.838

**Table D.7.15. Calculation of Sierpinski Fractal Dimensions,
20 g/L, Test #2, Floc #5**

Floc #5 (Porosity Floc #27)				Box Area (μm^2) = 2237.893	
Pore #	Pore Area (μm^2)	Cumulative Pore Area (μm^2)	Residual Area (μm^2)	Log Normalized Pore Area	Log Normalized Residual Area
1	484.931	484.931	1752.962	-0.6642	-0.1061
2	116.723	601.653	1636.240	-1.2827	-0.1360
3	84.803	686.456	1551.437	-1.4214	-0.1591
4	55.585	742.041	1495.852	-1.6049	-0.1750
5	31.522	773.563	1464.330	-1.8512	-0.1842
6	28.403	801.965	1435.928	-1.8965	-0.1927
7	25.492	827.457	1410.436	-1.9434	-0.2005
8	13.073	840.531	1397.363	-2.2334	-0.2045
9	8.805	849.336	1388.557	-2.4051	-0.2073
10	7.284	856.620	1381.273	-2.4874	-0.2096
11	7.137	863.758	1374.135	-2.4963	-0.2118
12	5.359	869.117	1368.776	-2.6208	-0.2135
13	4.598	873.714	1364.179	-2.6873	-0.2150
14	4.155	877.869	1360.024	-2.7313	-0.2163
15	4.110	881.979	1355.914	-2.7360	-0.2176
16	4.040	886.019	1351.874	-2.7435	-0.2189
17	3.661	889.680	1348.213	-2.7862	-0.2201
18	2.420	892.100	1345.793	-2.9660	-0.2209
19	2.081	894.181	1343.712	-3.0315	-0.2215
20	2.078	896.259	1341.634	-3.0322	-0.2222
21	2.044	898.303	1339.590	-3.0394	-0.2229
22	2.013	900.316	1337.577	-3.0460	-0.2235

Slope 1 = 0.022
Slope 2 = 0.073

Sierpinski Fractal Dimension 1 = 1.978
Sierpinski Fractal Dimension 2 = 1.927

**Table D.7.16. Calculation of Sierpinski Fractal Dimensions,
30 g/L, Test #2, Floc #1**

Floc #1 (Porosity Floc #4)				Box Area (μm^2) = 1896.156	
Pore #	Pore Area (μm^2)	Cumulative Pore Area (μm^2)	Residual Area (μm^2)	Log Normalized Pore Area	Log Normalized Residual Area
1	144.946	144.946	1751.210	-1.1167	-0.0345
2	97.160	242.106	1654.050	-1.2904	-0.0593
3	75.741	317.847	1578.309	-1.3985	-0.0797
4	58.916	376.763	1519.393	-1.5076	-0.0962
5	54.747	431.510	1464.646	-1.5395	-0.1121
6	50.668	482.178	1413.978	-1.5731	-0.1274
7	23.011	505.189	1390.967	-1.9159	-0.1346
8	13.417	518.607	1377.549	-2.1502	-0.1388
9	9.883	528.489	1367.667	-2.2830	-0.1419
10	9.566	538.056	1358.100	-2.2971	-0.1449
11	7.312	545.368	1350.788	-2.4139	-0.1473
12	5.408	550.776	1345.380	-2.5448	-0.1490
13	4.363	555.140	1341.016	-2.6380	-0.1504
14	4.057	559.197	1336.959	-2.6696	-0.1518
15	3.335	562.532	1333.624	-2.7548	-0.1528
16	3.284	565.816	1330.340	-2.7615	-0.1539
17	3.251	569.067	1327.089	-2.7659	-0.1550
18	2.908	571.974	1324.182	-2.8143	-0.1559
19	2.594	574.568	1321.588	-2.8640	-0.1568
20	2.239	576.807	1319.349	-2.9278	-0.1575
21	1.804	578.611	1317.545	-3.0216	-0.1581

Slope 1 = 0.022
Slope 2 = 0.192

Sierpinski Fractal Dimension 1 = 1.978
Sierpinski Fractal Dimension 2 = 1.808

**Table D.7.17. Calculation of Sierpinski Fractal Dimensions,
30 g/L, Test #2, Floc #2**

Floc #2 (Porosity Floc #8)				Box Area (μm^2)= 6910.802	
Pore #	Pore Area (μm^2)	Cumulative Pore Area (μm^2)	Residual Area (μm^2)	Log Normalized Pore Area	Log Normalized Residual Area
1	1159.296	1159.296	5751.506	-0.7753	-0.0797
2	818.807	1978.103	4932.699	-0.9263	-0.1464
3	317.261	2295.364	4615.437	-1.3381	-0.1753
4	269.861	2565.225	4345.576	-1.4084	-0.2015
5	246.506	2811.731	4099.070	-1.4477	-0.2268
6	97.432	2909.163	4001.639	-1.8508	-0.2373
7	32.286	2941.449	3969.352	-2.3305	-0.2408
8	26.370	2967.819	3942.983	-2.4184	-0.2437
9	21.974	2989.793	3921.009	-2.4976	-0.2461
10	17.357	3007.150	3903.652	-2.6001	-0.2481
11	15.752	3022.902	3887.900	-2.6422	-0.2498
12	14.481	3037.383	3873.418	-2.6787	-0.2514
13	14.234	3051.617	3859.185	-2.6862	-0.2530
14	13.692	3065.309	3845.493	-2.7031	-0.2546
15	9.700	3075.009	3835.793	-2.8528	-0.2557
16	8.474	3083.483	3827.319	-2.9114	-0.2566
17	8.379	3091.862	3818.940	-2.9163	-0.2576
18	7.908	3099.769	3811.032	-2.9415	-0.2585
19	7.250	3107.019	3803.782	-2.9792	-0.2593
20	6.754	3113.773	3797.029	-3.0100	-0.2601
21	6.698	3120.471	3790.331	-3.0136	-0.2609
22	6.097	3126.568	3784.234	-3.0544	-0.2616
23	5.727	3132.295	3778.507	-3.0816	-0.2622
24	5.568	3137.863	3772.939	-3.0939	-0.2628
25	4.270	3142.132	3768.670	-3.2091	-0.2633
26	4.009	3146.141	3764.661	-3.2365	-0.2638
27	3.397	3149.538	3761.263	-3.3084	-0.2642
28	3.059	3152.597	3758.205	-3.3540	-0.2645
29	2.577	3155.174	3755.628	-3.4285	-0.2648
30	2.529	3157.702	3753.099	-3.4367	-0.2651
31	2.199	3159.902	3750.900	-3.4973	-0.2654
32	2.194	3162.096	3748.706	-3.4982	-0.2656
33	2.150	3164.246	3746.556	-3.5072	-0.2659
34	2.144	3166.389	3744.412	-3.5083	-0.2661

Slope 1 = 0.019
Slope 2 = 0.140

Sierpinski Fractal Dimension 1 = 1.981
Sierpinski Fractal Dimension 2 = 1.860

**Table D.7.18. Calculation of Sierpinski Fractal Dimensions,
30 g/L, Test #2, Floc #3**

Floc #3 (Porosity Floc #13)				Box Area (μm^2)= 5522.740	
Pore #	Pore Area (μm^2)	Cumulative Pore Area (μm^2)	Residual Area (μm^2)	Log Normalized Pore Area	Log Normalized Residual Area
1	1471.478	1471.478	4051.262	-0.5744	-0.1346
2	427.295	1898.773	3623.967	-1.1114	-0.1830
3	213.444	2112.217	3410.524	-1.4129	-0.2093
4	170.073	2282.289	3240.451	-1.5115	-0.2315
5	47.194	2329.483	3193.257	-2.0683	-0.2379
6	38.406	2367.890	3154.850	-2.1578	-0.2432
7	11.639	2379.529	3143.211	-2.6762	-0.2448
8	8.437	2387.966	3134.774	-2.8160	-0.2459
9	7.271	2395.237	3127.503	-2.8806	-0.2470
10	6.520	2401.757	3120.983	-2.9279	-0.2479
11	5.998	2407.754	3114.986	-2.9642	-0.2487
12	5.566	2413.320	3109.420	-2.9966	-0.2495
13	5.411	2418.731	3104.009	-3.0089	-0.2502
14	4.833	2423.564	3099.176	-3.0579	-0.2509
15	4.638	2428.201	3094.539	-3.0759	-0.2516
16	4.427	2432.628	3090.112	-3.0961	-0.2522
17	3.640	2436.268	3086.472	-3.1811	-0.2527
18	3.634	2439.902	3082.838	-3.1818	-0.2532
19	3.441	2443.344	3079.397	-3.2054	-0.2537
20	3.236	2446.580	3076.160	-3.2321	-0.2541
21	2.766	2449.346	3073.394	-3.3003	-0.2545
22	2.476	2451.822	3070.918	-3.3484	-0.2549
23	2.459	2454.281	3068.459	-3.3514	-0.2552
24	2.436	2456.717	3066.023	-3.3555	-0.2556
25	2.417	2459.134	3063.606	-3.3588	-0.2559
26	2.417	2461.551	3061.189	-3.3590	-0.2563
27	2.128	2463.679	3059.061	-3.4141	-0.2566
28	2.024	2465.703	3057.037	-3.4360	-0.2569

Slope 1 = 0.013

Slope 2 = 0.098

Sierpinski Fractal Dimension 1 = 1.987

Sierpinski Fractal Dimension 2 = 1.902

**Table D.7.19. Calculation of Sierpinski Fractal Dimensions,
30 g/L, Test #2, Floc #4**

Floc #4 (Porosity Floc #14)				Box Area (μm^2) = 2478.344	
Pore #	Pore Area (μm^2)	Cumulative Pore Area (μm^2)	Residual Area (μm^2)	Log Normalized Pore Area	Log Normalized Residual Area
1	247.987	247.987	2230.357	-0.9997	-0.0458
2	209.413	457.400	2020.944	-1.0732	-0.0886
3	122.592	579.993	1898.351	-1.3057	-0.1158
4	104.663	684.656	1793.688	-1.3744	-0.1404
5	101.309	785.965	1692.379	-1.3885	-0.1657
6	58.962	844.927	1633.417	-1.6236	-0.1811
7	50.413	895.340	1583.004	-1.6916	-0.1947
8	34.349	929.689	1548.655	-1.8582	-0.2042
9	21.705	951.394	1526.950	-2.0576	-0.2103
10	7.879	959.273	1519.071	-2.4977	-0.2126
11	4.986	964.259	1514.085	-2.6964	-0.2140
12	2.848	967.108	1511.236	-2.9396	-0.2148
13	2.510	969.618	1508.726	-2.9945	-0.2156

Slope 1 = 0.008

Slope 2 = 0.179

Sierpinski Fractal Dimension 1 = 1.992

Sierpinski Fractal Dimension 2 = 1.821

**Table D.7.20. Calculation of Sierpinski Fractal Dimensions,
30 g/L, Test #2, Floc #5**

Floc #5 (Porosity Floc #23)				Box Area (μm^2) = 2171.649	
Pore #	Pore Area (μm^2)	Cumulative Pore Area (μm^2)	Residual Area (μm^2)	Log Normalized Pore Area	Log Normalized Residual Area
1	541.096	541.096	1630.553	-0.6035	-0.1245
2	322.632	863.728	1307.921	-0.8281	-0.2202
3	61.141	924.869	1246.780	-1.5505	-0.2410
4	49.924	974.792	1196.856	-1.6385	-0.2587
5	48.907	1023.700	1147.949	-1.6474	-0.2769
6	30.895	1054.595	1117.054	-1.8469	-0.2887
7	29.629	1084.224	1087.425	-1.8651	-0.3004
8	17.115	1101.339	1070.310	-2.1034	-0.3073
9	15.688	1117.027	1054.622	-2.1412	-0.3137
10	15.499	1132.526	1039.123	-2.1465	-0.3201
11	15.288	1147.813	1023.836	-2.1524	-0.3266
12	12.499	1160.312	1011.337	-2.2399	-0.3319
13	7.391	1167.704	1003.945	-2.4681	-0.3351
14	6.518	1174.221	997.427	-2.5227	-0.3379
15	5.631	1179.852	991.797	-2.5862	-0.3404
16	5.521	1185.373	986.276	-2.5948	-0.3428
17	5.240	1190.613	981.036	-2.6175	-0.3451
18	4.784	1195.398	976.251	-2.6570	-0.3472
19	3.958	1199.356	972.293	-2.7393	-0.3490
20	3.000	1202.356	969.293	-2.8596	-0.3503
21	2.991	1205.347	966.302	-2.8610	-0.3517
22	2.536	1207.882	963.767	-2.9327	-0.3528
23	2.190	1210.072	961.577	-2.9964	-0.3538
24	2.188	1212.260	959.389	-2.9967	-0.3548
25	2.181	1214.442	957.207	-2.9981	-0.3558
26	2.163	1216.605	955.044	-3.0016	-0.3568

Slope 1 = 0.033

Slope 2 = 0.107

Sierpinski Fractal Dimension 1 = 1.967

Sierpinski Fractal Dimension 2 = 1.893

**Table D.7.21. Calculation of Sierpinski Fractal Dimensions,
45 g/L, Test #2, Floc #1**

Floc #1 (Porosity Floc #4)				Box Area (μm^2) = 6440.577	
Pore #	Pore Area (μm^2)	Cumulative Pore Area (μm^2)	Residual Area (μm^2)	Log Normalized Pore Area	Log Normalized Residual Area
1	936.211	936.211	5504.366	-0.8376	-0.0682
2	825.611	1761.822	4678.755	-0.8921	-0.1388
3	432.852	2194.673	4245.904	-1.1726	-0.1810
4	228.415	2423.089	4017.488	-1.4502	-0.2050
5	204.226	2627.315	3813.262	-1.4988	-0.2276
6	129.089	2756.404	3684.173	-1.6980	-0.2426
7	86.151	2842.556	3598.022	-1.8737	-0.2529
8	72.833	2915.389	3525.188	-1.9466	-0.2617
9	69.338	2984.726	3455.851	-1.9680	-0.2704
10	33.940	3018.666	3421.911	-2.2782	-0.2747
11	30.800	3049.466	3391.111	-2.3204	-0.2786
12	29.197	3078.663	3361.914	-2.3436	-0.2823
13	19.962	3098.625	3341.952	-2.5087	-0.2849
14	10.993	3109.618	3330.959	-2.7678	-0.2864
15	9.451	3119.070	3321.507	-2.8334	-0.2876
16	8.758	3127.828	3312.749	-2.8665	-0.2887
17	7.978	3135.806	3304.771	-2.9070	-0.2898
18	7.079	3142.885	3297.692	-2.9589	-0.2907
19	6.140	3149.025	3291.552	-3.0208	-0.2915
20	5.825	3154.851	3285.727	-3.0436	-0.2923
21	5.289	3160.139	3280.438	-3.0856	-0.2930
22	3.774	3163.913	3276.664	-3.2321	-0.2935
23	3.083	3166.996	3273.581	-3.3199	-0.2939
24	3.058	3170.055	3270.523	-3.3234	-0.2943
25	2.996	3173.051	3267.526	-3.3323	-0.2947
26	2.927	3175.978	3264.600	-3.3425	-0.2951
27	2.671	3178.649	3261.929	-3.3823	-0.2955
28	2.611	3181.260	3259.317	-3.3921	-0.2958
29	2.159	3183.419	3257.159	-3.4747	-0.2961
30	2.135	3185.554	3255.023	-3.4794	-0.2964
31	2.130	3187.684	3252.893	-3.4805	-0.2967
32	2.109	3189.793	3250.784	-3.4849	-0.2969
33	2.105	3191.899	3248.679	-3.4856	-0.2972

Slope 1 = 0.016

Slope 2 = 0.145

Sierpinski Fractal Dimension 1 = 1.984

Sierpinski Fractal Dimension 2 = 1.855

**Table D.7.22. Calculation of Sierpinski Fractal Dimensions,
45 g/L, Test #2, Floc #2**

Floc #2 (Porosity Floc #6)				Box Area (μm^2)= 3837.532	
Pore #	Pore Area (μm^2)	Cumulative Pore Area (μm^2)	Residual Area (μm^2)	Log Normalized Pore Area	Log Normalized Residual Area
1	448.834	448.834	3388.697	-0.9320	-0.0540
2	312.327	761.161	3076.370	-1.0894	-0.0960
3	189.826	950.988	2886.544	-1.3057	-0.1237
4	76.575	1027.563	2809.969	-1.7000	-0.1354
5	66.099	1093.661	2743.870	-1.7639	-0.1457
6	56.724	1150.386	2687.146	-1.8303	-0.1548
7	28.650	1179.036	2658.496	-2.1269	-0.1594
8	27.470	1206.506	2631.026	-2.1452	-0.1639
9	21.527	1228.032	2609.499	-2.2511	-0.1675
10	18.043	1246.075	2591.456	-2.3277	-0.1705
11	14.907	1260.983	2576.549	-2.4107	-0.1730
12	8.956	1269.939	2567.593	-2.6319	-0.1745
13	8.446	1278.385	2559.146	-2.6574	-0.1760
14	8.430	1286.816	2550.716	-2.6582	-0.1774
15	6.988	1293.804	2543.728	-2.7397	-0.1786
16	6.879	1300.684	2536.848	-2.7465	-0.1798
17	5.449	1306.133	2531.399	-2.8477	-0.1807
18	4.642	1310.774	2526.758	-2.9174	-0.1815
19	4.616	1315.390	2522.142	-2.9198	-0.1823
20	4.289	1319.679	2517.852	-2.9517	-0.1830
21	3.700	1323.379	2514.152	-3.0159	-0.1837
22	3.409	1326.789	2510.743	-3.0514	-0.1842
23	3.314	1330.102	2507.429	-3.0637	-0.1848
24	3.270	1333.372	2504.160	-3.0695	-0.1854
25	2.108	1335.480	2502.051	-3.2601	-0.1858

Slope 1 = 0.023

Slope 2 = 0.093

Sierpinski Fractal Dimension 1 = 1.977

Sierpinski Fractal Dimension 2 = 1.907

**Table D.7.23. Calculation of Sierpinski Fractal Dimensions,
45 g/L, Test #2, Floc #3**

Floc #3 (Porosity Floc #11)				Box Area (μm^2)= 8761.760	
Pore #	Pore Area (μm^2)	Cumulative Pore Area (μm^2)	Residual Area (μm^2)	Log Normalized Pore Area	Log Normalized Residual Area
1	1511.805	1511.805	7249.954	-0.7631	-0.0823
2	721.778	2233.584	6528.176	-1.0842	-0.1278
3	406.972	2640.556	6121.204	-1.3330	-0.1558
4	343.341	2983.898	5777.862	-1.4069	-0.1808
5	156.965	3140.862	5620.898	-1.7468	-0.1928
6	154.823	3295.685	5466.075	-1.7528	-0.2049
7	145.134	3440.819	5320.941	-1.7808	-0.2166
8	131.790	3572.608	5189.152	-1.8227	-0.2275
9	59.343	3631.951	5129.809	-2.1692	-0.2325
10	56.991	3688.941	5072.818	-2.1868	-0.2373
11	53.432	3742.373	5019.387	-2.2148	-0.2419
12	43.819	3786.192	4975.567	-2.3009	-0.2457
13	43.215	3829.408	4932.352	-2.3070	-0.2495
14	38.596	3868.004	4893.756	-2.3560	-0.2529
15	30.294	3898.298	4863.462	-2.4612	-0.2556
16	28.849	3927.146	4834.613	-2.4825	-0.2582
17	25.237	3952.383	4809.377	-2.5406	-0.2605
18	19.580	3971.963	4789.797	-2.6508	-0.2623
19	17.476	3989.438	4772.321	-2.7002	-0.2639
20	15.788	4005.227	4756.533	-2.7443	-0.2653
21	13.064	4018.291	4743.469	-2.8265	-0.2665
22	9.546	4027.836	4733.924	-2.9628	-0.2674
23	8.007	4035.844	4725.916	-3.0391	-0.2681

Slope 1 = 0.038
Slope 2 = 0.125

Sierpinski Fractal Dimension 1 = 1.962
Sierpinski Fractal Dimension 2 = 1.875

**Table D.7.24. Calculation of Sierpinski Fractal Dimensions,
45 g/L, Test #2, Floc #4**

Floc #4 (Porosity Floc #23)				Box Area (μm^2)= 2168.955	
Pore #	Pore Area (μm^2)	Cumulative Pore Area (μm^2)	Residual Area (μm^2)	Log Normalized Pore Area	Log Normalized Residual Area
1	205.170	205.170	1963.785	-1.0241	-0.0432
2	86.599	291.770	1877.186	-1.3987	-0.0627
3	67.174	358.944	1810.011	-1.5090	-0.0786
4	56.756	415.700	1753.255	-1.5822	-0.0924
5	38.319	454.019	1714.937	-1.7528	-0.1020
6	38.003	492.021	1676.934	-1.7564	-0.1117
7	31.728	523.750	1645.206	-1.8348	-0.1200
8	29.459	553.209	1615.747	-1.8670	-0.1279
9	27.440	580.648	1588.307	-1.8979	-0.1353
10	19.020	599.669	1569.287	-2.0570	-0.1405
11	17.175	616.843	1552.112	-2.1014	-0.1453
12	16.967	633.810	1535.145	-2.1067	-0.1501
13	16.117	649.927	1519.028	-2.1290	-0.1547
14	5.469	655.397	1513.559	-2.5983	-0.1563
15	5.434	660.830	1508.125	-2.6012	-0.1578
16	4.639	665.469	1503.486	-2.6699	-0.1592
17	3.500	668.969	1499.986	-2.7922	-0.1602
18	3.474	672.443	1496.512	-2.7954	-0.1612
19	3.468	675.912	1493.044	-2.7962	-0.1622
20	3.144	679.055	1489.900	-2.8388	-0.1631
21	2.320	681.375	1487.580	-2.9708	-0.1638
22	2.308	683.683	1485.272	-2.9731	-0.1644
23	1.950	685.633	1483.322	-3.0462	-0.1650

Slope 1 = 0.013

Slope 2 = 0.107

Sierpinski Fractal Dimension 1 = 1.987

Sierpinski Fractal Dimension 2 = 1.893

**Table D.7.25. Calculation of Sierpinski Fractal Dimensions,
45 g/L, Test #2, Floc #5**

Floc #5 (Porosity Floc #28)				Box Area (μm^2) = 7777.261	
Pore #	Pore Area (μm^2)	Cumulative Pore Area (μm^2)	Residual Area (μm^2)	Log Normalized Pore Area	Log Normalized Residual Area
1	1580.367	1580.367	6196.894	-0.6921	-0.0987
2	939.947	2520.314	5256.947	-0.9177	-0.1701
3	527.846	3048.159	4729.101	-1.1683	-0.2160
4	330.394	3378.553	4398.707	-1.3718	-0.2475
5	255.827	3634.380	4142.880	-1.4829	-0.2735
6	108.615	3742.995	4034.266	-1.8549	-0.2851
7	97.045	3840.040	3937.220	-1.9039	-0.2956
8	57.965	3898.006	3879.255	-2.1277	-0.3021
9	39.163	3937.169	3840.092	-2.2980	-0.3065
10	29.993	3967.161	3810.099	-2.4138	-0.3099
11	27.391	3994.553	3782.708	-2.4532	-0.3130
12	20.235	4014.788	3762.473	-2.5847	-0.3154
13	15.249	4030.037	3747.224	-2.7076	-0.3171
14	12.050	4042.087	3735.174	-2.8099	-0.3185
15	10.949	4053.036	3724.225	-2.8515	-0.3198
16	9.306	4062.342	3714.919	-2.9220	-0.3209
17	9.252	4071.594	3705.666	-2.9246	-0.3220
18	9.047	4080.641	3696.619	-2.9343	-0.3230
19	8.386	4089.027	3688.234	-2.9673	-0.3240
20	7.823	4096.850	3680.411	-2.9975	-0.3249
21	5.914	4102.763	3674.497	-3.1190	-0.3256
22	5.824	4108.588	3668.673	-3.1256	-0.3263
23	5.458	4114.046	3663.215	-3.1538	-0.3270
24	4.420	4118.466	3658.795	-3.2454	-0.3275
25	3.937	4122.403	3654.858	-3.2957	-0.3280
26	3.772	4126.175	3651.086	-3.3143	-0.3284
27	3.597	4129.771	3647.489	-3.3349	-0.3288
28	2.823	4132.594	3644.667	-3.4402	-0.3292
29	2.006	4134.600	3642.660	-3.5884	-0.3294
30	1.964	4136.564	3640.696	-3.5977	-0.3296

Slope 1 = 0.025

Slope 2 = 0.211

Sierpinski Fractal Dimension 1 = 1.975

Sierpinski Fractal Dimension 2 = 1.789

**Table D.8.1. Calculation of Sierpinski Fractal Dimensions,
0 minutes, Time Response Test, Floc #1**

Floc #1 (Porosity Floc #6)				Box Area (μm^2)= 2592.380	
Pore #	Pore Area (μm^2)	Cumulative Pore Area (μm^2)	Residual Area (μm^2)	Log Normalized Pore Area	Log Normalized Residual Area
1	524.758	524.758	2067.622	-0.6937	-0.0982
2	178.381	703.139	1889.241	-1.1624	-0.1374
3	130.898	834.036	1758.344	-1.2968	-0.1686
4	55.975	890.011	1702.369	-1.6657	-0.1826
5	28.223	918.234	1674.145	-1.9631	-0.1899
6	17.994	936.228	1656.151	-2.1586	-0.1946
7	15.015	951.244	1641.136	-2.2372	-0.1986
8	10.470	961.714	1630.666	-2.3937	-0.2013
9	9.552	971.266	1621.113	-2.4336	-0.2039
10	7.726	978.993	1613.387	-2.5257	-0.2060
11	7.537	986.530	1605.850	-2.5365	-0.2080
12	6.816	993.347	1599.033	-2.5802	-0.2098
13	6.366	999.712	1592.667	-2.6098	-0.2116
14	3.775	1003.488	1588.892	-2.8368	-0.2126
15	3.737	1007.225	1585.155	-2.8412	-0.2136
16	3.726	1010.951	1581.429	-2.8424	-0.2146
17	3.241	1014.192	1578.188	-2.9030	-0.2155
18	2.505	1016.697	1575.683	-3.0149	-0.2162
19	2.023	1018.720	1573.660	-3.1077	-0.2168

Slope 1 = 0.025
Slope 2 = 0.090

Sierpinski Fractal Dimension 1 = 1.975
Sierpinski Fractal Dimension 2 = 1.910

**Table D.8.2. Calculation of Sierpinski Fractal Dimensions,
0 minutes, Time Response Test, Floc #2**

Floc #2 (Porosity Floc #11)				Box Area (μm^2)= 2905.636	
Pore #	Pore Area (μm^2)	Cumulative Pore Area (μm^2)	Residual Area (μm^2)	Log Normalized Pore Area	Log Normalized Residual Area
1	245.399	245.399	2660.237	-1.0734	-0.0383
2	172.293	417.693	2487.944	-1.2270	-0.0674
3	155.286	572.978	2332.658	-1.2721	-0.0954
4	100.559	673.538	2232.099	-1.4608	-0.1145
5	85.510	759.047	2146.589	-1.5312	-0.1315
6	52.325	811.372	2094.264	-1.7445	-0.1422
7	46.629	858.002	2047.635	-1.7946	-0.1520
8	32.214	890.216	2015.420	-1.9552	-0.1589
9	31.391	921.607	1984.030	-1.9664	-0.1657
10	21.649	943.256	1962.381	-2.1278	-0.1705
11	11.882	955.138	1950.499	-2.3883	-0.1731
12	9.508	964.646	1940.991	-2.4852	-0.1752
13	8.051	972.697	1932.940	-2.5574	-0.1770
14	6.354	979.051	1926.586	-2.6602	-0.1785
15	6.280	985.331	1920.305	-2.6653	-0.1799
16	5.624	990.955	1914.681	-2.7132	-0.1811
17	5.262	996.218	1909.419	-2.7421	-0.1823
18	4.122	1000.340	1905.296	-2.8481	-0.1833
19	4.031	1004.371	1901.265	-2.8578	-0.1842
20	3.291	1007.662	1897.974	-2.9459	-0.1850
21	3.289	1010.952	1894.685	-2.9461	-0.1857
22	3.209	1014.160	1891.476	-2.9569	-0.1864
23	2.485	1016.646	1888.991	-3.0678	-0.1870
24	2.480	1019.126	1886.511	-3.0688	-0.1876
25	2.446	1021.571	1884.065	-3.0749	-0.1881

Slope 1 = 0.020

Slope 2 = 0.129

Sierpinski Fractal Dimension 1 = 1.980

Sierpinski Fractal Dimension 2 = 1.871

**Table D.8.3. Calculation of Sierpinski Fractal Dimensions,
0 minutes, Time Response Test, Floc #3**

Floc #3 (Porosity Floc #14)				Box Area (μm^2) = 2707.306	
Pore #	Pore Area (μm^2)	Cumulative Pore Area (μm^2)	Residual Area (μm^2)	Log Normalized Pore Area	Log Normalized Residual Area
1	340.231	340.231	2367.075	-0.9008	-0.0583
2	203.081	543.312	2163.995	-1.1249	-0.0973
3	139.433	682.745	2024.561	-1.2882	-0.1262
4	96.061	778.806	1928.500	-1.4500	-0.1473
5	47.250	826.056	1881.250	-1.7581	-0.1581
6	33.312	859.367	1847.939	-1.9099	-0.1658
7	24.419	883.787	1823.520	-2.0448	-0.1716
8	22.334	906.121	1801.185	-2.0836	-0.1770
9	18.688	924.809	1782.498	-2.1610	-0.1815
10	16.481	941.290	1766.016	-2.2155	-0.1855
11	15.572	956.862	1750.444	-2.2402	-0.1894
12	11.364	968.226	1739.080	-2.3770	-0.1922
13	7.219	975.446	1731.860	-2.5740	-0.1940
14	6.711	982.157	1725.149	-2.6057	-0.1957
15	5.434	987.592	1719.715	-2.6974	-0.1971
16	4.582	992.173	1715.133	-2.7715	-0.1982
17	3.752	995.925	1711.381	-2.8583	-0.1992
18	3.460	999.385	1707.921	-2.8935	-0.2001
19	3.410	1002.795	1704.511	-2.8998	-0.2009
20	3.355	1006.150	1701.156	-2.9069	-0.2018
21	2.977	1009.127	1698.179	-2.9588	-0.2026
22	2.580	1011.707	1695.599	-3.0209	-0.2032
23	2.566	1014.273	1693.033	-3.0232	-0.2039
24	2.129	1016.402	1690.904	-3.1043	-0.2044
25	2.112	1018.514	1688.792	-3.1079	-0.2050

Slope 1 = 0.018
Slope 2 = 0.084

Sierpinski Fractal Dimension 1 = 1.982
Sierpinski Fractal Dimension 2 = 1.916

**Table D.8.4. Calculation of Sierpinski Fractal Dimensions,
0 minutes, Time Response Test, Floc #4**

Floc #4 (Porosity Floc #16)				Box Area (μm^2)= 2944.615	
Pore #	Pore Area (μm^2)	Cumulative Pore Area (μm^2)	Residual Area (μm^2)	Log Normalized Pore Area	Log Normalized Residual Area
1	541.941	541.941	2402.674	-0.7351	-0.0883
2	276.967	818.907	2125.708	-1.0266	-0.1415
3	86.656	905.563	2039.052	-1.5312	-0.1596
4	67.908	973.471	1971.144	-1.6371	-0.1743
5	54.201	1027.671	1916.944	-1.7350	-0.1864
6	49.578	1077.249	1867.366	-1.7737	-0.1978
7	46.648	1123.898	1820.717	-1.8002	-0.2088
8	30.529	1154.427	1790.188	-1.9843	-0.2161
9	28.700	1183.127	1761.488	-2.0111	-0.2231
10	23.310	1206.437	1738.178	-2.1015	-0.2289
11	11.921	1218.358	1726.257	-2.3927	-0.2319
12	7.798	1226.156	1718.459	-2.5770	-0.2339
13	7.362	1233.518	1711.097	-2.6020	-0.2358
14	5.821	1239.339	1705.276	-2.7040	-0.2372
15	5.648	1244.988	1699.627	-2.7171	-0.2387
16	4.894	1249.882	1694.733	-2.7794	-0.2399
17	4.869	1254.751	1689.864	-2.7816	-0.2412
18	4.429	1259.180	1685.435	-2.8227	-0.2423
19	4.352	1263.531	1681.083	-2.8304	-0.2434
20	3.576	1267.107	1677.508	-2.9157	-0.2444
21	3.106	1270.213	1674.402	-2.9768	-0.2452
22	3.070	1273.284	1671.331	-2.9818	-0.2460
23	2.615	1275.899	1668.716	-3.0515	-0.2466
24	2.172	1278.070	1666.545	-3.1323	-0.2472
25	2.162	1280.232	1664.383	-3.1343	-0.2478

Slope 1 = 0.021
Slope 2 = 0.097

Sierpinski Fractal Dimension 1 = 1.979
Sierpinski Fractal Dimension 2 = 1.903

**Table D.8.5. Calculation of Sierpinski Fractal Dimensions,
0 minutes, Time Response Test, Floc #5**

Floc #5 (Porosity Floc #24)				Box Area (μm^2)= 6536.579	
Pore #	Pore Area (μm^2)	Cumulative Pore Area (μm^2)	Residual Area (μm^2)	Log Normalized Pore Area	Log Normalized Residual Area
1	642.165	642.165	5894.413	-1.0077	-0.0449
2	584.083	1226.249	5310.330	-1.0489	-0.0902
3	348.293	1574.542	4962.037	-1.2734	-0.1197
4	284.479	1859.021	4677.557	-1.3613	-0.1453
5	209.987	2069.008	4467.570	-1.4932	-0.1653
6	175.226	2244.234	4292.344	-1.5718	-0.1827
7	129.791	2374.025	4162.553	-1.7021	-0.1960
8	104.068	2478.093	4058.485	-1.7980	-0.2070
9	92.983	2571.076	3965.503	-1.8469	-0.2171
10	43.080	2614.156	3922.422	-2.1811	-0.2218
11	18.823	2632.979	3903.599	-2.5407	-0.2239
12	16.317	2649.296	3887.283	-2.6027	-0.2257
13	8.065	2657.360	3879.218	-2.9088	-0.2266
14	7.590	2664.950	3871.628	-2.9351	-0.2275
15	6.840	2671.790	3864.788	-2.9803	-0.2282
16	6.593	2678.383	3858.195	-2.9963	-0.2290
17	6.435	2684.818	3851.760	-3.0068	-0.2297
18	6.423	2691.241	3845.338	-3.0076	-0.2304
19	4.055	2695.296	3841.283	-3.2074	-0.2309
20	3.624	2698.919	3837.659	-3.2562	-0.2313
21	3.421	2702.340	3834.238	-3.2812	-0.2317
22	3.389	2705.730	3830.849	-3.2852	-0.2321
23	3.378	2709.107	3827.471	-3.2867	-0.2324
24	3.372	2712.479	3824.100	-3.2875	-0.2328
25	3.250	2715.729	3820.850	-3.3035	-0.2332
26	3.163	2718.891	3817.687	-3.3153	-0.2336
27	3.157	2722.048	3814.530	-3.3161	-0.2339
28	3.013	2725.061	3811.517	-3.3363	-0.2343
29	2.997	2728.059	3808.520	-3.3386	-0.2346
30	2.897	2730.955	3805.623	-3.3534	-0.2349
31	2.895	2733.850	3802.728	-3.3537	-0.2353
32	2.452	2736.302	3800.276	-3.4258	-0.2355
33	2.439	2738.741	3797.837	-3.4282	-0.2358
34	1.988	2740.729	3795.850	-3.5170	-0.2360

Slope 1 = 0.011
Slope 2 = 0.184

Sierpinski Fractal Dimension 1 = 1.989
Sierpinski Fractal Dimension 2 = 1.816

**Table D.8.6. Calculation of Sierpinski Fractal Dimensions,
1 minute, Time Response Test, Floc #1**

Floc #1 (Porosity Floc #4)				Box Area (μm^2)= 1613.186	
Pore #	Pore Area (μm^2)	Cumulative Pore Area (μm^2)	Residual Area (μm^2)	Log Normalized Pore Area	Log Normalized Residual Area
1	123.079	123.079	4070.647	-1.5324	-0.0129
2	108.514	231.593	3962.133	-1.5871	-0.0247
3	87.951	319.544	3874.182	-1.6784	-0.0344
4	51.423	370.967	3822.759	-1.9114	-0.0402
5	46.873	417.840	3775.886	-1.9517	-0.0456
6	44.112	461.953	3731.774	-1.9780	-0.0507
7	24.973	486.926	3706.800	-2.2251	-0.0536
8	24.944	511.870	3681.856	-2.2256	-0.0565
9	22.217	534.087	3659.639	-2.2759	-0.0592
10	19.828	553.914	3639.812	-2.3253	-0.0615
11	10.096	564.011	3629.715	-2.6184	-0.0627
12	8.298	572.309	3621.417	-2.7036	-0.0637
13	7.416	579.725	3614.001	-2.7524	-0.0646
14	5.558	585.283	3608.443	-2.8777	-0.0653
15	4.399	589.682	3604.044	-2.9793	-0.0658
16	3.826	593.508	3600.219	-3.0399	-0.0663
17	2.605	596.113	3597.613	-3.2068	-0.0666
18	2.603	598.716	3595.010	-3.2071	-0.0669
19	2.568	601.284	3592.442	-3.2129	-0.0672
20	2.551	603.835	3589.891	-3.2159	-0.0675
21	2.126	605.961	3587.765	-3.2951	-0.0678

Slope 1 = 0.006

Slope 2 = 0.052

Sierpinski Fractal Dimension 1 = 1.994

Sierpinski Fractal Dimension 2 = 1.948

**Table D.8.7. Calculation of Sierpinski Fractal Dimensions,
1 minute, Time Response Test, Floc #2**

Floc #2 (Porosity Floc #7)				Box Area (μm^2)= 1472.174	
Pore #	Pore Area (μm^2)	Cumulative Pore Area (μm^2)	Residual Area (μm^2)	Log Normalized Pore Area	Log Normalized Residual Area
1	186.619	186.619	1285.554	-0.8970	-0.0589
2	136.495	323.115	1149.059	-1.0328	-0.1076
3	42.378	365.493	1106.681	-1.5408	-0.1239
4	42.120	407.613	1064.560	-1.5435	-0.1408
5	27.034	434.647	1037.526	-1.7360	-0.1520
6	23.189	457.836	1014.337	-1.8027	-0.1618
7	12.573	470.409	1001.764	-2.0685	-0.1672
8	12.126	482.535	989.639	-2.0842	-0.1725
9	5.822	488.357	983.817	-2.4029	-0.1750
10	5.765	494.122	978.052	-2.4072	-0.1776
11	3.697	497.819	974.354	-2.6001	-0.1792
12	3.346	501.165	971.008	-2.6434	-0.1807
13	2.501	503.666	968.507	-2.7699	-0.1819
14	2.448	506.114	966.059	-2.7791	-0.1830
15	2.086	508.200	963.974	-2.8487	-0.1839
16	2.051	510.251	961.922	-2.8560	-0.1848

Slope 1 = 0.020

Slope 2 = 0.094

Sierpinski Fractal Dimension 1 = 1.980

Sierpinski Fractal Dimension 2 = 1.906

**Table D.8.8. Calculation of Sierpinski Fractal Dimensions,
1 minute, Time Response Test, Floc #3**

Floc #3 (Porosity Floc #22)				Box Area (μm^2) = 3716.954	
Pore #	Pore Area (μm^2)	Cumulative Pore Area (μm^2)	Residual Area (μm^2)	Log Normalized Pore Area	Log Normalized Residual Area
1	312.940	312.940	3404.015	-1.0747	-0.0382
2	242.352	555.291	3161.663	-1.1857	-0.0703
3	191.381	746.672	2970.282	-1.2883	-0.0974
4	171.865	918.537	2798.417	-1.3350	-0.1233
5	134.388	1052.925	2664.029	-1.4418	-0.1446
6	128.090	1181.014	2535.940	-1.4627	-0.1660
7	116.345	1297.360	2419.594	-1.5044	-0.1864
8	110.764	1408.123	2308.831	-1.5258	-0.2068
9	89.494	1497.617	2219.337	-1.6184	-0.2240
10	33.642	1531.259	2185.695	-2.0433	-0.2306
11	24.137	1555.396	2161.558	-2.1875	-0.2354
12	17.656	1573.051	2143.903	-2.3233	-0.2390
13	14.853	1587.905	2129.049	-2.3984	-0.2420
14	13.218	1601.123	2115.831	-2.4490	-0.2447
15	12.861	1613.984	2102.970	-2.4609	-0.2474
16	11.690	1625.674	2091.280	-2.5024	-0.2498
17	10.115	1635.789	2081.165	-2.5652	-0.2519
18	7.404	1643.192	2073.762	-2.7007	-0.2534
19	7.215	1650.407	2066.547	-2.7120	-0.2549
20	5.829	1656.237	2060.717	-2.8046	-0.2562
21	5.528	1661.764	2055.190	-2.8277	-0.2573
22	5.011	1666.775	2050.179	-2.8703	-0.2584
23	4.708	1671.483	2045.471	-2.8973	-0.2594
24	3.877	1675.360	2041.594	-2.9817	-0.2602
25	3.354	1678.714	2038.240	-3.0446	-0.2609
26	3.288	1682.002	2034.952	-3.0533	-0.2616
27	2.419	1684.421	2032.533	-3.1865	-0.2621
28	2.160	1686.581	2030.373	-3.2357	-0.2626
29	1.936	1688.517	2028.437	-3.2832	-0.2630

Slope 1 = 0.026

Sierpinski Fractal Dimension 1 = 1.974

Slope 2 = 0.355

Sierpinski Fractal Dimension 2 = 1.645

**Table D.8.9. Calculation of Sierpinski Fractal Dimensions,
1 minute, Time Response Test, Floc #4**

Floc #4 (Porosity Floc #27)				Box Area (μm^2)= 2230.191	
Pore #	Pore Area (μm^2)	Cumulative Pore Area (μm^2)	Residual Area (μm^2)	Log Normalized Pore Area	Log Normalized Residual Area
1	453.194	453.194	1776.997	-0.6921	-0.0987
2	191.568	644.762	1585.429	-1.0660	-0.1482
3	125.094	769.856	1460.335	-1.2511	-0.1839
4	64.455	834.311	1395.880	-1.5391	-0.2035
5	49.699	884.010	1346.181	-1.6520	-0.2192
6	22.166	906.177	1324.015	-2.0026	-0.2264
7	19.605	925.782	1304.409	-2.0560	-0.2329
8	18.832	944.614	1285.577	-2.0735	-0.2392
9	9.908	954.522	1275.669	-2.3523	-0.2426
10	5.053	959.575	1270.616	-2.6448	-0.2443
11	4.585	964.160	1266.031	-2.6870	-0.2459
12	3.790	967.950	1262.241	-2.7697	-0.2472
13	3.763	971.712	1258.479	-2.7729	-0.2485
14	3.379	975.092	1255.099	-2.8195	-0.2497
15	2.966	978.058	1252.134	-2.8762	-0.2507
16	2.921	980.978	1249.213	-2.8829	-0.2517
17	2.070	983.049	1247.142	-3.0323	-0.2524

Slope 1 = 0.023
Slope 2 = 0.124

Sierpinski Fractal Dimension 1 = 1.977
Sierpinski Fractal Dimension 2 = 1.876

**Table D.8.10. Calculation of Sierpinski Fractal Dimensions,
1 minute, Time Response Test, Floc #5**

Floc #5 (Porosity Floc #29)				Box Area (μm^2)= 3649.297	
Pore #	Pore Area (μm^2)	Cumulative Pore Area (μm^2)	Residual Area (μm^2)	Log Normalized Pore Area	Log Normalized Residual Area
1	483.741	483.741	3165.556	-0.8776	-0.0618
2	440.185	923.926	2725.371	-0.9186	-0.1268
3	161.340	1085.266	2564.031	-1.3545	-0.1533
4	117.704	1202.970	2446.327	-1.4914	-0.1737
5	44.932	1247.902	2401.395	-1.9097	-0.1817
6	40.156	1288.058	2361.238	-1.9585	-0.1891
7	33.439	1321.497	2327.800	-2.0380	-0.1953
8	27.828	1349.326	2299.971	-2.1177	-0.2005
9	23.549	1372.875	2276.422	-2.1902	-0.2050
10	22.210	1395.085	2254.211	-2.2157	-0.2092
11	20.303	1415.388	2233.909	-2.2547	-0.2131
12	19.347	1434.735	2214.561	-2.2756	-0.2169
13	13.120	1447.856	2201.441	-2.4443	-0.2195
14	12.937	1460.793	2188.504	-2.4504	-0.2221
15	9.620	1470.413	2178.884	-2.5790	-0.2240
16	6.096	1476.509	2172.788	-2.7771	-0.2252
17	5.089	1481.598	2167.699	-2.8556	-0.2262
18	4.901	1486.499	2162.797	-2.8719	-0.2272
19	4.640	1491.140	2158.157	-2.8957	-0.2281
20	4.262	1495.401	2153.896	-2.9326	-0.2290
21	4.252	1499.654	2149.643	-2.9336	-0.2298
22	3.706	1503.360	2145.937	-2.9933	-0.2306
23	2.958	1506.317	2142.979	-3.0912	-0.2312
24	2.529	1508.847	2140.450	-3.1592	-0.2317
25	2.428	1511.275	2138.022	-3.1769	-0.2322
26	2.088	1513.363	2135.934	-3.2424	-0.2326
27	2.029	1515.392	2133.905	-3.2550	-0.2330

Slope 1 = 0.016

Slope 2 = 0.082

Sierpinski Fractal Dimension 1 = 1.984

Sierpinski Fractal Dimension 2 = 1.918

**Table D.8.11. Calculation of Sierpinski Fractal Dimensions,
5 minutes, Time Response Test, Floc #1**

Floc #1 (Porosity Floc #1)				Box Area (μm^2) = 2982.219	
Pore #	Pore Area (μm^2)	Cumulative Pore Area (μm^2)	Residual Area (μm^2)	Log Normalized Pore Area	Log Normalized Residual Area
1	364.671	364.671	2617.549	-0.9126	-0.0566
2	168.656	533.326	2448.893	-1.2475	-0.0856
3	94.791	628.117	2354.102	-1.4978	-0.1027
4	68.007	696.124	2286.095	-1.6420	-0.1154
5	63.298	759.422	2222.797	-1.6732	-0.1276
6	48.288	807.710	2174.510	-1.7907	-0.1372
7	36.638	844.348	2137.872	-1.9106	-0.1446
8	27.465	871.813	2110.407	-2.0358	-0.1502
9	24.418	896.230	2085.989	-2.0868	-0.1552
10	18.954	915.184	2067.036	-2.1968	-0.1592
11	18.096	933.279	2048.940	-2.2170	-0.1630
12	11.704	944.983	2037.236	-2.4062	-0.1655
13	9.175	954.158	2028.061	-2.5119	-0.1675
14	8.261	962.420	2019.800	-2.5575	-0.1692
15	6.571	968.991	2013.229	-2.6569	-0.1706
16	6.342	975.333	2006.887	-2.6723	-0.1720
17	4.573	979.906	2002.314	-2.8144	-0.1730
18	4.257	984.163	1998.057	-2.8454	-0.1739
19	3.314	987.477	1994.743	-2.9542	-0.1747
20	3.305	990.781	1991.438	-2.9554	-0.1754
21	2.921	993.703	1988.517	-3.0090	-0.1760
22	2.865	996.567	1985.652	-3.0174	-0.1766
23	2.504	999.071	1983.148	-3.0759	-0.1772
24	2.107	1001.178	1981.041	-3.1509	-0.1776

Slope 1 = 0.016
Slope 2 = 0.082

Sierpinski Fractal Dimension 1 = 1.984
Sierpinski Fractal Dimension 2 = 1.918

**Table D.8.12. Calculation of Sierpinski Fractal Dimensions,
5 minutes, Time Response Test, Floc #2**

Floc #2 (Porosity Floc #2)				Box Area (μm^2)= 4447.811	
Pore #	Pore Area (μm^2)	Cumulative Pore Area (μm^2)	Residual Area (μm^2)	Log Normalized Pore Area	Log Normalized Residual Area
1	1387.514	1387.514	3060.297	-0.5059	-0.1624
2	324.584	1712.098	2735.713	-1.1368	-0.2111
3	119.017	1831.116	2616.695	-1.5725	-0.2304
4	112.332	1943.448	2504.363	-1.5976	-0.2494
5	104.200	2047.648	2400.163	-1.6303	-0.2679
6	76.618	2124.266	2323.545	-1.7638	-0.2820
7	61.950	2186.216	2261.595	-1.8561	-0.2937
8	43.410	2229.626	2218.185	-2.0106	-0.3021
9	41.612	2271.238	2176.573	-2.0289	-0.3104
10	37.970	2309.207	2138.604	-2.0687	-0.3180
11	17.072	2326.279	2121.532	-2.4159	-0.3215
12	14.358	2340.637	2107.174	-2.4910	-0.3244
13	10.432	2351.069	2096.742	-2.6298	-0.3266
14	7.320	2358.389	2089.422	-2.7837	-0.3281
15	7.261	2365.650	2082.161	-2.7871	-0.3296
16	7.138	2372.788	2075.024	-2.7946	-0.3311
17	6.961	2379.748	2068.063	-2.8055	-0.3326
18	6.016	2385.764	2062.047	-2.8688	-0.3338
19	5.809	2391.573	2056.238	-2.8840	-0.3351
20	4.436	2396.009	2051.802	-3.0012	-0.3360
21	4.233	2400.242	2047.569	-3.0215	-0.3369
22	4.115	2404.356	2043.455	-3.0338	-0.3378
23	3.716	2408.072	2039.739	-3.0781	-0.3386
24	3.689	2411.761	2036.050	-3.0813	-0.3394
25	3.202	2414.963	2032.848	-3.1427	-0.3400
26	2.967	2417.930	2029.881	-3.1758	-0.3407
27	2.524	2420.454	2027.357	-3.2461	-0.3412
28	2.462	2422.916	2024.895	-3.2568	-0.3417
29	1.982	2424.898	2022.913	-3.3511	-0.3422
30	1.965	2426.863	2020.948	-3.3547	-0.3426

Slope 1 = 0.022
Slope 2 = 0.100

Sierpinski Fractal Dimension 1 = 1.978
Sierpinski Fractal Dimension 2 = 1.900

**Table D.8.13. Calculation of Sierpinski Fractal Dimensions,
5 minutes, Time Response Test, Floc #3**

Floc #3 (Porosity Floc #5)				Box Area (μm^2)= 5552.810	
Pore #	Pore Area (μm^2)	Cumulative Pore Area (μm^2)	Residual Area (μm^2)	Log Normalized Pore Area	Log Normalized Residual Area
1	351.580	351.580	5201.230	-1.1985	-0.0284
2	281.583	633.163	4919.647	-1.2949	-0.0526
3	242.257	875.420	4677.390	-1.3602	-0.0745
4	210.488	1085.908	4466.902	-1.4213	-0.0945
5	196.630	1282.537	4270.272	-1.4509	-0.1141
6	114.914	1397.452	4155.358	-1.6841	-0.1259
7	105.647	1503.098	4049.711	-1.7207	-0.1371
8	68.757	1571.855	3980.955	-1.9072	-0.1445
9	62.652	1634.506	3918.303	-1.9476	-0.1514
10	61.581	1696.087	3856.722	-1.9551	-0.1583
11	57.776	1753.864	3798.946	-1.9828	-0.1648
12	54.747	1808.611	3744.199	-2.0062	-0.1712
13	49.346	1857.957	3694.853	-2.0513	-0.1769
14	40.177	1898.134	3654.676	-2.1405	-0.1817
15	38.951	1937.085	3615.725	-2.1540	-0.1863
16	37.147	1974.232	3578.578	-2.1746	-0.1908
17	25.755	1999.987	3552.823	-2.3337	-0.1939
18	24.069	2024.055	3528.754	-2.3631	-0.1969
19	23.368	2047.423	3505.386	-2.3759	-0.1998
20	17.616	2065.039	3487.771	-2.4986	-0.2020
21	13.681	2078.720	3474.089	-2.6084	-0.2037
22	12.514	2091.234	3461.575	-2.6471	-0.2052
23	9.783	2101.017	3451.793	-2.7541	-0.2065
24	5.672	2106.689	3446.120	-2.9907	-0.2072
25	4.954	2111.643	3441.166	-3.0496	-0.2078
26	4.884	2116.528	3436.282	-3.0557	-0.2084
27	4.787	2121.315	3431.495	-3.0644	-0.2090
28	4.392	2125.707	3427.103	-3.1018	-0.2096
29	4.173	2129.880	3422.930	-3.1241	-0.2101
30	3.629	2133.509	3419.300	-3.1847	-0.2106
31	3.605	2137.114	3415.696	-3.1877	-0.2110
32	3.595	2140.709	3412.100	-3.1888	-0.2115
33	3.571	2144.280	3408.530	-3.1918	-0.2119
34	2.879	2147.159	3405.651	-3.2852	-0.2123
35	2.806	2149.965	3402.844	-3.2964	-0.2127
36	1.987	2151.952	3400.857	-3.4463	-0.2129

Slope 1 = 0.012
Slope 2 = 0.132

Sierpinski Fractal Dimension 1 = 1.988
Sierpinski Fractal Dimension 2 = 1.868

**Table D.8.14. Calculation of Sierpinski Fractal Dimensions,
5 minutes, Time Response Test, Floc #4**

Floc #4 (Porosity Floc #8)				Box Area (μm^2) = 3126.636	
Pore #	Pore Area (μm^2)	Cumulative Pore Area (μm^2)	Residual Area (μm^2)	Log Normalized Pore Area	Log Normalized Residual Area
1	778.303	778.303	2348.333	-0.6039	-0.1243
2	211.736	990.039	2136.597	-1.1693	-0.1654
3	149.360	1139.398	1987.238	-1.3208	-0.1968
4	94.471	1233.869	1892.767	-1.5198	-0.2180
5	72.569	1306.439	1820.197	-1.6343	-0.2350
6	37.642	1344.080	1782.556	-1.9194	-0.2440
7	18.608	1362.688	1763.948	-2.2254	-0.2486
8	11.226	1373.914	1752.722	-2.4449	-0.2514
9	9.898	1383.811	1742.824	-2.4995	-0.2538
10	9.653	1393.464	1733.172	-2.5104	-0.2562
11	7.760	1401.224	1725.412	-2.6052	-0.2582
12	7.435	1408.659	1717.976	-2.6238	-0.2601
13	6.220	1414.879	1711.757	-2.7013	-0.2616
14	4.831	1419.710	1706.926	-2.8110	-0.2629
15	4.223	1423.933	1702.703	-2.8694	-0.2639
16	2.508	1426.441	1700.195	-3.0958	-0.2646
17	2.442	1428.883	1697.753	-3.1073	-0.2652
18	2.404	1431.287	1695.349	-3.1142	-0.2658
19	2.101	1433.388	1693.248	-3.1727	-0.2664

Slope 1 = 0.020
Slope 2 = 0.107

Sierpinski Fractal Dimension 1 = 1.980
Sierpinski Fractal Dimension 2 = 1.893

**Table D.8.15. Calculation of Sierpinski Fractal Dimensions,
5 minutes, Time Response Test, Floc #5**

Floc #5 (Porosity Floc #23)				Box Area (μm^2) = 5634.769	
Pore #	Pore Area (μm^2)	Cumulative Pore Area (μm^2)	Residual Area (μm^2)	Log Normalized Pore Area	Log Normalized Residual Area
1	1262.731	1262.731	4372.038	-0.6496	-0.1102
2	277.036	1539.767	4095.002	-1.3083	-0.1386
3	192.847	1732.614	3902.155	-1.4657	-0.1596
4	120.289	1852.902	3781.867	-1.6707	-0.1732
5	117.010	1969.912	3664.857	-1.6827	-0.1868
6	42.105	2012.017	3622.752	-2.1265	-0.1918
7	40.794	2052.810	3581.959	-2.1403	-0.1968
8	21.036	2073.846	3560.923	-2.4279	-0.1993
9	16.351	2090.197	3544.572	-2.5373	-0.2013
10	15.971	2106.168	3528.601	-2.5476	-0.2033
11	13.428	2119.597	3515.172	-2.6228	-0.2049
12	11.549	2131.146	3503.623	-2.6883	-0.2064
13	7.571	2138.717	3496.052	-2.8717	-0.2073
14	6.893	2145.610	3489.159	-2.9125	-0.2082
15	6.833	2152.443	3482.326	-2.9163	-0.2090
16	5.722	2158.165	3476.604	-2.9933	-0.2097
17	5.669	2163.834	3470.935	-2.9974	-0.2104
18	5.338	2169.172	3465.597	-3.0235	-0.2111
19	3.856	2173.028	3461.741	-3.1648	-0.2116
20	3.324	2176.352	3458.417	-3.2292	-0.2120
21	3.312	2179.664	3455.105	-3.2308	-0.2124
22	2.551	2182.215	3452.554	-3.3442	-0.2127
23	2.539	2184.754	3450.015	-3.3463	-0.2131
24	2.497	2187.250	3447.519	-3.3535	-0.2134
25	2.474	2189.724	3445.045	-3.3576	-0.2137
26	2.434	2192.158	3442.611	-3.3645	-0.2140
27	2.101	2194.260	3440.509	-3.4284	-0.2143

Slope 1 = 0.014

Slope 2 = 0.059

Sierpinski Fractal Dimension 1 = 1.986

Sierpinski Fractal Dimension 2 = 1.941

**Table D.8.16. Calculation of Sierpinski Fractal Dimensions,
10 minutes, Time Response Test, Floc #1**

Floc #1 (Porosity Floc #3)				Box Area (μm^2) = 3902.434	
Pore #	Pore Area (μm^2)	Cumulative Pore Area (μm^2)	Residual Area (μm^2)	Log Normalized Pore Area	Log Normalized Residual Area
1	1174.085	1174.085	2728.349	-0.5216	-0.1554
2	179.999	1354.084	2548.350	-1.3361	-0.1851
3	99.934	1454.018	2448.416	-1.5916	-0.2025
4	90.389	1544.407	2358.027	-1.6352	-0.2188
5	60.547	1604.954	2297.480	-1.8092	-0.2301
6	39.711	1644.665	2257.768	-1.9924	-0.2377
7	32.335	1677.000	2225.434	-2.0817	-0.2439
8	25.985	1702.985	2199.448	-2.1766	-0.2490
9	24.158	1727.143	2175.290	-2.2083	-0.2538
10	8.809	1735.952	2166.482	-2.6464	-0.2556
11	7.247	1743.199	2159.235	-2.7312	-0.2570
12	5.526	1748.725	2153.709	-2.8489	-0.2581
13	4.118	1752.843	2149.591	-2.9766	-0.2590
14	3.187	1756.030	2146.404	-3.0879	-0.2596
15	2.923	1758.953	2143.481	-3.1255	-0.2602
16	2.908	1761.861	2140.572	-3.1277	-0.2608
17	2.804	1764.665	2137.769	-3.1436	-0.2614
18	2.094	1766.759	2135.675	-3.2704	-0.2618
19	2.076	1768.835	2133.599	-3.2741	-0.2622
20	2.066	1770.901	2131.533	-3.2763	-0.2626
21	2.058	1772.959	2129.475	-3.2779	-0.2631
22	2.057	1775.016	2127.418	-3.2781	-0.2635
23	2.051	1777.067	2125.367	-3.2794	-0.2639
24	2.047	1779.114	2123.320	-3.2801	-0.2643

Slope 1 = 0.010
Slope 2 = 0.061

Sierpinski Fractal Dimension 1 = 1.990
Sierpinski Fractal Dimension 2 = 1.939

**Table D.8.17. Calculation of Sierpinski Fractal Dimensions,
10 minutes, Time Response Test, Floc #2**

Floc #2 (Porosity Floc #5)				Box Area (μm^2)= 4444.348	
Pore #	Pore Area (μm^2)	Cumulative Pore Area (μm^2)	Residual Area (μm^2)	Log Normalized Pore Area	Log Normalized Residual Area
1	689.218	689.218	3755.130	-0.8095	-0.0732
2	381.476	1070.694	3373.654	-1.0663	-0.1197
3	148.297	1218.991	3225.357	-1.4767	-0.1392
4	111.575	1330.567	3113.782	-1.6002	-0.1545
5	88.695	1419.262	3025.086	-1.6999	-0.1671
6	69.113	1488.375	2955.973	-1.8082	-0.1771
7	58.576	1546.951	2897.397	-1.8801	-0.1858
8	57.702	1604.653	2839.695	-1.8866	-0.1945
9	32.476	1637.129	2807.219	-2.1362	-0.1995
10	26.399	1663.528	2780.820	-2.2262	-0.2036
11	25.394	1688.922	2755.426	-2.2431	-0.2076
12	19.564	1708.486	2735.862	-2.3563	-0.2107
13	16.335	1724.822	2719.526	-2.4347	-0.2133
14	15.398	1740.220	2704.129	-2.4603	-0.2158
15	13.965	1754.184	2690.164	-2.5028	-0.2180
16	12.239	1766.424	2677.925	-2.5601	-0.2200
17	9.942	1776.366	2667.983	-2.6503	-0.2216
18	8.611	1784.977	2659.372	-2.7128	-0.2230
19	6.628	1791.604	2652.744	-2.8264	-0.2241
20	5.766	1797.371	2646.978	-2.8869	-0.2251
21	4.955	1802.326	2642.023	-2.9528	-0.2259
22	3.981	1806.306	2638.042	-3.0479	-0.2265
23	3.959	1810.265	2634.083	-3.0502	-0.2272
24	3.154	1813.419	2630.929	-3.1490	-0.2277
25	3.056	1816.474	2627.874	-3.1627	-0.2282
26	2.716	1819.190	2625.158	-3.2139	-0.2287
27	2.638	1821.829	2622.520	-3.2265	-0.2291

Slope 1 = 0.025

Slope 2 = 0.099

Sierpinski Fractal Dimension 1 = 1.975

Sierpinski Fractal Dimension 2 = 1.901

**Table D.8.18. Calculation of Sierpinski Fractal Dimensions,
10 minutes, Time Response Test, Floc #3**

Floc #3 (Porosity Floc #11)				Box Area (μm^2) = 5722.774	
Pore #	Pore Area (μm^2)	Cumulative Pore Area (μm^2)	Residual Area (μm^2)	Log Normalized Pore Area	Log Normalized Residual Area
1	2177.494	2177.494	3545.280	-0.4196	-0.2080
2	155.140	2332.634	3390.140	-1.5669	-0.2274
3	112.047	2444.681	3278.093	-1.7082	-0.2420
4	74.627	2519.308	3203.466	-1.8847	-0.2520
5	57.526	2576.834	3145.940	-1.9977	-0.2599
6	44.317	2621.151	3101.623	-2.1110	-0.2660
7	42.322	2663.473	3059.301	-2.1310	-0.2720
8	37.965	2701.438	3021.336	-2.1782	-0.2774
9	28.878	2730.315	2992.459	-2.2970	-0.2816
10	22.845	2753.160	2969.614	-2.3988	-0.2849
11	14.791	2767.950	2954.824	-2.5876	-0.2871
12	13.936	2781.886	2940.888	-2.6135	-0.2891
13	11.260	2793.146	2929.628	-2.7061	-0.2908
14	9.985	2803.130	2919.643	-2.7583	-0.2923
15	8.551	2811.681	2911.093	-2.8256	-0.2936
16	8.350	2820.031	2902.742	-2.8359	-0.2948
17	7.043	2827.075	2895.699	-2.9098	-0.2959
18	7.036	2834.111	2888.663	-2.9103	-0.2969
19	6.457	2840.568	2882.206	-2.9476	-0.2979
20	5.436	2846.004	2876.770	-3.0223	-0.2987
21	5.244	2851.249	2871.525	-3.0379	-0.2995
22	4.419	2855.668	2867.106	-3.1123	-0.3002
23	3.675	2859.343	2863.431	-3.1923	-0.3007
24	3.242	2862.584	2860.189	-3.2468	-0.3012
25	2.934	2865.519	2857.255	-3.2901	-0.3017
26	2.392	2867.911	2854.863	-3.3789	-0.3020
27	2.385	2870.296	2852.478	-3.3801	-0.3024
28	2.010	2872.307	2850.467	-3.4543	-0.3027

Slope 1 = 0.020
Slope 2 = 0.038

Sierpinski Fractal Dimension 1 = 1.980
Sierpinski Fractal Dimension 2 = 1.962

**Table D.8.19. Calculation of Sierpinski Fractal Dimensions,
10 minutes, Time Response Test, Floc #4**

Floc #4 (Porosity Floc #17)				Box Area (μm^2)= 1853.573	
Pore #	Pore Area (μm^2)	Cumulative Pore Area (μm^2)	Residual Area (μm^2)	Log Normalized Pore Area	Log Normalized Residual Area
1	689.963	689.963	1163.610	-0.4292	-0.2022
2	84.996	774.960	1078.613	-1.3386	-0.2351
3	40.729	815.689	1037.884	-1.6581	-0.2519
4	25.754	841.443	1012.130	-1.8572	-0.2628
5	20.205	861.648	991.925	-1.9625	-0.2715
6	9.988	871.637	981.936	-2.2685	-0.2759
7	8.105	879.742	973.831	-2.3592	-0.2795
8	8.079	887.821	965.752	-2.3606	-0.2831
9	5.762	893.583	959.990	-2.5074	-0.2857
10	4.312	897.896	955.677	-2.6333	-0.2877
11	3.123	901.019	952.554	-2.7735	-0.2891
12	2.634	903.652	949.921	-2.8475	-0.2903
13	2.209	905.861	947.712	-2.9239	-0.2913

Slope 1 = 0.021
Slope 2 = 0.044

Sierpinski Fractal Dimension 1 = 1.979
Sierpinski Fractal Dimension 2 = 1.956

**Table D.8.20. Calculation of Sierpinski Fractal Dimensions,
10 minutes, Time Response Test, Floc #5**

Floc #5 (Porosity Floc #23)				Box Area (μm^2)= 1613.926	
Pore #	Pore Area (μm^2)	Cumulative Pore Area (μm^2)	Residual Area (μm^2)	Log Normalized Pore Area	Log Normalized Residual Area
1	435.405	435.405	1178.521	-0.5690	-0.1365
2	108.804	544.209	1069.717	-1.1712	-0.1786
3	70.767	614.976	998.950	-1.3581	-0.2083
4	23.458	638.434	975.492	-1.8376	-0.2187
5	21.764	660.198	953.728	-1.8701	-0.2285
6	17.675	677.874	936.052	-1.9605	-0.2366
7	16.347	694.220	919.706	-1.9945	-0.2442
8	16.197	710.417	903.509	-1.9984	-0.2520
9	14.255	724.673	889.253	-2.0539	-0.2589
10	9.217	733.890	880.036	-2.2433	-0.2634
11	7.978	741.869	872.057	-2.3060	-0.2673
12	3.696	745.564	868.362	-2.6402	-0.2692
13	2.874	748.438	865.487	-2.7494	-0.2706
14	2.771	751.209	862.717	-2.7653	-0.2720
15	1.970	753.179	860.747	-2.9135	-0.2730

Slope 1 = 0.009

Slope 2 = 0.075

Sierpinski Fractal Dimension 1 = 1.991

Sierpinski Fractal Dimension 2 = 1.925

**Table D.8.21. Calculation of Sierpinski Fractal Dimensions,
15 minutes, Time Response Test, Floc #1**

Floc #1 (Porosity Floc #1)				Box Area (μm^2)= 6280.929	
Pore #	Pore Area (μm^2)	Cumulative Pore Area (μm^2)	Residual Area (μm^2)	Log Normalized Pore Area	Log Normalized Residual Area
1	1087.516	1087.516	5193.413	-0.7616	-0.0826
2	560.634	1648.150	4632.779	-1.0493	-0.1322
3	384.158	2032.308	4248.621	-1.2135	-0.1698
4	201.456	2233.764	4047.164	-1.4938	-0.1909
5	154.228	2387.992	3892.937	-1.6099	-0.2077
6	86.793	2474.785	3806.144	-1.8595	-0.2175
7	73.024	2547.809	3733.120	-1.9346	-0.2260
8	59.108	2606.917	3674.012	-2.0264	-0.2329
9	35.539	2642.456	3638.473	-2.2473	-0.2371
10	28.710	2671.165	3609.763	-2.3400	-0.2405
11	26.743	2697.909	3583.020	-2.3708	-0.2438
12	26.240	2724.149	3556.780	-2.3791	-0.2470
13	23.007	2747.156	3533.773	-2.4362	-0.2498
14	22.500	2769.656	3511.273	-2.4458	-0.2526
15	17.751	2787.407	3493.521	-2.5488	-0.2548
16	9.560	2796.967	3483.961	-2.8176	-0.2560
17	6.024	2802.992	3477.937	-3.0181	-0.2567
18	5.729	2808.720	3472.208	-3.0400	-0.2574
19	4.918	2813.638	3467.290	-3.1062	-0.2580
20	4.731	2818.369	3462.560	-3.1231	-0.2586
21	4.289	2822.659	3458.270	-3.1656	-0.2592
22	3.488	2826.146	3454.782	-3.2555	-0.2596
23	3.151	2829.297	3451.631	-3.2996	-0.2600
24	2.809	2832.106	3448.823	-3.3495	-0.2604
25	2.724	2834.831	3446.098	-3.3627	-0.2607
26	2.434	2837.264	3443.664	-3.4118	-0.2610
27	2.341	2839.605	3441.323	-3.4286	-0.2613
28	2.336	2841.942	3438.987	-3.4295	-0.2616
29	1.990	2843.932	3436.997	-3.4992	-0.2618
30	1.966	2845.898	3435.031	-3.5045	-0.2621
31	1.956	2847.854	3433.075	-3.5066	-0.2623
32	1.952	2849.806	3431.123	-3.5075	-0.2626
33	1.941	2851.746	3429.183	-3.5101	-0.2628

Slope 1 = 0.016

Slope 2 = 0.112

Sierpinski Fractal Dimension 1 = 1.984

Sierpinski Fractal Dimension 2 = 1.888

**Table D.8.22. Calculation of Sierpinski Fractal Dimensions,
15 minutes, Time Response Test, Floc #2**

Floc #2 (Porosity Floc #6)				Box Area (μm^2)= 2030.428	
Pore #	Pore Area (μm^2)	Cumulative Pore Area (μm^2)	Residual Area (μm^2)	Log Normalized Pore Area	Log Normalized Residual Area
1	268.952	268.952	1761.476	-0.8779	-0.0617
2	263.662	532.614	1497.814	-0.8865	-0.1321
3	83.660	616.274	1414.155	-1.3851	-0.1571
4	50.254	666.528	1363.901	-1.6064	-0.1728
5	27.030	693.558	1336.870	-1.8757	-0.1815
6	24.344	717.902	1312.527	-1.9212	-0.1895
7	15.820	733.721	1296.707	-2.1084	-0.1947
8	13.887	747.608	1282.820	-2.1650	-0.1994
9	13.614	761.222	1269.206	-2.1736	-0.2041
10	11.770	772.993	1257.436	-2.2368	-0.2081
11	10.866	783.859	1246.570	-2.2715	-0.2119
12	10.161	794.020	1236.409	-2.3006	-0.2154
13	7.979	801.999	1228.429	-2.4056	-0.2182
14	5.893	807.891	1222.537	-2.5373	-0.2203
15	3.818	811.710	1218.719	-2.7257	-0.2217
16	3.756	815.466	1214.962	-2.7328	-0.2230
17	3.716	819.182	1211.246	-2.7375	-0.2244
18	3.384	822.566	1207.862	-2.7781	-0.2256
19	2.556	825.122	1205.306	-2.9001	-0.2265
20	2.554	827.676	1202.752	-2.9004	-0.2274
21	2.545	830.221	1200.207	-2.9018	-0.2283
22	2.521	832.742	1197.686	-2.9061	-0.2292
23	2.126	834.868	1195.561	-2.9801	-0.2300
24	2.116	836.983	1193.445	-2.9821	-0.2308
25	2.110	839.094	1191.335	-2.9832	-0.2316
26	2.055	841.149	1189.280	-2.9948	-0.2323

Slope 1 = 0.023

Slope 2 = 0.079

Sierpinski Fractal Dimension 1 = 1.977

Sierpinski Fractal Dimension 2 = 1.921

**Table D.8.23. Calculation of Sierpinski Fractal Dimensions,
15 minutes, Time Response Test, Floc #3**

Floc #3 (Porosity Floc #9)				Box Area (μm^2) = 2443.113	
Pore #	Pore Area (μm^2)	Cumulative Pore Area (μm^2)	Residual Area (μm^2)	Log Normalized Pore Area	Log Normalized Residual Area
1	305.813	305.813	2137.299	-0.9025	-0.0581
2	242.677	548.490	1894.622	-1.0029	-0.1104
3	91.728	640.218	1802.895	-1.4254	-0.1320
4	77.192	717.410	1725.703	-1.5004	-0.1510
5	38.254	755.663	1687.449	-1.8053	-0.1607
6	35.091	790.754	1652.358	-1.8427	-0.1698
7	32.016	822.771	1620.342	-1.8826	-0.1783
8	21.037	843.808	1599.304	-2.0650	-0.1840
9	17.567	861.375	1581.737	-2.1432	-0.1888
10	15.425	876.800	1566.312	-2.1997	-0.1931
11	9.922	886.722	1556.391	-2.3914	-0.1958
12	8.675	895.396	1547.716	-2.4497	-0.1983
13	6.369	901.766	1541.347	-2.5838	-0.2000
14	4.700	906.466	1536.647	-2.7158	-0.2014
15	3.467	909.933	1533.179	-2.8479	-0.2024
16	2.713	912.647	1530.466	-2.9544	-0.2031
17	2.332	914.979	1528.134	-3.0202	-0.2038
18	2.234	917.212	1525.900	-3.0389	-0.2044
19	1.886	919.098	1524.015	-3.1124	-0.2050

Slope 1 = 0.012
Slope 2 = 0.089

Sierpinski Fractal Dimension 1 = 1.988
Sierpinski Fractal Dimension 2 = 1.911

**Table D.8.24. Calculation of Sierpinski Fractal Dimensions,
15 minutes, Time Response Test, Floc #4**

Floc #4 (Porosity Floc #13)				Box Area (μm^2)= 3402.796	
Pore #	Pore Area (μm^2)	Cumulative Pore Area (μm^2)	Residual Area (μm^2)	Log Normalized Pore Area	Log Normalized Residual Area
1	667.267	667.267	2735.529	-0.7075	-0.0948
2	414.977	1082.244	2320.552	-0.9138	-0.1662
3	84.478	1166.722	2236.074	-1.6051	-0.1823
4	73.307	1240.029	2162.767	-1.6667	-0.1968
5	65.929	1305.957	2096.839	-1.7128	-0.2103
6	35.758	1341.715	2061.080	-1.9785	-0.2177
7	33.161	1374.876	2027.920	-2.0112	-0.2248
8	25.083	1399.959	2002.837	-2.1325	-0.2302
9	23.837	1423.796	1979.000	-2.1546	-0.2354
10	20.925	1444.721	1958.075	-2.2112	-0.2400
11	19.736	1464.457	1938.339	-2.2366	-0.2444
12	17.233	1481.690	1921.105	-2.2955	-0.2483
13	15.109	1496.799	1905.996	-2.3526	-0.2517
14	10.455	1507.255	1895.541	-2.5125	-0.2541
15	8.329	1515.584	1887.211	-2.6112	-0.2560
16	8.225	1523.809	1878.987	-2.6167	-0.2579
17	7.325	1531.134	1871.662	-2.6671	-0.2596
18	6.155	1537.289	1865.507	-2.7426	-0.2610
19	3.587	1540.876	1861.920	-2.9771	-0.2619
20	3.321	1544.197	1858.599	-3.0105	-0.2627
21	3.252	1547.449	1855.347	-3.0197	-0.2634
22	2.925	1550.374	1852.422	-3.0657	-0.2641
23	2.460	1552.834	1849.962	-3.1409	-0.2647
24	2.408	1555.242	1847.554	-3.1501	-0.2652
25	2.406	1557.647	1845.148	-3.1506	-0.2658
26	2.039	1559.686	1843.109	-3.2225	-0.2663

Slope 1 = 0.016

Slope 2 = 0.080

Sierpinski Fractal Dimension 1 = 1.984

Sierpinski Fractal Dimension 2 = 1.920

**Table D.8.25. Calculation of Sierpinski Fractal Dimensions,
15 minutes, Time Response Test, Floc #5**

Floc #5 (Porosity Floc #18)				Box Area (μm^2) = 2320.161	
Pore #	Pore Area (μm^2)	Cumulative Pore Area (μm^2)	Residual Area (μm^2)	Log Normalized Pore Area	Log Normalized Residual Area
1	601.223	601.223	1718.938	-0.5865	-0.1303
2	194.247	795.470	1524.691	-1.0772	-0.1823
3	179.436	974.905	1345.256	-1.1116	-0.2367
4	139.923	1114.828	1205.333	-1.2196	-0.2844
5	94.107	1208.935	1111.226	-1.3919	-0.3197
6	80.779	1289.714	1030.447	-1.4582	-0.3525
7	30.271	1319.985	1000.176	-1.8845	-0.3654
8	16.402	1336.387	983.774	-2.1506	-0.3726
9	9.194	1345.581	974.580	-2.4020	-0.3767
10	8.089	1353.670	966.491	-2.4576	-0.3803
11	7.622	1361.292	958.869	-2.4834	-0.3838
12	4.785	1366.077	954.084	-2.6857	-0.3859
13	4.308	1370.385	949.776	-2.7313	-0.3879
14	4.243	1374.627	945.534	-2.7379	-0.3898
15	4.001	1378.629	941.532	-2.7633	-0.3917
16	3.605	1382.234	937.927	-2.8086	-0.3933
17	2.704	1384.938	935.223	-2.9335	-0.3946
18	2.366	1387.304	932.857	-2.9915	-0.3957
19	2.355	1389.658	930.502	-2.9936	-0.3968
20	1.985	1391.644	928.517	-3.0677	-0.3977

Slope 1 = 0.029
Slope 2 = 0.257

Sierpinski Fractal Dimension 1 = 1.971
Sierpinski Fractal Dimension 2 = 1.743

**Table D.8.26. Calculation of Sierpinski Fractal Dimensions,
30 minutes, Time Response Test, Floc #1**

Floc #1 (Porosity Floc #7)				Box Area (μm^2) = 2042.671	
Pore #	Pore Area (μm^2)	Cumulative Pore Area (μm^2)	Residual Area (μm^2)	Log Normalized Pore Area	Log Normalized Residual Area
1	378.868	378.868	1663.803	-0.7317	-0.0891
2	334.333	713.201	1329.470	-0.7860	-0.1865
3	102.797	815.998	1226.672	-1.2982	-0.2215
4	81.076	897.074	1145.597	-1.4013	-0.2512
5	46.741	943.815	1098.856	-1.6405	-0.2693
6	40.930	984.745	1057.926	-1.6982	-0.2857
7	30.120	1014.865	1027.806	-1.8314	-0.2983
8	14.728	1029.592	1013.078	-2.1421	-0.3046
9	10.668	1040.260	1002.410	-2.2821	-0.3092
10	7.150	1047.410	995.260	-2.4559	-0.3123
11	5.883	1053.293	989.377	-2.5406	-0.3148
12	4.412	1057.706	984.965	-2.6655	-0.3168
13	3.269	1060.974	981.696	-2.7958	-0.3182
14	2.954	1063.928	978.743	-2.8398	-0.3195
15	2.418	1066.346	976.325	-2.9267	-0.3206
16	2.068	1068.414	974.257	-2.9946	-0.3215
17	2.023	1070.437	972.233	-3.0041	-0.3224

Slope 1 = 0.020
Slope 2 = 0.155

Sierpinski Fractal Dimension 1 = 1.980
Sierpinski Fractal Dimension 2 = 1.845

**Table D.8.27. Calculation of Sierpinski Fractal Dimensions,
30 minutes, Time Response Test, Floc #2**

Floc #2 (Porosity Floc #11)				Box Area (μm^2)= 6495.870	
Pore #	Pore Area (μm^2)	Cumulative Pore Area (μm^2)	Residual Area (μm^2)	Log Normalized Pore Area	Log Normalized Residual Area
1	1216.383	1216.383	5279.486	-0.7276	-0.0900
2	821.508	2037.891	4457.979	-0.8980	-0.1635
3	705.057	2742.948	3752.921	-0.9644	-0.2383
4	230.074	2973.022	3522.848	-1.4508	-0.2657
5	182.479	3155.501	3340.369	-1.5514	-0.2888
6	165.609	3321.110	3174.760	-1.5936	-0.3109
7	121.675	3442.785	3053.084	-1.7274	-0.3279
8	37.520	3480.305	3015.565	-2.2384	-0.3333
9	36.753	3517.058	2978.812	-2.2473	-0.3386
10	36.295	3553.353	2942.516	-2.2528	-0.3439
11	34.570	3587.923	2907.947	-2.2739	-0.3491
12	33.323	3621.246	2874.624	-2.2899	-0.3541
13	20.398	3641.644	2854.226	-2.5030	-0.3571
14	12.206	3653.850	2842.020	-2.7261	-0.3590
15	10.604	3664.453	2831.417	-2.7872	-0.3606
16	9.578	3674.031	2821.839	-2.8314	-0.3621
17	8.466	3682.497	2813.373	-2.8849	-0.3634
18	5.959	3688.456	2807.414	-3.0374	-0.3643
19	5.839	3694.295	2801.575	-3.0463	-0.3652
20	5.809	3700.104	2795.765	-3.0485	-0.3661
21	5.157	3705.262	2790.608	-3.1002	-0.3669
22	4.681	3709.943	2785.927	-3.1423	-0.3677
23	4.477	3714.420	2781.450	-3.1617	-0.3684
24	4.423	3718.842	2777.027	-3.1670	-0.3691
25	3.936	3722.778	2773.092	-3.2176	-0.3697
26	3.664	3726.442	2769.427	-3.2486	-0.3702
27	3.652	3730.094	2765.775	-3.2501	-0.3708
28	3.645	3733.739	2762.130	-3.2509	-0.3714
29	3.549	3737.289	2758.581	-3.2625	-0.3720
30	3.506	3740.794	2755.075	-3.2679	-0.3725
31	3.385	3744.180	2751.690	-3.2830	-0.3730
32	3.330	3747.510	2748.360	-3.2901	-0.3736
33	3.129	3750.639	2745.231	-3.3173	-0.3741
34	3.092	3753.731	2742.139	-3.3225	-0.3745
35	2.217	3755.948	2739.922	-3.4668	-0.3749
36	2.186	3758.134	2737.736	-3.4731	-0.3752
37	1.923	3760.057	2735.813	-3.5287	-0.3756
38	1.856	3761.912	2733.957	-3.5441	-0.3758

Slope 1 = 0.027
Slope 2 = 0.202

Sierpinski Fractal Dimension 1 = 1.973
Sierpinski Fractal Dimension 2 = 1.798

**Table D.8.28. Calculation of Sierpinski Fractal Dimensions,
30 minutes, Time Response Test, Floc #3**

Floc #3 (Porosity Floc #22)				Box Area (μm^2)= 3513.141	
Pore #	Pore Area (μm^2)	Cumulative Pore Area (μm^2)	Residual Area (μm^2)	Log Normalized Pore Area	Log Normalized Residual Area
1	877.186	877.186	2635.955	-0.6026	-0.1248
2	255.966	1133.152	2379.989	-1.1375	-0.1691
3	69.569	1202.720	2310.421	-1.7033	-0.1820
4	46.913	1249.634	2263.507	-1.8744	-0.1909
5	46.180	1295.814	2217.327	-1.8812	-0.1999
6	30.004	1325.818	2187.323	-2.0685	-0.2058
7	28.465	1354.283	2158.858	-2.0914	-0.2115
8	20.296	1374.579	2138.562	-2.2383	-0.2156
9	18.895	1393.474	2119.668	-2.2694	-0.2194
10	18.553	1412.027	2101.114	-2.2773	-0.2232
11	17.160	1429.187	2083.954	-2.3112	-0.2268
12	16.172	1445.359	2067.782	-2.3369	-0.2302
13	14.430	1459.789	2053.352	-2.3864	-0.2332
14	13.668	1473.457	2039.684	-2.4100	-0.2361
15	12.490	1485.947	2027.194	-2.4491	-0.2388
16	12.435	1498.383	2014.758	-2.4510	-0.2415
17	12.037	1510.419	2002.722	-2.4652	-0.2441
18	6.073	1516.493	1996.648	-2.7623	-0.2454
19	6.031	1522.523	1990.618	-2.7653	-0.2467
20	3.730	1526.253	1986.888	-2.9740	-0.2475
21	3.244	1529.497	1983.644	-3.0346	-0.2482
22	2.441	1531.937	1981.204	-3.1582	-0.2488

Slope 1 = 0.007

Slope 2 = 0.060

Sierpinski Fractal Dimension 1 = 1.993

Sierpinski Fractal Dimension 2 = 1.940

**Table D.8.29. Calculation of Sierpinski Fractal Dimensions,
30 minutes, Time Response Test, Floc #4**

Floc #4 (Porosity Floc #27)				Box Area (μm^2)= 3713.019	
Pore #	Pore Area (μm^2)	Cumulative Pore Area (μm^2)	Residual Area (μm^2)	Log Normalized Pore Area	Log Normalized Residual Area
1	375.676	375.676	3337.343	-0.9949	-0.0463
2	268.998	644.674	3068.346	-1.1400	-0.0828
3	104.222	748.896	2964.123	-1.5518	-0.0978
4	68.483	817.379	2895.640	-1.7341	-0.1080
5	52.097	869.476	2843.543	-1.8529	-0.1159
6	42.184	911.660	2801.359	-1.9446	-0.1224
7	36.496	948.156	2764.863	-2.0075	-0.1281
8	35.812	983.968	2729.051	-2.0157	-0.1337
9	29.445	1013.414	2699.606	-2.1007	-0.1384
10	18.272	1031.686	2681.334	-2.3079	-0.1414
11	13.828	1045.514	2667.506	-2.4290	-0.1436
12	13.436	1058.949	2654.070	-2.4415	-0.1458
13	9.413	1068.362	2644.657	-2.5960	-0.1474
14	8.116	1076.478	2636.542	-2.6604	-0.1487
15	5.500	1081.977	2631.042	-2.8294	-0.1496
16	5.409	1087.387	2625.633	-2.8366	-0.1505
17	5.224	1092.611	2620.408	-2.8517	-0.1514
18	4.986	1097.597	2615.423	-2.8720	-0.1522
19	4.373	1101.970	2611.049	-2.9289	-0.1529
20	4.210	1106.180	2606.839	-2.9454	-0.1536
21	4.044	1110.224	2602.795	-2.9629	-0.1543
22	3.353	1113.577	2599.442	-3.0443	-0.1548
23	3.347	1116.924	2596.095	-3.0450	-0.1554
24	3.061	1119.986	2593.033	-3.0838	-0.1559
25	2.689	1122.675	2590.345	-3.1402	-0.1564
26	2.297	1124.971	2588.048	-3.2086	-0.1568
27	2.197	1127.169	2585.851	-3.2279	-0.1571
28	1.909	1129.077	2583.942	-3.2889	-0.1574
29	1.851	1130.929	2582.091	-3.3023	-0.1578
30	1.832	1132.760	2580.259	-3.3069	-0.1581

Slope 1 = 0.016
Slope 2 = 0.071

Sierpinski Fractal Dimension 1 = 1.984
Sierpinski Fractal Dimension 2 = 1.929

**Table D.8.30. Calculation of Sierpinski Fractal Dimensions,
30 minutes, Time Response Test, Floc #5**

Floc #5 (Porosity Floc #28)				Box Area (μm^2)= 3912.005	
Pore #	Pore Area (μm^2)	Cumulative Pore Area (μm^2)	Residual Area (μm^2)	Log Normalized Pore Area	Log Normalized Residual Area
1	1002.954	1002.954	2909.052	-0.5911	-0.1286
2	268.721	1271.674	2640.331	-1.1631	-0.1707
3	124.122	1395.797	2516.209	-1.4985	-0.1917
4	81.431	1477.227	2434.778	-1.6816	-0.2059
5	51.824	1529.051	2382.954	-1.8779	-0.2153
6	28.696	1557.748	2354.258	-2.1346	-0.2205
7	16.084	1573.832	2338.174	-2.3860	-0.2235
8	10.160	1583.992	2328.014	-2.5855	-0.2254
9	9.935	1593.926	2318.079	-2.5952	-0.2273
10	5.549	1599.476	2312.530	-2.8482	-0.2283
11	3.265	1602.741	2309.265	-3.0786	-0.2289
12	3.193	1605.934	2306.072	-3.0882	-0.2295
13	2.455	1608.389	2303.616	-3.2023	-0.2300
14	2.449	1610.838	2301.167	-3.2033	-0.2305
15	2.429	1613.267	2298.738	-3.2070	-0.2309
16	2.357	1615.625	2296.381	-3.2200	-0.2314

Slope 1 = 0.010

Sierpinski Fractal Dimension 1 = 1.990

Slope 2 = 0.068

Sierpinski Fractal Dimension 2 = 1.932